**Andy Beshear** 

**GOVERNOR** 



# KID013A v2.0

# CABINET FOR HEALTH AND FAMILY SERVICES OFFICE OF INSPECTOR GENERAL

### Melissa A. Moore, Director

Division of Regulated Child Care Western Branch 901 B South Main Street Hopkinsville, KY 42240 Phone: (270) 889-6052 Fax: (270) 889-6089 https://chfs.ky.gov/agencies/os/oig Eric Friedlander SECRETARY

Adam Mather INSPECTOR GENERAL

# **Inspection Report**

|   | Provider Information               |                                      |
|---|------------------------------------|--------------------------------------|
| Provider Name: Children's Choice Academy                    | Provider Type: LICENSED TYPE I     | CLR No: L383300                      |
| Provider Address: 1295 North Race Street, Glasgow, KY, 4214 | 41                                 | Capacity: 75                         |
| Owner(s): Crumpton, Kathy Darlene & Johnson, Lynds          | sey Page                           | Director(s): Crumpton, Kathy Darlene |
|   |                                    |                                      |
|   | Inspection Information             |                                      |
| Inspection Type: Renewal Application                        |                                    | Inspection No: 217661                |
| Date Initiated: 11/28/2016 10:50 AM                         | Date Concluded: 11/28/2016 2:30 PM |                                      |
|   | No. of Children Present: 47        |                                      |

| Inspection Report                                  |  |                   |
|--|--|-------------------|
|  | Supervision  | In Compliance     |
|  | Staffing Requirements  | Not In Compliance |
| 0 - Ratios and Group Size                          |  | Not In Compliance |
| 922 KAR 2:120. Section 2. Child Care Services.     |  |                   |
| (2) Minimum staff-to-child ratios and group size f | for an operating child-care center shall be maintained as follows: |                   |
| Age of Children Ratio Maximum Group Size*          |  |                   |
| Infant   |  |                   |
| 1 staff for 5 children 10                          |  |                   |
| Toddler  |  |                   |
| 1 staff for 6 children 12                          |  |                   |
| Preschool-age 2 to 3 years                         |  |                   |
| 1 staff for 10 children 20                         |  |                   |
| Preschool-age 3 to 4 years                         |  |                   |
| 1 staff for 12 children 24                         |  |                   |
| Preschool-age 4 to 5 years                         |  |                   |
| 1 staff for 14 children 28                         |  |                   |
| School-age 5 to 7 years                            |  |                   |
| 1 staff for 15 children 30                         |  |                   |
| School-age 7 and older                             |  |                   |
| 1 staff for 25 children                            |  |                   |
| (for before and after school) 30                   |  |                   |
| 1 staff for 20 children                            |  |                   |
| (full day of care) 30                              |  |                   |
| *Maximum Group Size shall be applicable only       | to Type I child-care centers.                                      |                   |
| Findings:  |  |                   |

General: Based on Observation, there were three (3) caregivers and eleven (11) infants in the infants' room. Therefore, the group size was not maintained in the infants' room.



| Inspection Report  |                      |
|--|----------------------|
| 45 - Ratio/Group Size  | Not In Compliance    |
| <ul> <li>922 KAR 2:120. Section 2. Child Care Services.</li> <li>(2)(b) The age of the youngest child in the group shall determine the:</li> <li>1. Staff-to-child ratio; and</li> <li>2. Maximum group size.</li> </ul>   |                      |
| Findings:  |                      |
| General: Based on Observation, three (3) caregivers supervised eleven (11) children in the infants' room. The youngest child was an infant.  |                      |
| General Administration   | In Compliance        |
| Director Requirements  | In Compliance        |
| Employee Records   | Not In Compliance    |
| 940 - Training<br>922 KAR 2:110. Section 5. Staff Requirements.  | Not In Compliance    |
| <ul> <li>(14) In accordance with KRS 199.896(15) and (16), a staff person with supervisory authority over a child shall complete the follow <ul> <li>(a) Six (6) hours of cabinet-approved orientation within the first three (3) months of employment;</li> <li>(b) Nine (9) hours of cabinet-approved early care and education training within the first year of employment, including one and of hours of pediatric abusive head trauma training; and</li> <li>(c) Fifteen (15) hours of cabinet-approved early care and education training during each subsequent year of employment, including half (1 ½) hours of pediatric abusive head trauma training completed once every five (5) years.</li> </ul> </li> </ul> | one-half (1 ½)       |
| Findings:  |                      |
| General: Based on Review of Documentation, a caregiver hired on 7/6/16, had not completed six (6) hours of orientation. Also, a caregiver hired on 9/8/14, had not completed six (6) hours of orientation. Also, a caregiver hired on 9/8/14, had not completed six (6) hours of orientation.  | ad not completed the |
| Programming  | Not In Compliance    |
| 135 - Bedding/Toys in Crib   | Not In Compliance    |
| <ul> <li>(a) For an infant:</li> <li>3. No loose bedding; and</li> <li>4. No toys or other items except the infant's pacifier;</li> </ul>  |                      |
| Findings:<br>General: Based on Observation, a four month old infant, a three month old infant, and a six week old infant were each in a crib and swaddled in a sleep sack.   |                      |
| Premises   | Not In Compliance    |
| 500 - Building Requirements  | Not In Compliance    |
| 922 KAR 2:120. Section 4. Premises Requirements.   |                      |
| (5) The building shall be constructed to ensure the: <ul> <li>(a) Building is:</li> <li>1. Dry;</li> <li>2. Adequately heated;</li> <li>3. Ventilated; and</li> <li>4. Well lit, including clean light fixtures that are:</li> <li>a. In good repair in all areas; and</li> <li>b. Shielded or have shattered proof bulbs installed; and</li> <li>(b) Following are protected:</li> <li>1. Windows;</li> <li>2. Doors;</li> <li>3. Stoves;</li> <li>4. Heaters;</li> <li>5. Furnaces;</li> <li>6. Pipes; and</li> <li>7. Stairs.</li> </ul> Findings:  |                      |
| General: Based on Observation, there were dead bugs in the light fixture in the preschool restroom.<br>505 - 35 Square Feet per Child  | Not In Complianc     |
| 905 - 35 Square Feet per Child<br>922 KAR 2:120. Section 4. Premises Requirements.<br>(6) Exclusive of the kitchen, bathroom, hallway, and storage area, there shall be a minimum of thirty-five (35) square feet of spac  | _                    |
| Findings:  |                      |

#### Findings:

General: Based on Observation, the one year olds' room allowed for seven (7) children; however, ten (10) children were present in the room. The infants' room allowed for ten (10) children; however, eleven (11) infants were present in the room. Also, at 1:15 p.m., five (5) more children arrived to the preschool room which made twenty-four (24) children present in the preschool room. The preschool room allowed for twenty-one (21) children to have 35 square feet of space per child.



| Inspection | Report |
|------------|--------|
|------------|--------|

| 5 - Protected Openings         922 KAR 2:120. Section 4. Premises Requirements.         (8) An opening to the outside shall be effectively protected against the entrance of vermin by: <ul> <li>(a) Self-closing doors;</li> <li>(b) Closed windows;</li> <li>(c) Screening;</li> <li>(d) Controlled air current; or</li> <li>(e) Other effective means.</li> </ul> Findings:           General: Based on Observation, two (2) windows were opened and were not screened in the preschool room.           20 - Floors, Walls, Ceilings           922 KAR 2:120. Section 4. Premises Requirements.           (9) Floors, walls, and ceilings shall be smooth, in good repair, and constructed to be easily cleaned.           Findings:           General: Based on Observation, there was a stained ceiling tile in the restroom of the two (2) year olds' room. The stained area was approximately twelve (12) the result of a leak.           Findings:           General: Based on Observation, there was a stained ceiling tile in the restroom of the two (2) year olds' room. The stained area was approximately twelve (12) the result of a leak.           25 - Diaper Changing Area/Surface           922 KAR 2:120. Section 10. Toilet, Diapering, and Toiletry Requirements.           (10) When a child is diapered, the child shall:           (b) Be placed on a surface that is:           1. Clean; | Not In Compliance<br>Not In Compliance<br>e) inches long and was<br>Not In Compliance<br>Not In Compliance |
|--|--|
| (8) An opening to the outside shall be effectively protected against the entrance of vermin by: <ul> <li>(a) Self-closing doors;</li> <li>(b) Closed windows;</li> <li>(c) Screening;</li> <li>(d) Controlled air current; or</li> <li>(e) Other effective means.</li> </ul> Findings: <ul> <li>General: Based on Observation, two (2) windows were opened and were not screened in the preschool room.</li> </ul> 20 - Floors, Walls, Ceilings 922 KAR 2:120. Section 4. Premises Requirements. <ul> <li>(9) Floors, walls, and ceilings shall be smooth, in good repair, and constructed to be easily cleaned.</li> </ul> Findings: <ul> <li>General: Based on Observation, there was a stained ceiling tile in the restroom of the two (2) year olds' room. The stained area was approximately twelve (12) the result of a leak. E5 - Diaper Changing Area/Surface 922 KAR 2:120. Section 10. Toilet, Diapering, and Toiletry Requirements. <ul> <li>(10) When a child is diapered, the child shall:</li> <li>(b) Be placed on a surface that is:</li> </ul></li></ul>  | ) inches long and was<br>Not In Complianc  |
| General: Based on Observation, two (2) windows were opened and were not screened in the preschool room.<br>20 - Floors, Walls, Ceilings<br>922 KAR 2:120. Section 4. Premises Requirements.<br>(9) Floors, walls, and ceilings shall be smooth, in good repair, and constructed to be easily cleaned.<br>Findings:<br>General: Based on Observation, there was a stained ceiling tile in the restroom of the two (2) year olds' room. The stained area was approximately twelve (12)<br>the result of a leak.<br>Hygienic Practices<br>25 - Diaper Changing Area/Surface<br>922 KAR 2:120. Section 10. Toilet, Diapering, and Toiletry Requirements.<br>(10) When a child is diapered, the child shall:<br>(b) Be placed on a surface that is:   | ) inches long and was<br>Not In Complianc  |
| 20 - Floors, Walls, Ceilings<br>922 KAR 2:120. Section 4. Premises Requirements.<br>(9) Floors, walls, and ceilings shall be smooth, in good repair, and constructed to be easily cleaned.<br>Findings:<br>General: Based on Observation, there was a stained ceiling tile in the restroom of the two (2) year olds' room. The stained area was approximately twelve (12)<br>the result of a leak.<br>Hygienic Practices<br>25 - Diaper Changing Area/Surface<br>922 KAR 2:120. Section 10. Toilet, Diapering, and Toiletry Requirements.<br>(10) When a child is diapered, the child shall:<br>(b) Be placed on a surface that is:  | ) inches long and was<br>Not In Compliance   |
| <ul> <li>922 KAR 2:120. Section 4. Premises Requirements.</li> <li>(9) Floors, walls, and ceilings shall be smooth, in good repair, and constructed to be easily cleaned.</li> <li>Findings: <ul> <li>General: Based on Observation, there was a stained ceiling tile in the restroom of the two (2) year olds' room. The stained area was approximately twelve (12) the result of a leak.</li> <li>Hygienic Practices</li> </ul> </li> <li>25 - Diaper Changing Area/Surface</li> <li>922 KAR 2:120. Section 10. Toilet, Diapering, and Toiletry Requirements.</li> <li>(10) When a child is diapered, the child shall:</li> <li>(b) Be placed on a surface that is:</li> </ul>   | ) inches long and was<br>Not In Compliance   |
| (9) Floors, walls, and ceilings shall be smooth, in good repair, and constructed to be easily cleaned. Findings: General: Based on Observation, there was a stained ceiling tile in the restroom of the two (2) year olds' room. The stained area was approximately twelve (12) the result of a leak. Hygienic Practices 25 - Diaper Changing Area/Surface 922 KAR 2:120. Section 10. Toilet, Diapering, and Toiletry Requirements. (10) When a child is diapered, the child shall: (b) Be placed on a surface that is:  | Not In Compliance  |
| General: Based on Observation, there was a stained ceiling tile in the restroom of the two (2) year olds' room. The stained area was approximately twelve (12) the result of a leak.  Hygienic Practices  25 - Diaper Changing Area/Surface  922 KAR 2:120. Section 10. Toilet, Diapering, and Toiletry Requirements. (10) When a child is diapered, the child shall: (b) Be placed on a surface that is:  | Not In Compliance  |
| the result of a leak.<br>Hygienic Practices<br>25 - Diaper Changing Area/Surface<br>922 KAR 2:120. Section 10. Toilet, Diapering, and Toiletry Requirements.<br>(10) When a child is diapered, the child shall:<br>(b) Be placed on a surface that is:   | Not In Complianc   |
| 25 - Diaper Changing Area/Surface<br>922 KAR 2:120. Section 10. Toilet, Diapering, and Toiletry Requirements.<br>(10) When a child is diapered, the child shall:<br>(b) Be placed on a surface that is:  | -  |
| 922 KAR 2:120. Section 10. Toilet, Diapering, and Toiletry Requirements.<br>(10) When a child is diapered, the child shall:<br>(b) Be placed on a surface that is:   | Not In Compliance  |
| <ul><li>(10) When a child is diapered, the child shall:</li><li>(b) Be placed on a surface that is:</li></ul>  |  |
| <ol> <li>Clean;</li> <li>Padded;</li> <li>Free of holes, rips, tears, or other damage;</li> <li>Nonabsorbent;</li> <li>Easily cleaned; and</li> <li>Free of any items not used for diaper changing.</li> </ol>   |  |
| Findings:  |  |
| General: Based on Observation, a changing pad had five (5) small tears in the two (2) year olds' room.   |  |
| First Aid/Medication   | In Compliance  |
| Outdoor Play Area  | Not In Compliand   |
| 95 - Protective Surface  | Not In Compliand   |
| <ul> <li>922 KAR 2:120. Section 4. Premises Requirements.</li> <li>(21) A protective surface shall: <ul> <li>(a) Be provided for outdoor play equipment used to:</li> <li>1. Climb;</li> <li>2. Swing; and</li> <li>3. Slide; and</li> <li>(b) Have a fall zone equal to the height of the equipment.</li> </ul> </li> </ul>   |  |
| Findings:  |  |
| General: Based on Observation, there was no protective surface underneath a purple and pink Little Tikes double slide, a green and brown slide, and a yellow outdoor play area. Also, horse stall mats were used as a protective surface underneath a set of swings in the outdoor play area.  | and green slide in the   |
| Equipment  | Not In Compliand   |
| 35 - Individual Bed/Mat/Cot and Bedding  | Not In Compliand   |
| <ul> <li>922 KAR 2:120. Section 6. Sleeping and Napping Requirements.</li> <li>(3) Rest time shall include adequate space specified by the child's age as follows:</li> <li>(b) For a toddler or preschool-age child: <ol> <li>An individual bed, a two (2) inch thick waterproof mat, or cot in good repair; and</li> <li>Bedding that is in good repair and is changed: <ol> <li>Weekly; or</li> <li>Immediately if it is soiled or wet.</li> </ol> </li> </ol></li></ul>  |  |
| Findings:  |  |
| General: Based on Observation, a very tight fitted sheet caused a crib mattress to curl up and be lifted three (3) inches from the crib base in the infants' room.   |  |
| 10 - Twelve Inch Spacing   | Not In Compliand   |
|  | e movement by a  |
| 922 KAR 2:120. Section 6. Sleeping and Napping Requirements.<br>(6) Cots, equipment, and furnishings used for sleeping and napping shall be spaced twelve (12) inches apart to allow free and safe<br>person.  |  |
| (6) Cots, equipment, and furnishings used for sleeping and napping shall be spaced twelve (12) inches apart to allow free and safe   |  |



| Inspection Report   |                           |
|---|---------------------------|
| Transportation  | Not Applicable            |
| Food Service  | In Compliance             |
| Children's Records  | Not In Compliance         |
| 1070 - Immunization   | Not In Compliance         |
| <ul> <li>922 KAR 2:110. Section 3. Records.</li> <li>(1) A child-care center shall maintain:</li> <li>(a) A current immunization certificate for each child in care within thirty (30) days of the child's enrollment, unless an attachild's parent objects to the immunization of the child pursuant to KRS 214.036;</li> </ul>  | tending physician or the  |
| Findings:<br>General: Based on Review of Documentation, a child enrolled on 6/6/16, had an immunization certificate dated 10/25/16. Also, a child enrolled on 9/6 certificate on file.  | 6/16, had no immunization |
| Written Documentation   | Not In Compliance         |
| 1095 - Daily Attendance Records   | Not In Compliance         |
| <ul> <li>922 KAR 2:110. Section 3. Records.</li> <li>(1) A child-care center shall maintain:</li> <li>(c) Daily attendance records documenting the arrival and departure time of each child, including records that are require</li> <li>922 KAR 2:160, Section 13, if a child receives services from the child-care center through the Child Care Assistance Progration</li> <li>Findings:</li> <li>General: Based on Review of Documentation and observation, thirty-nine (39) children had a documented arrival time, but forty-seven (47) children w five (5) parents had signed the 94E attendance record at the beginning of week 11/28/16.</li> </ul>  | am;                       |
| 1105 - Professional Development   | Not In Compliance         |
| 922 KAR 2:110. Section 3. Records.<br>(1) A child-care center shall maintain:<br>(f) A written annual plan for child-care staff professional development;   |                           |
| General: Based on Review of Documentation, a director hired on 6/16/14, had no professional development plan on file.  1120 - Fire Drills 922 KAR 2:110. Section 3. Records. (1) A child-care center shall maintain:  | Not In Compliance         |
| (i) A written record of practiced fire drills conducted monthly detailing the date, time, and children who participated in ac<br>KAR 2:120, Section 3;<br>Findings:   | ccordance with 922        |
| General: Based on Review of Documentation, there was no record detailing the date, time, and children who participated in the fire drills conducted M   | lay through July 2016     |
|   | Not In Compliance         |
| 922 KAR 2:120. Section 3. General Requirements.<br>(12) A fire drill shall be conducted during hours of operation:<br>(a) At least monthly; and<br>(b) Documented.<br>Findings:   |                           |
| General: Based on Interview, fire drills were conducted May 2016 through July 2016, but were not documented.  |                           |
| Posted Documentation  | Not In Compliance         |
| 155 - Posting Requirements  | Not In Compliance         |
| <ul> <li>922 KAR 2:110. Section 2. General.</li> <li>(7) In addition to the posting requirement of KRS 199.898(3), a child-care center shall post the following in a conspicuous available for public inspection: <ul> <li>(a) Each statement of deficiency and civil penalty notice issued by the cabinet during the current licensure year;</li> <li>(b) Each plan of correction submitted by the child-care center to the cabinet during the current licensure year;</li> <li>(c) Information on the Kentucky Consumer Product Safety Program and the program's website as specified in KRS 199.89</li> <li>(d) A description of services provided by the child-care center, including: <ul> <li>Current rates for child care; and</li> <li>Each service charged separately and in addition to the basic rate for child care;</li> <li>(e) Minimum staff-to-child ratios and group size established in 922 KAR 2:120; and</li> </ul> </li> </ul></li></ul> |                           |
| (f) Daily schedule  |                           |
| (f) Daily schedule.   |                           |
| (f) Daily schedule. Findings: General: Based on Observation, the Kentucky Consumer Product Safety Program and website information were not posted.  |                           |



Signature of Provider/Representative

