Printed Date: 12/02/2022 KID013A v2.0



**Andy Beshear**GOVERNOR

# CABINET FOR HEALTH AND FAMILY SERVICES OFFICE OF INSPECTOR GENERAL

Melissa A. Moore, Director Division of Regulated Child Care

Western Branch 901 B South Main Street Hopkinsville, KY 42240

Phone: (270) 889-6052 Fax: (270) 889-6089 https://chfs.ky.gov/agencies/os/oig Eric Friedlander
SECRETARY

Adam Mather
INSPECTOR GENERAL

## **Inspection Report**

**Provider Information** 

Provider Type: LICENSED TYPE I

Provider Address: 210 South Main Street, Suite 200, Brownsville, KY, 42210

Owner(s): Community Action Of Southern Kentucky, Incorporated

**CLR No:** L355920

Capacity: 40

Director(s): Brown, Carla Y.

**Inspection Information** 

Inspection Type: Renewal Application

Date Initiated: 03/04/2020 10:15 AM

Provider Name: Edmonson County Head Start

Date Concluded: 03/04/2020 12:30 PM

No. of Children Present: 20

Inspection No: 293108

Inspection Report

**Background Checks** 

Supervision

**Staffing Requirements** 

General Administration

In Compliance

In Compliance

**Not In Compliance** 

Not In Compliance

# 255 - Notification of Changes

922 KAR 2:090. Section 12. Reports.

(4)(a) Written notification of the following shall be:

- Made to the cabinet, in writing, to allow for approval before implementation:
- a. Change of ownership;
- b. Change of location;
- c. Increase in capacity;
- d. Change in hours of operation;
- e. Change of services in the following categories:
- (i) Infant:
- (ii) Toddler;
- (iii) Preschool-age;
- (iv) School-age;
- (v) Nontraditional hours; or
- (vi) Transportation; or
- f. Addition to or reduction of the square footage of a child-care center's premises;

#### **Findings**

General: Based on interview, the center implemented a summer program by operating in June and July 2019. The center was licensed to operate according to the Edmonson County school calendar and did not have prior approval from the cabinet to change hours of operation.

**Director Requirements** 

Not In Compliance
Not In Compliance

922 KAR 2:090. Section 10. Director Requirements and Responsibilities.

(1) A director shall:

345 - Staff Evaluation

(j) Assess each staff person's interaction with children in care and classroom performance through an annual written performance evaluation;

#### Findings:

General: Based on review of documentation, a staff, hired on 01/14/13, had an annual written performance evaluation on file that was dated 03/24/17.



### In Compliance **Employee Records Programming** In Compliance **Premises Not In Compliance** 560 - Building Requirements **Not In Compliance** 922 KAR 2:120. Section 4. Premises Requirements. (5) The building shall be constructed to ensure the: (a) Building is: 1. Dry; 2. Ventilated; and 3. Well lit, including clean light fixtures that are: a. In good repair in all areas; and b. Shielded or have shatter-proof bulbs installed; and (b) Following are protected: 1. Windows; 2. Doors; 3. Stoves: 4. Heaters: 5. Furnaces; 6. Pipes; and 7. Stairs. Findings: General: Based on observation, dead bugs were in a light shield in the preschool room. **Hygienic Practices** In Compliance First Aid/Medication In Compliance **Outdoor Play Area** In Compliance **Not In Compliance Equipment Not In Compliance** 770 - Play Equipment 922 KAR 2:120. Section 4. Premises Requirements. (24) Supports for climbing apparatus and large equipment shall be securely fastened to the ground. (25) Crawl spaces, such as tunnels, shall be short and wide enough to permit access by adults. (26) A sandbox shall be: (a) Constructed to allow for drainage; (b) Covered when not in use; (c) Kept clean; and (d) Checked for vermin prior to use. Findings: General: Based on observation, wet sand was inside a sandbox on the outside playground. The sandbox was not constructed to drain. **Transportation Not Applicable** Food Service/Food Program **Not Applicable Food Service** In Compliance Children's Records In Compliance **Written Documentation Not In Compliance** 1195 - Fire Drills **Not In Compliance** 922 KAR 2:120. Section 3. General Requirements. (12) A fire drill shall be: (a) Conducted during hours of operation at least monthly; and (b) Documented. (13) An earthquake drill and a tornado drill shall be: (a) Conducted during hours of operation at least quarterly; and (b) Documented. General: Based on review of documentation, a monthly, practiced fire drill was not conducted in July 2019. **Posted Documentation** In Compliance Animals **Not Applicable**

**Inspection Report** 



An Equal Opportunity Employer M/F/D

Signature of Provider/Representative