



Andy Beshear
GOVERNOR

CABINET FOR HEALTH AND FAMILY SERVICES
OFFICE OF INSPECTOR GENERAL

Eric Friedlander
SECRETARY

Melissa A. Moore, Director
Division of Regulated Child Care
Eastern Branch
455 Park Place, Suite 120A
Lexington, KY 40511

Adam Mather
INSPECTOR GENERAL

Phone: (859) 246-2301 Fax: (859) 246-2307
<https://chfs.ky.gov/agencies/os/oig>

Inspection Report

Provider Name: All God's Children Day Care	Provider Information Provider Type: LICENSED TYPE I	CLR No: L356453
Provider Address: 122 Danville Road, Loop 1, Nicholasville, KY, 40356		Capacity: 33
Owner(s): All God's Children, Inc.		Director(s): Tipton, Heather

Inspection Type: Renewal Application	Inspection Information	Inspection No: 219198
Date Initiated: 03/07/2017 8:30 AM	Date Concluded: 03/07/2017 10:30 AM	
	No. of Children Present: 21	

Inspection Report	
Supervision	In Compliance
Staffing Requirements	In Compliance
General Administration	In Compliance
Director Requirements	Not In Compliance
260 - Staff Evaluation	Not In Compliance
922 KAR 2:110. Section 4. Director Requirements and Responsibilities. (1) Effective with the adoption of this administrative regulation, a director shall: (j) Assess each staff person's interaction with children in care and classroom performance through an annual written performance evaluation;	
Findings:	
General: Based on Review of Documentation, it was found through a review of eight (8) staff files that two (2) staff files did not have evidence of a staff evaluation.	
Employee Records	In Compliance
Programming	In Compliance
Premises	Not In Compliance
520 - Floors, Walls, Ceilings	Not In Compliance
922 KAR 2:120. Section 4. Premises Requirements. (9) Floors, walls, and ceilings shall be smooth, in good repair, and constructed to be easily cleaned.	
Findings:	
General: Based on Observation, it was found that in the Infant classroom there were several areas of chipped paint along the walls and window sill. It was also found that there was several areas of chipped paint on the walls in the Toddler classroom. In the Pre-K 1 classroom there was observed to be dust hanging from the ceiling and stains on the bathroom door used by the preschool children for toileting and hand washing. In the restroom in the hallway used by the children for toileting and handwashing, there was observed to be a substantial amount of dust on the vent.	

Inspection Report

585 - Sink

Not In Compliance

922 KAR 2:120. Section 10. Toilet, Diapering, and Toiletry Requirements.

(3) A sink shall be:

- (a) Located in or immediately adjacent to toilet rooms;
- (b) Equipped with hot and cold running water that allows for hand washing;
- (c) Equipped with hot water at a minimum temperature of ninety (90) degrees Fahrenheit and a maximum of 120 degrees Fahrenheit;
- (d) Equipped with liquid soap;
- (e) Equipped with hand-drying blower or single use disposable hand drying material;
- (f) Equipped with an easily cleanable waste receptacle; and
- (g) Immediately adjacent to a changing area used for infants and toddlers.

Findings:

General: Based on Observation, it was found that the hot water temperature in the Toddler classroom registered 130 degrees Fahrenheit.

Hygienic Practices

Not In Compliance

595 - Child Personal Care/Handwashing

Not In Compliance

922 KAR 2:120. Section 3. General Requirements.

(4) A child shall:

- (a) Be helped with personal care and cleanliness based upon their developmental skills; and
- (b) Wash his or her hands with liquid soap and warm running water:
 - 1. a. Upon arrival at the center; or
 - b. Within thirty (30) minutes of arrival for school-age children;
 - 2. Before and after eating or handling food;
 - 3. After toileting or diaper change;
 - 4. After handling animals;
 - 5. After wiping or blowing nose;
 - 6. After touching items soiled with body fluids or wastes; and
 - 7. After outdoor or indoor play time.

Findings:

General: Based on Observation, it was found that a child in the Pre-K 1 classroom did not have his hands washed after having his nose wiped.

625 - Diaper Changing Area/Surface

Not In Compliance

922 KAR 2:120. Section 10. Toilet, Diapering, and Toiletry Requirements.

(10) When a child is diapered, the child shall:

- (b) Be placed on a surface that is:
 - 1. Clean;
 - 2. Padded;
 - 3. Free of holes, rips, tears, or other damage;
 - 4. Nonabsorbent;
 - 5. Easily cleaned; and
 - 6. Free of any items not used for diaper changing.

Findings:

General: Based on Observation, it was found that there was dirt and debris under the diaper changing pad in the Infant classroom.

First Aid/Medication	In Compliance
Outdoor Play Area	In Compliance
Equipment	In Compliance
Transportation	In Compliance
Food Service	In Compliance
Children's Records	In Compliance
Written Documentation	In Compliance
Posted Documentation	In Compliance
Animals	In Compliance

Signature of Provider/Representative

Title

Date