



Andy Beshear
GOVERNOR

CABINET FOR HEALTH AND FAMILY SERVICES
OFFICE OF INSPECTOR GENERAL

Eric Friedlander
SECRETARY

Melissa A. Moore, Director
Division of Regulated Child Care
Eastern Branch
455 Park Place, Suite 120A
Lexington, KY 40511

Adam Mather
INSPECTOR GENERAL

Phone: (859) 246-2301 Fax: (859) 246-2307
<https://chfs.ky.gov/agencies/os/oig>

Inspection Report

Provider Name: AlphaBEST at Hinsdale Elementary	Provider Information	CLR No: L383855
Provider Address: 440 Dudley Road, Edgewood, KY, 41017	Provider Type: LICENSED TYPE I	Capacity: 45
Owner(s): AlphaBEST Education, Inc.		Director(s): Nogle-Henry, Susan

Inspection Type: Renewal Application	Inspection Information	Inspection No: 306219
Date Initiated: 02/23/2021 2:40 PM	Date Concluded: 02/23/2021 4:30 PM	
	No. of Children Present: 22	

Inspection Report	
Background Checks	In Compliance
Supervision	In Compliance
Staffing Requirements	In Compliance
General Administration	In Compliance
Director Requirements	In Compliance
Employee Records	In Compliance
Programming	In Compliance
Premises	In Compliance
Hygienic Practices	In Compliance
First Aid/Medication	In Compliance
Outdoor Play Area	In Compliance
Equipment	In Compliance
Transportation	Not Applicable
Food Service/Food Program	In Compliance
Food Service	In Compliance
Children's Records	In Compliance
Written Documentation	Not In Compliance

1150 - Evacuation Plan **Not In Compliance**

922 KAR 2:090. Section 5. Evacuation Plan.
(1) A licensed child-care center shall have a written evacuation plan in the event of a fire, natural disaster, or other threatening situation that may pose a health or safety hazard for a child in care in accordance with KRS 199.895 and 42 U.S.C. 9858c(c)(2)(U).

Findings:

General: Based on interview and review of documentation, it was found that the written evacuation plan listed the off-site reunification location as the facility if the building had to be evacuated. During an interview with the staff person in charge, it was stated that the children would be taken to a hospital located behind the facility; however, this was not documented in the evacuation plan in accordance with KRS 199.895. The staff person in charge then scratched through the facility listed and put down the name of the hospital. This update would need to be submitted to local emergency management.

Inspection Report

Posted Documentation

Not In Compliance

1210 - Disaster Course of Action

Not In Compliance

922 KAR 2:090. Section 9. Records.

(1) A child-care center shall maintain:

(j) A written plan and diagram outlining the course of action in the event of a natural or manmade disaster, posted in a prominent place;

Findings:

General: Based on observation, a copy of a diagram of the facility was posted but a written plan outlining the course of action to take in the event of a natural or manmade disaster was not posted with the diagram.

Animals

Not Applicable

Emergency Regulation

In Compliance

Signature of Provider/Representative

Title

Date