



Andy Beshear
GOVERNOR

CABINET FOR HEALTH AND FAMILY SERVICES
OFFICE OF INSPECTOR GENERAL

Eric Friedlander
SECRETARY

Melissa A. Moore, Director
Division of Regulated Child Care
Western Branch
901 B South Main Street
Hopkinsville, KY 42240

Adam Mather
INSPECTOR GENERAL

Phone: (270) 889-6052 Fax: (270) 889-6089
<https://chfs.ky.gov/agencies/os/oig>

Inspection Report

Provider Name: Crossland Care	Provider Information Provider Type: LICENSED TYPE I	CLR No: L384294
Provider Address: 600 Us 31 W Bypass, Ste18d, Bowling Green, KY, 42101		Capacity: 195
Owner(s): Crossland Care		Director(s): Howard, Hayley

Inspection Type: Initial Application	Inspection Information	Inspection No: 321983
Date Initiated: 07/06/2022 9:30 AM	Date Concluded: 07/06/2022 1:00 PM	
	No. of Children Present:	

Inspection Report	
Background Checks	In Compliance
Supervision	In Compliance
Staffing Requirements	In Compliance
General Administration	In Compliance
Director Requirements	In Compliance
Employee Records	Not In Compliance
400 - Educational Requirements	Not In Compliance
922 KAR 2:090. Section 11. Staff Requirements. (1) Child-care center staff: (a) Hired after January 1, 2009, who have supervisory power over a minor and are not enrolled in secondary education, shall have a: 1. High school diploma; 2. GED or qualifying documentation from a comparable educational entity; or 3. Commonwealth Child Care Credential as described in 922 KAR 2:250;	
Findings:	
General: Based on review of documentation and interview, five (5) caregivers each hired on 7/6/22, did not have education documentation on file.	
405 - TB Verification	Not In Compliance
922 KAR 2:090. Section 11. Staff Requirements. (1) Child-care center staff: (b) Shall provide, prior to employment and every two (2) years thereafter: 1. A statement from a health professional that the individual is free of active tuberculosis; or 2. A copy of negative tuberculin results.	
Findings:	
General: Based on review of documentation and interview, six (6) caregivers hired on 7/6/22, did not have TB documentation on file.	
Programming	In Compliance

Inspection Report

Premises

Not In Compliance

690 - Sink

Not In Compliance

922 KAR 2:120. Section 12. Toilet, Diapering, and Toiletry Requirements.

(3) A sink shall be:

- (a) Located in or immediately adjacent to toilet rooms;**
- (b) Equipped with hot and cold running water that allows for hand washing;**
- (c) Equipped with hot water at a minimum temperature of ninety (90) degrees Fahrenheit and a maximum of 120 degrees Fahrenheit;**
- (d) Equipped with liquid soap;**
- (e) Equipped with hand-drying blower or single use disposable hand drying material;**
- (f) Equipped with an easily cleanable waste receptacle; and**
- (g) Immediately adjacent to a changing area used for infants and toddlers.**

Findings:

General: Based on observation and interview, the hot water temperature registered eighty (80) degrees Fahrenheit at two (2) sinks in the girls' restroom and one (1) sink in the boys' restroom. Also, the water temperature registered seventy-eight (78) degrees Fahrenheit at the handwashing sink in classroom 1A.

695 - Toilet

Not In Compliance

922 KAR 2:120. Section 12. Toilet, Diapering, and Toiletry Requirements.

(4) Each toilet shall:

- (a) Be kept in clean condition;**
- (b) Be kept in good repair;**
- (c) Be in a lighted room; and**
- (d) Have ventilation to outside air.**

Findings:

General: Based on observation and interview, there was no ventilation to the outside air in the girls' and boys' restrooms.

Hygienic Practices

In Compliance

First Aid/Medication

In Compliance

Outdoor Play Area

Not Applicable

Equipment

Not In Compliance

835 - Crib/Mattress/Sheet

Not In Compliance

922 KAR 2:120. Section 6. Sleeping and Napping Requirements.

(3) Rest time shall occur in an adequate space according to the child's age as follows:

(a) For an infant:

- 1. An individual non-tiered crib that meets Consumer Product Safety Commission standards established in 16 C.F.R. 1219-1220;**
- 2. A firm crib mattress in good repair with a clean tight-fitted sheet that shall be changed:**
 - a. Weekly; or**
 - b. Immediately if it is soiled or wet;**

Findings:

General: Based on observation and interview, two (2) crib mattresses were torn and had foam exposed in the infant I room.

Transportation

Not Applicable

Kitchen Requirements

In Compliance

Food Service

In Compliance

Meal Planning/Center Provides Meals

In Compliance

Meal Planning/Center Does Not Provide Meals

Not Applicable

Children's Records

Discussed

Written Documentation

In Compliance

Posted Documentation

In Compliance

Animals

Not Applicable

Signature of Provider/Representative

Title

Date