



Andy Beshear
GOVERNOR

CABINET FOR HEALTH AND FAMILY SERVICES
OFFICE OF INSPECTOR GENERAL

Eric Friedlander
SECRETARY

Melissa A. Moore, Director
Division of Regulated Child Care
Eastern Branch
455 Park Place, Suite 120A
Lexington, KY 40511
Phone: (859) 246-2301 Fax: (859) 246-2307
<https://chfs.ky.gov/agencies/os/oig>

Adam Mather
INSPECTOR GENERAL

Inspection Report

Provider Name: First Church of God Child Care	Provider Information Provider Type: LICENSED TYPE I	CLR No: L352747
Provider Address: 1051 Camargo Road, Mt. Sterling, KY, 40353		Capacity: 143
Owner(s): First Church Of God Of Mt. Sterling, Kentucky, Inc.		Director(s): Carney, Barbra Allyson

Inspection Type: Renewal Application	Inspection Information	Inspection No: 293689
Date Initiated: 09/16/2020 9:30 AM	Date Concluded: 09/16/2020 12:00 PM	
	No. of Children Present: 71	

Inspection Report	
Background Checks	In Compliance
Supervision	In Compliance
Staffing Requirements	In Compliance
General Administration	In Compliance
Director Requirements	Not In Compliance
350 - Health, Safety, Comfort	Not In Compliance
922 KAR 2:090. Section 10. Director Requirements and Responsibilities. (1) A director shall: (l) Assure the health, safety, and comfort of each child;	
Findings:	
General: Based on observation, a staff member in the nursery was bottle feeding an infant without gloves. This is a violations against the current emergency regulations.	
Employee Records	Not In Compliance
390 - Educational Requirements	Not In Compliance
922 KAR 2:090. Section 11. Staff Requirements. (1) Child-care center staff: (a) Hired after January 1, 2009, who have supervisory power over a minor and are not enrolled in secondary education, shall have a: 1. High school diploma; 2. GED or qualifying documentation from a comparable educational entity; or 3. Commonwealth Child Care Credential as described in 922 KAR 2:250;	
Findings:	
General: Based on observation and review of documentation, staff with the dates of hire of 8/11/2020, 7/23/2020, and 2/4/2020, did not have proof of education on file.	
Programming	In Compliance
Premises	In Compliance

Inspection Report

Hygienic Practices

Not In Compliance

685 - Diaper Changing Area/Surface

Not In Compliance

922 KAR 2:120. Section 10. Toilet, Diapering, and Toiletry Requirements.

(10) When a child is diapered, the child shall:

(b) Be placed on a surface that is:

- 1. Clean;**
- 2. Padded;**
- 3. Free of holes, rips, tears, or other damage;**
- 4. Nonabsorbent;**
- 5. Easily cleaned; and**
- 6. Free of any items not used for diaper changing.**

Findings:

General: Based on observation, the changing table in room 103 had a tear on the surface, rendering the pad unable to be properly sanitized.

First Aid/Medication

In Compliance

Outdoor Play Area

In Compliance

Equipment

In Compliance

Transportation

In Compliance

Food Service/Food Program

In Compliance

Food Service

In Compliance

Children's Records

In Compliance

Written Documentation

In Compliance

Posted Documentation

In Compliance

Animals

Not Applicable

Signature of Provider/Representative

Title

Date