



**Andy Beshear**  
GOVERNOR

**CABINET FOR HEALTH AND FAMILY SERVICES**  
**OFFICE OF INSPECTOR GENERAL**

**Eric Friedlander**  
SECRETARY

**Melissa A. Moore, Director**  
Division of Regulated Child Care  
Northern Branch  
908 W. Broadway, 10-W  
Louisville, KY 40203

**Adam Mather**  
INSPECTOR GENERAL

Phone: (502) 595-5781 Fax: (502) 595-5773  
<https://chfs.ky.gov/agencies/os/oig>

**Inspection Report**

<b>Provider Name:</b> Eminence Early Head Start	<b>Provider Information</b>	<b>CLR No:</b> L356933
<b>Provider Address:</b> 295 West Broadway, Eminence, KY, 40019	<b>Provider Type:</b> LICENSED TYPE I	<b>Capacity:</b> 25
<b>Owner(s):</b> Ohio Valley Educational Cooperative		<b>Director(s):</b> Fithian, Kim Lovell

<b>Inspection Type:</b> Renewal Application	<b>Inspection Information</b>	<b>Inspection No:</b> 242870
<b>Date Initiated:</b> 11/28/2017 11:30 AM	<b>Date Concluded:</b> 11/28/2017 2:30 PM	
	<b>No. of Children Present:</b> 13	

Inspection Report	
Supervision	In Compliance
Staffing Requirements	In Compliance
General Administration	In Compliance
Director Requirements	In Compliance
Employee Records	In Compliance
Programming	In Compliance
Premises	Not In Compliance

**520 - Floors, Walls, Ceilings** **Not In Compliance**

**922 KAR 2:120. Section 4. Premises Requirements.**  
**(9) Floors, walls, and ceilings shall be smooth, in good repair, and constructed to be easily cleaned.**

**Findings:**

General: Based on observation, the child care center failed to maintain the premises in accordance with regulations. Observation of the Infant Room revealed the wall was splintered and rough due to the door leading to the classroom bathroom rubbing against the walls surface. Continued observation in the indoor play area revealed several areas of paint chipping and peeling around the window.

Hygienic Practices	In Compliance
First Aid/Medication	In Compliance
Outdoor Play Area	Not In Compliance

**690 - Playground Conditions** **Not In Compliance**

**922 KAR 2:120. Section 4. Premises Requirements.**  
**(20) An outdoor play area shall be:**  
**(d) Safe from foreseeable hazard;**  
**(e) Well drained;**  
**(f) Well maintained;**  
**(g) In good repair; and**  
**(h) Visible to staff at all times.**

**Findings:**

General: Based on observation, the child care center failed to maintain an outdoor play area in accordance with regulations. Observation of the outdoor play area revealed a wooden shed which was accessible to children in care. Continued observation revealed portions of the exterior of the shed that were splintered, and a corner of the shed in which two (2) wooden planks had pulled apart, exposing large nails.

**Inspection Report**

<b>Equipment</b>	<b>In Compliance</b>
<b>Transportation</b>	<b>In Compliance</b>
<b>Food Service</b>	<b>Not In Compliance</b>

**960 - Bottles** **Not In Compliance**

**922 KAR 2:120. Section 8. Kitchen Requirements.**

**(9) Bottles shall be:**

- (a) Individually labeled;**
- (b) Promptly refrigerated;**
- (c) Covered when not in use; and**
- (d) Consumed within one (1) hour of being heated or removed from the refrigerator.**

**Findings:**

General: Based on observation, the child care center failed to maintain food service in accordance with regulations. Observation of the Infant Room revealed two (2) bottles that were not individually labeled.

<b>Children's Records</b>	<b>In Compliance</b>
<b>Written Documentation</b>	<b>In Compliance</b>
<b>Posted Documentation</b>	<b>In Compliance</b>
<b>Animals</b>	<b>In Compliance</b>

Signature of Provider/Representative

Title

Date