Printed Date: 12/02/2022 KID013A v2.0



Andy Beshear GOVERNOR

CABINET FOR HEALTH AND FAMILY SERVICES OFFICE OF INSPECTOR GENERAL

Melissa A. Moore, Director **Division of Regulated Child Care**

Western Branch 901 B South Main Street Hopkinsville, KY 42240

Phone: (270) 889-6052 Fax: (270) 889-6089 https://chfs.ky.gov/agencies/os/oig

Eric Friedlander SECRETARY

Adam Mather INSPECTOR GENERAL

CLR No: 1358935

Inspection No: 247535

Capacity: 129

Inspection Report

Provider Information

Provider Type: LICENSED TYPE I

Provider Address: 686 North Drive, Brickyard Plaza, Hopkinsville, KY, 42240

Owner(s): Aviles, Daisy Director(s): Aviles, Daisy

Inspection Information

Inspection Type: Investigation

Date Initiated: 11/01/2018 4:15 PM

Provider Name: Hopkinsville Child Development Center

Date Concluded: 11/01/2018 5:45 PM

No. of Children Present: 26

Inspection Report

Supervision In Compliance

Staffing Requirements In Compliance

General Administration

Not In Compliance Not In Compliance

Not In Compliance

180 - Plan of Correction/15 days

922 KAR 2:090. Section 14. Statement of Deficiency and Corrective Action Plans.

(2) Except for a violation posing an immediate threat as handled in accordance with KRS 199.896(5)(c), a child-care center shall submit a written corrective action plan to the cabinet or its designee within fifteen (15) calendar days of the date of the statement of deficiency to eliminate or correct the regulatory violation.

Findings:

A PLAN OF CORRECTION WAS DUE ON 12/25/2018 AND AS OF 01/04/2019, THE PLAN OF CORRECTION HAS NOT BEEN RECEIVED.

Findings:

A PLAN OF CORRECTION WAS DUE ON 01/20/2019 AND AS OF 01/30/2019, THE PLAN OF CORRECTION HAS NOT BEEN RECEIVED.

Premises

645 - Sink Not In Compliance

922 KAR 2:120. Section 10. Toilet, Diapering, and Toiletry Requirements.

- (3) A sink shall be:
- (a) Located in or immediately adjacent to toilet rooms;
- (b) Equipped with hot and cold running water that allows for hand washing;
- (c) Equipped with hot water at a minimum temperature of ninety (90) degrees Fahrenheit and a maximum of 120 degrees Fahrenheit;
- (d) Equipped with liquid soap;
- (e) Equipped with hand-drying blower or single use disposable hand drying material;
- (f) Equipped with an easily cleanable waste receptacle; and
- (g) Immediately adjacent to a changing area used for infants and toddlers.

Findings:

General: Based on Observation, the hot water registered one hundred thirty-nine (139) degrees Fahrenheit at two (2) sinks located in a restroom between Preschool Room #3 and Preschool Room #4, and at a sink located in Preschool Room #4.



Inspection Report

Hygienic Practices

Not In Compliance
Not In Compliance

685 - Diaper Changing Area/Surface

922 KAR 2:120. Section 10. Toilet, Diapering, and Toiletry Requirements.

- (10) When a child is diapered, the child shall:
- (b) Be placed on a surface that is:
- 1. Clean:
- 2. Padded:
- 3. Free of holes, rips, tears, or other damage;
- 4. Nonabsorbent:
- 5. Easily cleaned; and
- 6. Free of any items not used for diaper changing.

Findings:

General: Based on Observation, a half (1/2) inch tear was in a diaper changing pad located in the men's restroom.

Equipment

Not In Compliance

820 - Indoor/Outdoor Equipment

Not In Compliance

922 KAR 2:120. Section 11. Toys and Furnishings.

- (2) Indoor and outdoor equipment shall:
- (a) Be clean, safe, and in good repair;
- (b) Meet the physical, developmental needs, and interests of children of different age groups;
- (c) Be free from sharp points or corners, splinters, protruding nails or bolts, loose or rusty parts, hazardous small parts, lead-based paint, poisonous material, and flaking or chalking paint; and
- (d) Be designed to guard against entrapment or situations that may cause strangulation.

Findings:

General: Based on Observation, a black cloth chair had a six (6) inch tear and exposed foam in the toddlers' room.

Children's Records

Not In Compliance

1135 - Immunization Not In Compliance

922 KAR 2:090. Section 9. Records.

- (1) A child-care center shall maintain:
- (a) A current immunization certificate for each child in care within thirty (30) days of the child's enrollment, unless an attending physician or the child's parent objects to the immunization of the child pursuant to KRS 214.036;

Findings:

General: Based on Review of Documentation, a child enrolled on 8/10/18, had an immunization certificate valid until 8/14/18; a child enrolled on 8/6/18, had an immunization certificate valid until 10/15/18, and a child enrolled on 4/24/18, had no immunization certificate on file.

1140 - Enrollment Information Not In Compliance

922 KAR 2:090. Section 9. Records.

- (1) A child-care center shall maintain:
- (b) A written record for each child:
- 1. Completed and signed by the child's parent;
- 2. Retained on file on the first day the child attends the child-care center; and
- 3. To contain:
- a. Identifying information about the child, which includes, at a minimum, the child's name, address, and date of birth;
- b. Contact information to enable a person in charge to contact the child's:
- (i) Parent at the parent's home or place of employment;
- (ii) Family physician; and
- (iii) Preferred hospital;
- c. The name of each person who is designated in writing to pick-up the child;
- d. The child's general health status and medical history including, if applicable:
- (i) Allergies;
- (ii) Restriction on the child's participation in activities with specific instructions from the child's parent or health professional; and
- (iii) Permission from the parent for third-party professional services in the child-care center;
- e. The name and phone number of each person to be contacted in an emergency involving or impacting the child;
- f. Authorization by the parent for the child-care center to seek emergency medical care for the child in the parent's absence;

Findings

General: Based on Review of Documentation, a child enrolled on 10/10/17, did not have a physician's name listed on their enrollment form.



Title

An Equal Opportunity Employer M/F/D