



Andy Beshear
GOVERNOR

CABINET FOR HEALTH AND FAMILY SERVICES
OFFICE OF INSPECTOR GENERAL

Eric Friedlander
SECRETARY

Melissa A. Moore, Director
Division of Regulated Child Care
Northern Branch
908 W. Broadway, 10-W
Louisville, KY 40203

Adam Mather
INSPECTOR GENERAL

Phone: (502) 595-5781 Fax: (502) 595-5773
<https://chfs.ky.gov/agencies/os/oig>

Inspection Report

| | | |
|--|--|--------------------------------------|
| Provider Name: Brightside Child Care & Learning Center, LLC | Provider Information Provider Type: LICENSED TYPE I | CLR No: L359343 |
| Provider Address: 1107 North Dixie Avenue, Elizabethtown, KY, 42701 | | Capacity: 49 |
| Owner(s): Brightside Child Care & Learning Center, LLC | | Director(s): Cook, Brandy Lee |

| | | |
|--|--|------------------------------|
| Inspection Type: Investigation | Inspection Information | Inspection No: 245971 |
| Date Initiated: 07/26/2018 10:00 AM | Date Concluded: 07/26/2018 11:45 AM | |
| | No. of Children Present: 36 | |

| Inspection Report | |
|---|--------------------------|
| Director Requirements | Not In Compliance |
| 350 - Health, Safety, Comfort | Not In Compliance |
| 922 KAR 2:090. Section 10. Director Requirements and Responsibilities. | |
| (1) A director shall: | |
| (l) Assure the health, safety, and comfort of each child; | |
| Findings: | |
| General: Based on review of documentation and interview, the child care center director failed to assure compliance with regulatory requirements. The documentation, video and interviews revealed the center director failed to assure the health, safety and comfort of a child in care. The video reviewed shows a staff member forcibly grab a child by their shirt and pull the child backwards. In addition, the video shows the staff member grab the child by the upper and lower arms as the child attempted to exit an indoor play structure. | |

Signature of Provider/Representative

Title

Date