



Andy Beshear
GOVERNOR

CABINET FOR HEALTH AND FAMILY SERVICES
OFFICE OF INSPECTOR GENERAL

Eric Friedlander
SECRETARY

Melissa A. Moore, Director
Division of Regulated Child Care
Eastern Branch
455 Park Place, Suite 120A
Lexington, KY 40511

Adam Mather
INSPECTOR GENERAL

Phone: (859) 246-2301 Fax: (859) 246-2307
<https://chfs.ky.gov/agencies/os/oig>

Inspection Report

Provider Name: Versailles-Woodford Head Start	Provider Information	CLR No: L350789
Provider Address: 200 Park Street, Versailles, KY, 40383	Provider Type: LICENSED TYPE I	Capacity: 40
Owner(s): Blue Grass Community Action Partnership, Inc.		Director(s): Banks, Betty J

Inspection Type: Renewal Application	Inspection Information	Inspection No: 319490
Date Initiated: 12/15/2021 10:30 AM	Date Concluded: 12/15/2021 1:15 PM	
	No. of Children Present: 21	

Inspection Report	
Background Checks	In Compliance
Supervision	In Compliance
Staffing Requirements	In Compliance
General Administration	Not In Compliance
225 - Licensee Responsibility	Not In Compliance
<p>922 KAR 2:090. Section 8. General. (1) A licensee shall: (a) Be responsible for the operation of the child-care center pursuant to this administrative regulation, 922 KAR 2:120, and 922 KAR 2:280; and (b) Protect and assure the health, safety, and comfort of each child.</p> <p>Findings: General: Based on observation, there was one uncovered electrical outlet by the bathroom in Classroom #1.</p>	
Director Requirements	In Compliance
Employee Records	In Compliance
Programming	In Compliance
Premises	Not In Compliance
625 - Floors, Walls, Ceilings	Not In Compliance
<p>922 KAR 2:120. Section 4. Premises Requirements. (9) Floors, walls, and ceilings shall be smooth, in good repair, and constructed to be easily cleaned.</p> <p>Findings: General: Based on observation, the following was found: 1.) There was chipping paint in the bathroom and a hole in the wall by the thermostat in Classroom #1. 2.) The baseboard was pulling away from the wall by the circle time rug in Classroom #2.</p>	
Hygienic Practices	In Compliance
First Aid/Medication	In Compliance

Inspection Report

Outdoor Play Area

Not In Compliance

795 - Playground Conditions

Not In Compliance

922 KAR 2:120. Section 4. Premises Requirements.

(20) An outdoor play area shall be:

- (d) Safe from foreseeable hazard;**
- (e) Well drained;**
- (f) Well maintained;**
- (g) In good repair; and**
- (h) Visible to staff at all times.**

Findings:

General: Based on observation, the main climbing structure was in disrepair as it was missing a handrail, which is a hazard to the children. The structure also had noticeable areas of rust. This playground is shared with the public and did have caution tape on the handrail that had been moved prior to survey.

Equipment

In Compliance

Transportation

In Compliance

Kitchen Requirements

In Compliance

Food Service

In Compliance

Meal Planning/Center Provides Meals

In Compliance

Meal Planning/Center Does Not Provide Meals

In Compliance

Children's Records

Not In Compliance

1245 - Immunization

Not In Compliance

922 KAR 2:090. Section 9. Records.

(1) A child-care center shall maintain:

- (a) A current immunization certificate for each child in care within thirty (30) days of the child's enrollment, unless an attending physician or the child's parent objects to the immunization of the child pursuant to KRS 214.036;**

Findings:

General: Based on review of documentation, one child who was enrolled on 6/26/21, did not have an immunization record on file at the facility.

Written Documentation

In Compliance

Posted Documentation

In Compliance

Animals

In Compliance

Signature of Provider/Representative

Title

Date