



Andy Beshear
GOVERNOR

**CABINET FOR HEALTH AND FAMILY SERVICES
OFFICE OF INSPECTOR GENERAL**

Eric Friedlander
SECRETARY

Melissa A. Moore, Director
Division of Regulated Child Care
Northern Branch
908 W. Broadway, 10-W
Louisville, KY 40203
Phone: (502) 595-5781 Fax: (502) 595-5773
<https://chfs.ky.gov/agencies/os/oig>

Adam Mather
INSPECTOR GENERAL

Inspection Report

Provider Name: Bardstown Head Start Provider Address: 219 East Muir Avenue, Bardstown, KY, 40004 Owner(s): Central Kentucky Community Action Council, Incorporated	Provider Information Provider Type: LICENSED TYPE I	CLR No: L350896 Capacity: 100 Director(s): Smith, Pamela Anne
Inspection Type: Renewal Application Date Initiated: 01/07/2019 10:47 AM	Inspection Information Date Concluded: 01/07/2019 12:56 PM No. of Children Present: 57	Inspection No: 278144

Inspection Report	
Background Checks	In Compliance
Supervision	In Compliance
Staffing Requirements	In Compliance
General Administration	In Compliance
Director Requirements	In Compliance
Employee Records	In Compliance
Programming	In Compliance
Premises	Not In Compliance
580 - Floors, Walls, Ceilings	Not In Compliance
922 KAR 2:120. Section 4. Premises Requirements. (9) Floors, walls, and ceilings shall be smooth, in good repair, and constructed to be easily cleaned.	
Findings: General: Based on observation, the child care center failed to comply with regulations regarding premises. In Room 205, there were several areas of paint chipping from the green wall. In Room 209 there was dust building up in the air vent. Further observation revealed there was small gap, opening in the wall behind an electrical plate cover.	
650 - Toilet	Not In Compliance
922 KAR 2:120. Section 10. Toilet, Diapering, and Toiletry Requirements. (4) Each toilet shall: (a) Be kept in clean condition; (b) Be kept in good repair; (c) Be in a lighted room; and (d) Have ventilation to outside air.	
Findings: General: Based on observation, the child care center failed to maintain the premises in accordance with regulations. Observation of the Girls' bathroom revealed there was a toilet that was not flushed with a yellow substance inside of the toilet, indicative of urine.	
Hygienic Practices	In Compliance
First Aid/Medication	In Compliance

Inspection Report		
	Outdoor Play Area	In Compliance
	Equipment	In Compliance
	Transportation	Not Applicable
	Food Service/Food Program	In Compliance
	Food Service	In Compliance
	Children's Records	In Compliance
	Written Documentation	In Compliance
	Posted Documentation	In Compliance
	Animals	Not Applicable

Signature of Provider/Representative

Title

Date