

Center Name: Baby Boot Camp 1Child Care Center		Address: 2609 Camino Del Bosque Silver City, NM 88061			Phone: (575)388-2620		
License Number: 151287	Issue Date: 03/7/2017	Expiration Date: 03/6/2018	Type: 3 Star FOCUS Child Care Center		Status: Licensed		
Capacity					Census		
Over Age 2:	45	Under Age 2:	18	Night Care:	0	Playground:	40
		Over 2:	16	Under 2:	15		
Days and Hours of Operation							
	<u>Monday</u>	<u>Tuesday</u>	<u>Wednesday</u>	<u>Thursday</u>	<u>Friday</u>	<u>Saturday</u>	<u>Sunday</u>
Opening Times:	07:30	07:30	07:30	07:30	07:30	Closed	Closed
Closing Times:	06:00 PM	06:00 PM	06:00 PM	06:00 PM	05:30 PM		
# of Classrooms: 4	Purpose: Semi-Annual		Date: 08/02/2017		Time: 11:30 PM		
Comments							

A SURVEY OF YOUR FACILITY HAS BEEN MADE AND YOU ARE NOTIFIED OF NON-COMPLIANCE OF THE REGULATIONS AS NOTED BELOW:

Licensure	
8.16.2.11 A TYPES OF LICENSES	Not Inspected
8.16.2.11 B RENEWAL OF LICENSE	Not Inspected
8.16.2.11 D NON-TRANSFERABLE RESTRICTIONS OF LICENSE	Not Inspected
8.16.2.12 A, K, M LICENSING ACTIONS AND ADMINISTRATIVE APPEALS	Not Inspected
8.16.2.17 E, F SURVEYS FOR CHILD CARE FACILITIES	Not Inspected
8.16.2.18 D COMPLAINTS	Not Inspected
8.16.2.21 A LICENSING REQUIREMENTS	Not Inspected
8.16.2.21 B CAPACITY OF CENTERS	Compliance
8.16.2.21 C INCIDENT REPORTING REQUIREMENTS	Not Inspected
Administrative Requirements	
8.16.2.22 A ADMINISTRATION RECORDS	Not Inspected
8.16.2.22 B MISSION, PHILOSOPHY AND CURRICULUM STATEMENT	Not Inspected
8.16.2.22 C POLICY AND PROCEDURES	Not Inspected
8.16.2.22 D FAMILY HANDBOOK	Not Inspected
8.16.2.22 E CHILDREN'S RECORDS	Not Inspected
8.16.2.22 F PERSONNEL RECORDS	Not Inspected
8.16.2.22 G PERSONNEL HANDBOOK	Not Inspected
Personnel & Staffing	
8.16.2.23 A PERSONNEL AND STAFFING REQUIREMENTS	Not Inspected
8.16.2.23 B STAFF QUALIFICATIONS AND TRAINING	Not Inspected
8.16.2.23 C STAFF/CHILD RATIOS AND GROUP SIZES	Compliance

Center Name: Baby Boot Camp 1Child Care Center	License Number: 151287	Date: 08/02/2017
Services & Care of Children		
8.16.2.24 A GUIDANCE		Compliance
8.16.2.24 B NAPS OR REST PERIOD		Compliance
8.16.2.24 C ADDITIONAL REQUIREMENTS FOR INFANTS AND TODDLERS		Compliance
8.16.2.24 D DIAPERING AND TOILETING		Compliance
8.16.2.24 E ADDITIONAL REQUIREMENTS FOR CHILDREN WITH SPECIAL NEEDS		Not Inspected
8.16.2.24 F ADDITIONAL REQUIREMENTS FOR NIGHT CARE		N/A
8.16.2.24 G PHYSICAL ENVIRONMENT		Compliance
8.16.2.24 H SOCIAL-EMOTIONAL RESPONSIVE ENVIRONMENT		Compliance
8.16.2.24 I EQUIPMENT AND PROGRAM		Compliance
8.16.2.24 J OUTDOOR PLAY AREAS		Compliance
8.16.2.24 K SWIMMING, WADING AND WATER		Not Inspected
8.16.2.24 L FIELD TRIPS		Not Inspected
Food Service		
8.16.2.25 B MEALS AND SNACKS		Compliance
8.16.2.25 C MENUS		Compliance
8.16.2.25 D KITCHENS <u>Deficiencies</u> The refrigerator in the infant room does not have a internal thermometer. Regulation: 8.16.2.25D(6) <u>Corrective Action Plan</u> The center will obtain and place a working thermometer in refrigerator. Date to be Completed: 09/02/2017		Non-compliance
8.16.2.25 E MEAL TIMES		Compliance
Health & Safety Requirements		
8.16.2.26 A HYGIENE		Compliance
8.16.2.26 B FIRST AID REQUIREMENTS		Not Inspected
8.16.2.26 C MEDICATION		Not Inspected
8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS		Not Inspected
8.16.2.28 A-H TRANSPORTATION REQUIREMENTS FOR CENTERS		Not Inspected
Buildings, Grounds & Safety		
8.16.2.29 A HOUSEKEEPING		Non-compliance

Center Name: Baby Boot Camp 1Child Care Center	License Number: 151287	Date: 08/02/2017
Buildings, Grounds & Safety		
<p><u>Deficiencies</u> The Ceiling tiles are not in good repair as evidenced by the ceiling tiles have water stains. Two ceiling tiles in the 3-5's classroom have water stains. Regulation: 8.16.2.29A(1)</p> <p><u>Corrective Action Plan</u> Repairs will be completed and a system for routine inspection of the center and premises will be established. Date to be Completed: 09/02/2017</p>		
8.16.2.29 B PEST CONTROL	Not Inspected	
8.16.2.29 C MECHANICAL SYSTEMS	Compliance	
8.16.2.29 D WATER AND WASTE	Compliance	
<p>8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL</p> <p><u>Deficiencies</u> Light bulbs in the 2's and 3-5's classroom are not in working condition. One light bulb over the blocks center in the 2's classroom is not in working condition; One light bulb over the drama center in the 3-5's classroom is not in working condition. Regulation: 8.16.2.29E(1)</p> <p><u>Corrective Action Plan</u> Working light bulbs will be installed. Date to be Completed: 09/02/2017</p>	Non-compliance	
8.16.2.29 F EXITS AND WINDOWS	Compliance	
8.16.2.29 G TOILET AND BATHING FACILITIES	Compliance	
<p>8.16.2.29 H SAFETY COMPLIANCE</p> <p><u>Deficiencies</u> An evacuation plan is not posted in the Toddler - (12 - 24 mo.) class room(s) used by children. Regulation: 8.16.2.29H(3)(f)</p> <p><u>Corrective Action Plan</u> An evacuation plan will be posted in each room used by children. Date to be Completed: 09/02/2017</p> <p><u>Deficiencies</u> The center's fire extinguishers is not inspected yearly. The facilities fire extinguishers expired 7/17. Regulation: 8.16.2.29H(3)(k)</p> <p><u>Corrective Action Plan</u> Equipment will be maintained and inspected yearly. Date to be Completed: 09/02/2017</p>	Non-compliance	
8.16.2.29 I SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEGAL DRUGS AND CONTROLLED SUBSTANCES	Compliance	
8.16.2.29 J PETS	Not Inspected	

Center Name:

Baby Boot Camp 1Child Care Center

License Number:

151287

Date:

08/02/2017

Please note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans as noted above, may result in further action taken against the licensee.

 1:30

08/02/2017



08/02/2017

Surveyor: Steven Wells

Date

Facility Rep: Mary Lou Osuna

Date