

Center Name: Baby Boot Camp 1Child Care Center		Address: 2609 Camino Del Bosque Silver City, NM 88061			Phone: (575)388-2620		
License Number: 151287	Issue Date: 03/7/2017	Expiration Date: 03/6/2018	Type: 3 Star FOCUS Child Care Center		Status: Licensed		
Capacity					Census		
Over Age 2:	45	Under Age 2:	18	Night Care:	0	Playground:	40
		Over 2:	21	Under 2:	14		
Days and Hours of Operation							
	<u>Monday</u>	<u>Tuesday</u>	<u>Wednesday</u>	<u>Thursday</u>	<u>Friday</u>	<u>Saturday</u>	<u>Sunday</u>
Opening Times:	06:45 AM	06:45	06:45	06:45	06:45	Closed	Closed
Closing Times:	05:30 PM	05:30 PM	05:30 PM	05:30 PM	05:30 PM		
# of Classrooms: 4	Purpose: Follow-up		Date: 10/03/2017		Time: 02:35 PM		
Comments Follow-Up to the Semi-Annual Inspection conducted on 08/02/2017. Two of the five deficiencies are still not in-compliance.							

A SURVEY OF YOUR FACILITY HAS BEEN MADE AND YOU ARE NOTIFIED OF NON-COMPLIANCE OF THE REGULATIONS AS NOTED BELOW:

Licensure	
8.16.2.11 A TYPES OF LICENSES	N/A
8.16.2.11 B RENEWAL OF LICENSE	N/A
8.16.2.11 D NON-TRANSFERABLE RESTRICTIONS OF LICENSE	N/A
8.16.2.12 A, K, M LICENSING ACTIONS AND ADMINISTRATIVE APPEALS	N/A
8.16.2.17 E, F SURVEYS FOR CHILD CARE FACILITIES	N/A
8.16.2.18 D COMPLAINTS	N/A
8.16.2.21 A LICENSING REQUIREMENTS	N/A
8.16.2.21 B CAPACITY OF CENTERS	N/A
8.16.2.21 C INCIDENT REPORTING REQUIREMENTS	N/A
Administrative Requirements	
8.16.2.22 A ADMINISTRATION RECORDS	N/A
8.16.2.22 B MISSION, PHILOSOPHY AND CURRICULUM STATEMENT	N/A
8.16.2.22 C POLICY AND PROCEDURES	N/A
8.16.2.22 D FAMILY HANDBOOK	N/A
8.16.2.22 E CHILDREN'S RECORDS	N/A
8.16.2.22 F PERSONNEL RECORDS	N/A
8.16.2.22 G PERSONNEL HANDBOOK	N/A
Personnel & Staffing	
8.16.2.23 A PERSONNEL AND STAFFING REQUIREMENTS	N/A
8.16.2.23 B STAFF QUALIFICATIONS AND TRAINING	N/A
8.16.2.23 C STAFF/CHILD RATIOS AND GROUP SIZES	N/A

Center Name: Baby Boot Camp 1Child Care Center	License Number: 151287	Date: 10/03/2017
Services & Care of Children		
8.16.2.24 A GUIDANCE		N/A
8.16.2.24 B NAPS OR REST PERIOD		N/A
8.16.2.24 C ADDITIONAL REQUIREMENTS FOR INFANTS AND TODDLERS		N/A
8.16.2.24 D DIAPERING AND TOILETING		N/A
8.16.2.24 E ADDITIONAL REQUIREMENTS FOR CHILDREN WITH SPECIAL NEEDS		N/A
8.16.2.24 F ADDITIONAL REQUIREMENTS FOR NIGHT CARE		N/A
8.16.2.24 G PHYSICAL ENVIRONMENT		N/A
8.16.2.24 H SOCIAL-EMOTIONAL RESPONSIVE ENVIRONMENT		N/A
8.16.2.24 I EQUIPMENT AND PROGRAM		N/A
8.16.2.24 J OUTDOOR PLAY AREAS		N/A
8.16.2.24 K SWIMMING, WADING AND WATER		N/A
8.16.2.24 L FIELD TRIPS		N/A
Food Service		
8.16.2.25 B MEALS AND SNACKS		N/A
8.16.2.25 C MENUS		N/A
8.16.2.25 D KITCHENS <u>Deficiencies</u> The refrigerator in the infant room does not have a working internal thermometer. Regulation: 8.16.2.25D(6) <u>Corrective Action Plan</u> The center will obtain and place a working thermometer in refrigerator. Date to be Completed: 10/17/2017		Non-compliance
8.16.2.25 E MEAL TIMES		N/A
Health & Safety Requirements		
8.16.2.26 A HYGIENE		N/A
8.16.2.26 B FIRST AID REQUIREMENTS		N/A
8.16.2.26 C MEDICATION		N/A
8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS		N/A
8.16.2.28 A-H TRANSPORTATION REQUIREMENTS FOR CENTERS		N/A
Buildings, Grounds & Safety		
8.16.2.29 A HOUSEKEEPING		Compliance
8.16.2.29 B PEST CONTROL		N/A
8.16.2.29 C MECHANICAL SYSTEMS		N/A
8.16.2.29 D WATER AND WASTE		N/A
8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL		Non-compliance

Center Name: Baby Boot Camp 1Child Care Center	License Number: 151287	Date: 10/03/2017
--	----------------------------------	----------------------------

Buildings, Grounds & Safety

Deficiencies

Light bulbs in the 3-5's classroom are not in working condition. One light bulb over the drama center in the 3-5's classroom is not in working condition.

Regulation: 8.16.2.29E(1)

Corrective Action Plan

Working light bulbs will be installed.

Date to be Completed: 10/17/2017

8.16.2.29 F EXITS AND WINDOWS	N/A
8.16.2.29 G TOILET AND BATHING FACILITIES	N/A
8.16.2.29 H SAFETY COMPLIANCE	Compliance
8.16.2.29 I SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEGAL DRUGS AND CONTROLLED SUBSTANCES	N/A
8.16.2.29 J PETS	N/A

Please note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans as noted above, may result in further action taken against the licensee.



10/03/2017



10/03/2017

Surveyor: Steven Wells	Date	Facility Rep: Mary Lou Osuna	Date
------------------------	------	------------------------------	------