

Center Name:			Address:				Phone:	Phone:	
Foy Day Care Center - Cobre High S			1111 Central Ave. Bayard, NM 88023				(575)537-	-5606	
License Number:	Issue Date:	Expiration I	Date:	Type:			Status:		
22894	10/1/2017	09/30/2018	5 Star FOCUS Child Care Center Licensed						
Capacity				•		Ce	ensus		
Over Age 2: 8	Under Age 2:	17 Night	Care:	0 P	layground: 38	Ov	er 2:	8 U	nder 2: 2
Days and Hours of Operation									
	<u>Monday</u>	<u>Tuesda</u>	<u>y</u> <u>W</u>	/ednesday	<u>Thursday</u>	<u>F</u> 1	<u>riday</u>	Saturday	<u>Sunday</u>
Opening Times	07:30 AM	07:30 AM	И (	07:30 PM	07:30 AM	Cl	osed	Closed	Closed
Closing Times	04:00 PM	04:00 PI	M (	04:00 PM	04:00 PM				
# of Classrooms:	F	Purpose:			Date:			Time:	
3	5	Semi-Annual			01/24/2018			10:30 AM	
Comments									

A SURVEY OF YOUR FACILITY HAS BEEN MADE AND YOU ARE NOTIFIED OF NON-COMPLIANCE OF THE REGULATIONS AS NOTED BELOW:				
Licensure				
8.16.2.11 A TYPES OF LICENSES	Compliance			
8.16.2.11 B RENEWAL OF LICENSE	Compliance			
8.16.2.11 D NON-TRANSFERABLE RESTRICTIONS OF LICENSE	Compliance			
8.16.2.12 A, K, M LICENSING ACTIONS AND ADMINISTRATIVE APPEALS	Compliance			
8.16.2.17 E, F SURVEYS FOR CHILD CARE FACILITIES	Compliance			
8.16.2.18 D COMPLAINTS	Compliance			
8.16.2.21 A LICENSING REQUIREMENTS	Compliance			
8.16.2.21 B CAPACITY OF CENTERS	Compliance			
8.16.2.21 C INCIDENT REPORTING REQUIREMENTS	Compliance			
Administrative Requirements				
8.16.2.22 A ADMINISTRATION RECORDS	Not Inspected			
8.16.2.22 B MISSION, PHILOSOPHY AND CURRICULUM STATEMENT	Not Inspected			
8.16.2.22 C POLICY AND PROCEDURES	Not Inspected			
8.16.2.22 D FAMILY HANDBOOK	Not Inspected			
8.16.2.22 E CHILDREN'S RECORDS	Not Inspected			
8.16.2.22 F PERSONNEL RECORDS	Not Inspected			
8.16.2.22 G PERSONNEL HANDBOOK	Not Inspected			
Personnel & Staffing				
8.16.2.23 A PERSONNEL AND STAFFING REQUIREMENTS	Not Inspected			
8.16.2.23 B STAFF QUALIFICATIONS AND TRAINING	Not Inspected			
8.16.2.23 C STAFF/CHILD RATIOS AND GROUP SIZES	Compliance			

Survey Report Form Page 1 of 3

Center Name:	License Number:	Date:					
Foy Day Care Center - Cobre High S	22894	01/24/2018					
Services & Care of Children							
8.16.2.24 A GUIDANCE			Compliance				
8.16.2.24 B NAPS OR REST PERIOD	Compliance						
8.16.2.24 C ADDITIONAL REQUIREMENTS FOR INFANTS AND TODDLERS		Compliance					
8.16.2.24 D DIAPERING AND TOILETING	Compliance						
8.16.2.24 E ADDITIONAL REQUIREMENTS FOR CHILDREN WITH SPECIAL	Not Inspected						
8.16.2.24 F ADDITIONAL REQUIREMENTS FOR NIGHT CARE	N/A						
8.16.2.24 G PHYSICAL ENVIRONMENT		Compliance					
8.16.2.24 H SOCIAL-EMOTIONAL RESPONSIVE ENVIRONMENT		Compliance					
8.16.2.24 I EQUIPMENT AND PROGRAM	Compliance						
8.16.2.24 J OUTDOOR PLAY AREAS	Compliance						
8.16.2.24 K SWIMMING, WADING AND WATER			Not Inspected				
8.16.2.24 L FIELD TRIPS	Not Inspected						
Food Service							
8.16.2.25 B MEALS AND SNACKS			Compliance				
8.16.2.25 C MENUS			Compliance				
8.16.2.25 D KITCHENS							
8.16.2.25 E MEAL TIMES			Compliance				
Health & Safety Requirements							
8.16.2.26 A HYGIENE			Compliance				
8.16.2.26 B FIRST AID REQUIREMENTS			Compliance				
8.16.2.26 C MEDICATION			Not Inspected				
8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS	Not Inspected						
8.16.2.28 A-H TRANSPORTATION REQUIREMENTS FOR CENTERS	Not Inspected						
Buildings, Gro	unds & Safety						
8.16.2.29 A HOUSEKEEPING			Compliance				
8.16.2.29 B PEST CONTROL			Compliance				
8.16.2.29 C MECHANICAL SYSTEMS			Compliance				
8.16.2.29 D WATER AND WASTE			Compliance				
8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL			Non-compliance				
<u>Deficiencies</u> Light bulbs in the main classroom area are not in working order.  Regulation: 8.16.2.29E(1)							
Corrective Action Plan Working light bulbs will be used.  Date to be Completed: 02/24/2018							

Survey Report Form Page 2 of 3

Center Name:	License Number:	Date:				
Foy Day Care Center - Cobre High S	22894	01/24/2018				
Buildings, Grounds & Safety						
8.16.2.29 F EXITS AND WINDOWS			Compliance			
8.16.2.29 G TOILET AND BATHING FACILITIES			Compliance			
8.16.2.29 H SAFETY COMPLIANCE			Non-compliance			
<u>Deficiencies</u>						
The center does not have verification of an annual fire inspection from the fire authority						
having jurisdiction. Current fire inspection expired 1/17/2018.						
Regulation: 8.16.2.29H(3)(e)						
Corrective Action Plan						
An annual fire inspection will be requested from the fire authority having jurisdiction over the						
center.						
Date to be Completed: 02/24/2018						
8.16.2.29 I SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEGAL DRUGS	Compliance					
8.16.2.29 J PETS			N/A			

Please note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans as noted above, may result in further action taken against the licensee.

Date

01/24/2018

01/24/2018

almis and wh

Facility Rep:Denise Andazola

Page 3 of 3

Date

Surveyor:Steven Wells