



Center Name: La Esperanza Child Development Cen			Address: 5740 Night Whisper Rd. NW Albuquerque, NM 87114			Phone: (505)896-6764		
License Number: 141421	Issue Date: 10/11/2017	Expiration Date: 10/10/2018	Type: 5 Star FOCUS Child Care Center			Status: Licensed		
Capacity Over Age 2: 89 Under Age 2: 12 Night Care: 0 Playground: 29						Census Over 2: 47 Under 2: 12		
Days and Hours of Operation								
	<u>Monday</u>	<u>Tuesday</u>	<u>Wednesday</u>	<u>Thursday</u>	<u>Friday</u>	<u>Saturday</u>	<u>Sunday</u>	
Opening Times:	06:30 AM	06:30 AM	06:30 AM	06:30 AM	06:30 AM	Closed	Closed	
Closing Times:	06:00 PM	06:00 PM	06:00 PM	06:00 AM	05:00 PM			
# of Classrooms: 6		Purpose: Semi-Annual		Date: 02/22/2018		Time: 11:00 AM		
Comments								

A SURVEY OF YOUR FACILITY HAS BEEN MADE AND YOU ARE NOTIFIED OF NON-COMPLIANCE OF THE REGULATIONS AS NOTED BELOW:

Licensure	
8.16.2.11 A TYPES OF LICENSES	Not Inspected
8.16.2.11 B RENEWAL OF LICENSE	Not Inspected
8.16.2.11 D NON-TRANSFERABLE RESTRICTIONS OF LICENSE	Not Inspected
8.16.2.12 A, K, M LICENSING ACTIONS AND ADMINISTRATIVE APPEALS	Not Inspected
8.16.2.17 E, F SURVEYS FOR CHILD CARE FACILITIES	Compliance
8.16.2.18 D COMPLAINTS	Not Inspected
8.16.2.21 A LICENSING REQUIREMENTS	Not Inspected
8.16.2.21 B CAPACITY OF CENTERS	Compliance
8.16.2.21 C INCIDENT REPORTING REQUIREMENTS	Not Inspected
Administrative Requirements	
8.16.2.22 A ADMINISTRATION RECORDS	Not Inspected
8.16.2.22 B MISSION, PHILOSOPHY AND CURRICULUM STATEMENT	Not Inspected
8.16.2.22 C POLICY AND PROCEDURES	Not Inspected
8.16.2.22 D FAMILY HANDBOOK	Not Inspected
8.16.2.22 E CHILDREN'S RECORDS	Compliance
8.16.2.22 F PERSONNEL RECORDS	Compliance
8.16.2.22 G PERSONNEL HANDBOOK	Not Inspected
Personnel & Staffing	
8.16.2.23 A PERSONNEL AND STAFFING REQUIREMENTS	Compliance
8.16.2.23 B STAFF QUALIFICATIONS AND TRAINING	Compliance
8.16.2.23 C STAFF/CHILD RATIOS AND GROUP SIZES	Compliance

Center Name: La Esperanza Child Development Cen	License Number: 141421	Date: 02/22/2018
Services & Care of Children		
8.16.2.24 A GUIDANCE	Not Inspected	
8.16.2.24 B NAPS OR REST PERIOD	Compliance	
8.16.2.24 C ADDITIONAL REQUIREMENTS FOR INFANTS AND TODDLERS	Compliance	
8.16.2.24 D DIAPERING AND TOILETING	Compliance	
8.16.2.24 E ADDITIONAL REQUIREMENTS FOR CHILDREN WITH SPECIAL NEEDS	Compliance	
8.16.2.24 F ADDITIONAL REQUIREMENTS FOR NIGHT CARE	N/A	
8.16.2.24 G PHYSICAL ENVIRONMENT	Not Inspected	
8.16.2.24 H SOCIAL-EMOTIONAL RESPONSIVE ENVIRONMENT	Not Inspected	
8.16.2.24 I EQUIPMENT AND PROGRAM	Compliance	
8.16.2.24 J OUTDOOR PLAY AREAS <u>Deficiencies</u> The fall zone underneath the slide is not adequate as evidenced by the resilient material is not deep enough and not appropriate on infant/toddler playground. Regulation: 8.16.2.24J(3) <u>Corrective Action Plan</u> An approved resilient surface will be provided beneath the climbing structures, swings, and slides. Corrected on site the slide was removed. Date to be Completed: 03/22/2018	Non-compliance	
8.16.2.24 K SWIMMING, WADING AND WATER	Not Inspected	
8.16.2.24 L FIELD TRIPS	Not Inspected	
Food Service		
8.16.2.25 B MEALS AND SNACKS	Compliance	
8.16.2.25 C MENUS	Compliance	
8.16.2.25 D KITCHENS	Compliance	
8.16.2.25 E MEAL TIMES	Compliance	
Health & Safety Requirements		
8.16.2.26 A HYGIENE	Compliance	
8.16.2.26 B FIRST AID REQUIREMENTS	Not Inspected	
8.16.2.26 C MEDICATION	Not Inspected	
8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS	Compliance	
8.16.2.28 A-H TRANSPORTATION REQUIREMENTS FOR CENTERS	Not Inspected	
Buildings, Grounds & Safety		
8.16.2.29 A HOUSEKEEPING	Non-compliance	

Center Name: La Esperanza Child Development Cen	License Number: 141421	Date: 02/22/2018
Buildings, Grounds & Safety		
<p><u>Deficiencies</u> The Premises are not in good repair as evidenced by the playground on the infant/toddler playground has a whole on the right side corner resulting in jagged edges. Regulation: 8.16.2.29A(1)</p> <p><u>Corrective Action Plan</u> Repairs will be completed and a system for routine inspection of the center and premises will be established. This was corrected on site, provider covered the whole with tape. Date to be Completed: 03/22/2018</p>		
8.16.2.29 B PEST CONTROL	Compliance	
8.16.2.29 C MECHANICAL SYSTEMS	Compliance	
8.16.2.29 D WATER AND WASTE	Compliance	
8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL <u>Deficiencies</u> The center does not have emergency lighting that turns on automatically when electrical service is disrupted. Regulation: 8.16.2.29E(2) <u>Corrective Action Plan</u> Emergency lighting will be installed. Date to be Completed: 03/22/2018	Non-compliance	
8.16.2.29 F EXITS AND WINDOWS	Compliance	
8.16.2.29 G TOILET AND BATHING FACILITIES	Compliance	
8.16.2.29 H SAFETY COMPLIANCE	Compliance	
8.16.2.29 I SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEGAL DRUGS AND CONTROLLED SUBSTANCES	Compliance	
8.16.2.29 J PETS	Compliance	

Please note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans as noted above, may result in further action taken against the licensee.

DM 12:40 PM

02/22/2018

EPA

02/22/2018

Surveyor: Darlene Montoya

Date

Facility Rep: Ruth Porta

Date