

Facility Name: Learning Tree Acade Address: 3615 Candelaria	License Number: 150658			
Phone: 5058881668	Fax: N/A	E-mail: abcp	reschool3615@	Dgmail.com
License Information				
Type: 5 Star FOCUS Child Care Center	Status: Licensed	Issue Date:	04/01/2018	Expiration Date: 12/30/2018
Capacity Over Age 2: 73 Square Footage: 0	Under Age 2:23	Night Care:	0	Playground: 35
Census				
Over 2: 53	Under 2:00			
Classrooms Number of Classrooms: 7	7			
Days and Hours of Operatio	n			
	Tuesday :30 AM - 6:30 PM	Wednesday 6:30 AM - 6:30 PM	Thursday 6:30 AM - 6:3	-
Saturday Closed	Sunday Closed			
Inspection				
Date: 06/26/2018	Time In: 2:40 PM	Time Out: 3:	15 PM	Purpose: Semi-Annual
Licensure				
8.16.2.11 A Types of Lice	nses			Not Inspected
8.16.2.11 B Renewal of License				Not Inspected
8.16.2.11 D Non-transfer	Not Inspected			
8.16.2.12 A, K, M Licensing Actions and Administrative Appeals				Not Inspected
8.16.2.17 E, F Surveys for	Not Inspected			
8.16.2.18 D Complaints	Not Inspected			
8.16.2.21 A Licensing Requirements				Not Inspected
8.16.2.21 B Capacity of Centers				Compliance

Administrative Requirements (continued)	
8.16.2.21 C Incident Reporting Requirements	Not Inspected
Administrative Requirements	
8.16.2.22 A Administrative Records	Compliance
8.16.2.22 B Mission, Philosophy and Curriculum Statement	Not Inspected
8.16.2.22 C Policy and Procedures	Not Inspected
8.16.2.22 D Family Handbook	Not Inspected
8.16.2.22 E Children's Records	Not Inspected
8.16.2.22 F Personnel Records	Non-compliance
From the review of staff records, it was determined that 1 out of 6 staff re background check. See Staff Records 8.16.2.22 form for staff with this miss	
Corrective Action Plan The center will obtain documentation of a background check.	
Regulation: 8.16.2.22.F.1.e.	Date to be Completed: 06/26/2018
8.16.2.22 G Personnel Handbook	Not Inspected
Personnel & Staffing	
8.16.2.23 A Personnel and Staffing Requirements	Compliance
8.16.2.23 B Staff Qualifications and Training	Not Inspected
8.16.2.23 C Staff/Child Ratios and Group Sizes	Compliance
Services & Care of Children	
8.16.2.24 A Guidance	Compliance
8.16.2.24 B Naps or Rest Period	Compliance
8.16.2.24 C Additional Requirements for Infants and Toddlers	Compliance
8.16.2.24 D Diapering and Toileting	Compliance
8.16.2.24 E Additional Requirements for Children with Special Needs	N/A
8.16.2.24 F Additional Requirements for Night Care	N/A
8.16.2.24 G Physical Environment	Not Inspected
8.16.2.24 H Social-Emotional Responsive Environment	Not Inspected
8.16.2.24 I Equipment and Program	Not Inspected

8.16.2.24 J Outdoor Play Areas	Compliance
8.16.2.24 K Swimming, Wadding and Water	N/A
8.16.2.24 L Field Trips	N/A
Food Service	
8.16.2.25 B Meals and Snacks	Not Inspected
8.16.2.25 C Menus	Compliance
8.16.2.25 D Kitchens	Compliance
8.16.2.25 E Meal Times	Not Inspected
Health & Safety Requirements	
8.16.2.26 A Hygiene	Compliance
8.16.2.26 B First Aid Requirements	Not Inspected
8.16.2.26 C Medication	Not Inspected
8.16.2.27 A-D Illness Requirements for Centers	Not Inspected
8.16.2.28 A-H Transportation Requirements for Centers	Not Inspected
Buildings, Grounds & Safety	
8.16.2.29 A Housekeeping	Non-compliance
The floors in the center are not clean as evidenced by carpet is unclea	ın.
Corrective Action Plan Cleaning will be completed and a schedule for routine cleaning will b	pe established.
Regulation: 8.16.2.29.A.1.	Date to be Completed: 07/26/2018
The playground has a heavy accumulation of trash.	
Corrective Action Plan A routine will be established to assess all areas of the premises for cl	eanliness, safety and potential hazards.
Regulation: <i>8.16.2.29.A.1</i> .	Date to be Completed: 07/26/2018
Regulation: <i>8.16.2.29.A.1.</i> <b>8.16.2.29 B Pest Control</b>	Date to be Completed: 07/26/2018 Not Inspected

Services & Care of Children (continued)

Buildings, Grounds & Safety <i>(continued)</i> 8.16.2.29 D Water and Waste		Compliance	
8.16.2.29 E Lighting, Lighting Fixtures and Electrical			
Light bulbs in the bathroom are not shatterproof or shie	elded.		
Corrective Action Plan			
Shielded or shatterproof bulbs will be used.			
Regulation: 8.16.2.29.E.1.	Date to be Completed	: 07/26/2018	
8.16.2.29 F Exits and Windows		Compliance	
8.16.2.29 G Toilet and Bathing Facilities		Compliance	
8.16.2.29 H Safety Compliance		Compliance	
8.16.2.29 I Smoking, Firearms, Alcoholic Beverages, Illeg	al Drugs and Controlled Substances	Not Inspected	
8.16.2.29 J Pets		N/A	
Additional Comments			
None			
Signatures			
Please Note: Per CYFD regulation NMAC 8.16.2, failure t above, may result in further action taken against the lice		ans noted	
SM	Onfile		
Surveyor: Lucille Mizner	Facility Representative: Debra Howe		