



Facility

Name: *Mesa View Christian Preschool* **License Number:** *109969*
Address: *4701 Montano N.W, Albuquerque, NM 87120*
Phone: *5058989364* **Fax:** **E-mail:** *preschool@mesaviewumc.org*

License Information

Type: *2 Star + Child Care Center* **Status:** *Licensed* **Issue Date:** *11/01/2017* **Expiration Date:** *10/06/2018*

Capacity

Over Age 2: *132* **Under Age 2:** *0* **Night Care:** *0* **Playground:** *58*
Square Footage: *0*

Census

Over 2: *24* **Under 2:** *0*

Classrooms

Number of Classrooms: *9*

Days and Hours of Operation

Monday <i>7:00 AM - 5:00 PM</i>	Tuesday <i>7:00 AM - 5:00 PM</i>	Wednesday <i>7:00 AM - 5:00 PM</i>	Thursday <i>7:00 AM - 5:00 PM</i>	Friday <i>7:00 AM - null</i>
Saturday <i>Closed</i>	Sunday <i>Closed</i>			

Inspection

Date: *08/16/2018* **Time In:** *9:30 AM* **Time Out:** *11:45 AM* **Purpose:** *Annual*

Licensure

8.16.2.11 A Types of Licenses	<i>Not Inspected</i>
8.16.2.11 B Renewal of License	<i>Not Inspected</i>
8.16.2.11 D Non-transferable Restrictions of License	<i>Not Inspected</i>
8.16.2.12 A, K, M Licensing Actions and Administrative Appeals	<i>Not Inspected</i>
8.16.2.17 E, F Surveys for Child Care Facilities	<i>Compliance</i>
8.16.2.18 D Complaints	<i>Not Inspected</i>
8.16.2.21 A Licensing Requirements	<i>Not Inspected</i>

Licensure (continued)**8.16.2.21 B Capacity of Centers****Non-compliance**

The center failed to post classroom capacities, and ratios and group sizes in an area of the room that is easily visible to parents, staff and visitors. Before and After school classroom lacks ratio and capacity.

Corrective Action Plan

The center will post the capacity in an area of the room that is easily visible to parents, staff and visitors.

Regulation: 8.16.2.21.B.3.c.

Date to be Completed: 09/15/2018

8.16.2.21 C Incident Reporting Requirements*Not Inspected***Administrative Requirements****8.16.2.22 A Administrative Records***Compliance***8.16.2.22 B Mission, Philosophy and Curriculum Statement***Compliance***8.16.2.22 C Policy and Procedures***Compliance***8.16.2.22 D Family Handbook***Compliance***8.16.2.22 E Children's Records****Non-compliance**

Of the 7 children's records reviewed, 1 is/are missing a copy of an up-to-date immunization record or public health division approved exemption. See Children's Records 8.16.2.22 form for the child(ren) with no immunization/exemption.

Corrective Action Plan

Parents will be advised to submit a complete and up-to-date immunization record or exemption. The center will review all children's records to ensure complete information is on file.

Regulation: 8.16.2.22.E.1.e.

Date to be Completed: 09/15/2018

8.16.2.22 F Personnel Records*Compliance***8.16.2.22 G Personnel Handbook***Compliance***Personnel & Staffing****8.16.2.23 A Personnel and Staffing Requirements***Compliance***8.16.2.23 B Staff Qualifications and Training***Compliance***8.16.2.23 C Staff/Child Ratios and Group Sizes***Compliance***Services & Care of Children****8.16.2.24 A Guidance***Compliance*

Services & Care of Children *(continued)*

8.16.2.24 B Naps or Rest Period	Compliance
8.16.2.24 C Additional Requirements for Infants and Toddlers	N/A
8.16.2.24 D Diapering and Toileting	Compliance
8.16.2.24 E Additional Requirements for Children with Special Needs	Not Inspected
8.16.2.24 F Additional Requirements for Night Care	N/A
8.16.2.24 G Physical Environment	Compliance
8.16.2.24 H Social-Emotional Responsive Environment	Compliance
8.16.2.24 I Equipment and Program	Compliance
8.16.2.24 J Outdoor Play Areas	Compliance
8.16.2.24 K Swimming, Wadding and Water	Not Inspected
8.16.2.24 L Field Trips	Not Inspected

Food Service

8.16.2.25 B Meals and Snacks	Compliance
8.16.2.25 C Menus	Compliance
8.16.2.25 D Kitchens	Compliance
8.16.2.25 E Meal Times	Compliance

Health & Safety Requirements

8.16.2.26 A Hygiene	Compliance
8.16.2.26 B First Aid Requirements	Compliance
8.16.2.26 C Medication	N/A
8.16.2.27 A-D Illness Requirements for Centers	Compliance
8.16.2.28 A-H Transportation Requirements for Centers	N/A

Buildings, Grounds & Safety

8.16.2.29 A Housekeeping	Non-compliance
--------------------------	-----------------------

The Ceiling tiles are not in good repair as evidenced by in Classroom 203 and Classroom 204.

Corrective Action Plan

Repairs will be completed and a system for routine inspection of the center and premises will be established.

(continued)

Regulation: 8.16.2.29.A.1.

Date to be Completed: 09/15/2018

8.16.2.29 B Pest Control	Compliance
8.16.2.29 C Mechanical Systems	Compliance
8.16.2.29 D Water and Waste	Compliance
8.16.2.29 E Lighting, Lighting Fixtures and Electrical	Compliance
8.16.2.29 F Exits and Windows	Compliance
8.16.2.29 G Toilet and Bathing Facilities	Compliance
8.16.2.29 H Safety Compliance	Compliance
8.16.2.29 I Smoking, Firearms, Alcoholic Beverages, Illegal Drugs and Controlled Substances	Compliance
8.16.2.29 J Pets	Not Inspected

Additional Comments

Preschool classroom located in the east building will not be used this year. Provider will submit for a change of capacity with her renewal application.

Signatures

Please Note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans noted above, may result in further action taken against the licensee.



Surveyor: Darlene Montoya



Facility Representative: AnnMarie Leyba