

Center Name: Mesa View Christian Preschool	Address: 4701 Monta Albuquerqu	ano N.W. e, NM 87120		Phone: (505)898-9364
License Number: Issue Date:	Expiration Date:	Туре:	Status:	•
109969 10/7/2016	10/6/2017	2 Star Child Care Center	Licensed	
Capacity			Census	
Over Age 2: 103 Under Age 2: 0	Night Care:	0 Playground: 58	Over 2: 0	Under 2: 0
Days and Hours of Operation			•	
<u>Monday</u>	<u>Tuesday</u> <u>W</u>	ednesday Thursday	<u>Friday</u>	Saturday Sunday
Opening Times: 07:00 AM	07:00 AM	07:00 AM 07:00 AM	07:00 AM	Closed Closed
Closing Times: 05:00 PM	05:00 PM 0	05:00 PM 05:00 PM	05:00 PM	
# of Classrooms: Purp	ose:	Date:	Ti	ime:
9 Other	r	08/11/2017	0.	1:30 PM

Comments

This visit was for a change of capacity. The pre-k was added to the capacity and increased the capacity by 29 children. The enclosed room with glass doors was not added to the capacity but will be used as a break out room. The capacity has increased from 103 children over 2 to 132 children over 2 years of age.

A SURVEY OF YOUR FACILITY HAS BEEN MADE AND YOU ARE NOTIFIED OF NON-COMPLIANCE OF THE REGULATIONS AS NOTED BELOW:				
Licensure				
8.16.2.11 A TYPES OF LICENSES	Not Inspected			
8.16.2.11 B RENEWAL OF LICENSE	Not Inspected			
8.16.2.11 D NON-TRANSFERABLE RESTRICTIONS OF LICENSE	Not Inspected			
8.16.2.12 A, K, M LICENSING ACTIONS AND ADMINISTRATIVE APPEALS	Not Inspected			
8.16.2.17 E, F SURVEYS FOR CHILD CARE FACILITIES	Compliance			
8.16.2.18 D COMPLAINTS	Not Inspected			
8.16.2.21 A LICENSING REQUIREMENTS	Not Inspected			
8.16.2.21 B CAPACITY OF CENTERS	Compliance			
8.16.2.21 C INCIDENT REPORTING REQUIREMENTS	Not Inspected			
Administrative Requirements				
8.16.2.22 A ADMINISTRATION RECORDS	Not Inspected			
8.16.2.22 B MISSION, PHILOSOPHY AND CURRICULUM STATEMENT	Not Inspected			
8.16.2.22 C POLICY AND PROCEDURES	Not Inspected			
8.16.2.22 D FAMILY HANDBOOK	Not Inspected			
8.16.2.22 E CHILDREN'S RECORDS	Not Inspected			
8.16.2.22 F PERSONNEL RECORDS	Not Inspected			
8.16.2.22 G PERSONNEL HANDBOOK	Not Inspected			
Personnel & Staffing				
8.16.2.23 A PERSONNEL AND STAFFING REQUIREMENTS	Not Inspected			
8.16.2.23 B STAFF QUALIFICATIONS AND TRAINING	Not Inspected			
-				

Survey Report Form Page 1 of 3

Center Name:	License Number:	Date:				
Mesa View Christian Preschool	109969	08/11/2017				
Personnel of	& Staffing					
8.16.2.23 C STAFF/CHILD RATIOS AND GROUP SIZES			Compliance			
Services & Care of Children						
8.16.2.24 A GUIDANCE			Not Inspected			
8.16.2.24 B NAPS OR REST PERIOD			N/A			
8.16.2.24 C ADDITIONAL REQUIREMENTS FOR INFANTS AND TODDLERS			N/A			
8.16.2.24 D DIAPERING AND TOILETING	N/A					
8.16.2.24 E ADDITIONAL REQUIREMENTS FOR CHILDREN WITH SPECIAL	NEEDS		Not Inspected			
8.16.2.24 F ADDITIONAL REQUIREMENTS FOR NIGHT CARE			N/A			
8.16.2.24 G PHYSICAL ENVIRONMENT			Compliance			
8.16.2.24 H SOCIAL-EMOTIONAL RESPONSIVE ENVIRONMENT			Not Inspected			
8.16.2.24 I EQUIPMENT AND PROGRAM	Compliance					
8.16.2.24 J OUTDOOR PLAY AREAS	Not Inspected					
8.16.2.24 K SWIMMING, WADING AND WATER	Not Inspected					
8.16.2.24 L FIELD TRIPS			Not Inspected			
Food S	ervice					
8.16.2.25 B MEALS AND SNACKS			Not Inspected			
8.16.2.25 C MENUS			N/A			
8.16.2.25 D KITCHENS			N/A			
8.16.2.25 E MEAL TIMES			Not Inspected			
Health & Safety	Requirements					
8.16.2.26 A HYGIENE			Not Inspected			
8.16.2.26 B FIRST AID REQUIREMENTS		Not Inspected				
8.16.2.26 C MEDICATION	Not Inspected					
8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS	Not Inspected					
8.16.2.28 A-H TRANSPORTATION REQUIREMENTS FOR CENTERS	Not Inspected					
Buildings, Grou	unds & Safety					
8.16.2.29 A HOUSEKEEPING			Non-compliance			
<u>Deficiencies</u>						
The Fixtures are not in good repair as evidenced by the sink in the d	ramatic play are does					
not turn on.						
Regulation: 8.16.2.29A(1)						
Corrective Action Plan Pagairs will be completed and a system for routine inspection of the	contor and promises					
Repairs will be completed and a system for routine inspection of the will be established.	center and premises					
Date to be Completed: 09/19/2017						

Survey Report Form Page 2 of 3

Center Name: License Number: Date: 109969 08/11/2017 Mesa View Christian Preschool

Buildings, Grounds & Safety

Deficiencies

The Fixtures are not in good repair as evidenced by a handle is missing on the cabinet under the sink.

Regulation: 8.16.2.29A(1)

Corrective Action Plan

Repairs will be completed and a system for routine inspection of the center and premises will be established.

Date to be Completed: 09/11/2017

8.16.2.29 B PEST CONTROL	Compliance
8.16.2.29 C MECHANICAL SYSTEMS	Compliance
8.16.2.29 D WATER AND WASTE	Compliance
8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL	Compliance
8.16.2.29 F EXITS AND WINDOWS	Compliance
8.16.2.29 G TOILET AND BATHING FACILITIES	Compliance
8.16.2.29 H SAFETY COMPLIANCE	Compliance
8.16.2.29 I SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEGAL DRUGS AND CONTROLLED SUBSTANCES	Compliance
8.16.2.29 J PETS	N/A

Please note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans as noted above, may result in further action taken against the licensee.

Surveyor: Darlene Montoya

08/11/2017

Date

08/11/2017

Date

Facility Rep:Ann Marie Leyba Page 3 of 3 Survey Report Form