

Center Name:  Roswell ASP/Del Norte Elementary			Address: 2701 N. Garden Roswell, NM 88201			Phone: (575)623-943	Phone: (575)623-9438	
License Number:	Issue Date:	Expiration Date:	Type:		Status	:		
53029	11/21/2016	11/20/2017	2 Star Child	Care Center	License	d		
Capacity Over Age 2: 50	Under Age 2:	0 Night Care:	0 PI	ayground: 50	Census Over 2:	25 Under	2: 0	
Days and Hours of	Operation							
Morning Opening Times Closing Times		<u>Tuesday</u>	Wednesday	<u>Thursday</u>	<u>Friday</u>	<u>Saturday</u> Closed	<u>Sunday</u> Closed	
Afternoon Opening Times Closing Times	Monday 03:00 PM	<u>Tuesday</u> 03:00 PM 05:30 PM	Wednesday 01:45 PM 05:30 AM	<u>Thursday</u> 03:00 PM 05:30 PM	<u>Friday</u> 03:00 PM 05:30 PM	<u>Saturday</u>	Sunday	
# of Classrooms:		Purpose: Semi-Annual		<b>Date:</b> 04/18/2017		<b>Time:</b> 03:41 PM		
Comments Staff files and surve	v review performe	ed on 04/28/2017.						

Stati files and survey review performed on 04/26/2017.				
A SURVEY OF YOUR FACILITY HAS BEEN MADE AND YOU ARE NOTIFIED OF NON-COMPLIANCE OF THE REGULATIONS AS NOTED BELOW:				
Licensure				
8.16.2.40 A LICENSING REQUIREMENTS	Compliance			
8.16.2.40 B CAPACITY OF A PROGRAM	Compliance			
8.16.2.40 C, D INCIDENT REPORTING REQUIREMENTS	Compliance			
Administrative Requirements	<u> </u>			
8.16.2.41 A ADMINISTRATION RECORDS	Compliance			
Deficiencies The program failed to display in a prominent place the [Current Child Care Out of SchoolTime State Regulations].  Regulation: 8.16.2.41A  Corrective Action Plan The program will post the missing item(s).  Date to be Completed: 05/19/2017				
8.16.2.41 B MISSION, PHILOSOPHY AND CURRICULUM STATEMENT	Compliance			
8.16.2.41 C PARENT HANDBOOK	Compliance			
8.16.2.41 D, 8.16.2.42 D CHILDREN'S RECORDS	Compliance			
8.16.2.41 E PERSONNEL RECORDS	Compliance			
8.16.2.41 F PERSONNEL HANDBOOK	Compliance			
Personnel & Staffing				
8.16.2.42 A PERSONNEL AND STAFFING REQUIREMENTS	Compliance			

Survey Report Form Page 1 of 3

Center Name:  Roswell ASP/Del Norte Elementary	License Number: 53029	<b>Date:</b> 04/18/2017				
		04/10/2017				
	sonnel & Staffing					
8.16.2.42 B STAFF QUALIFICATIONS			Compliance			
8.16.2.42 C TRAINING			Compliance			
Service	es & Care of Children					
8.16.2.43 A GUIDANCE			Compliance			
8.16.2.43 B PHYSICAL ENVIRONMENT			Compliance			
8.16.2.43 C SOCIAL-EMOTIONAL RESPONSIVE ENVIRONMENT			Compliance			
8.16.2.43 D EQUIPMENT AND PROGRAM			Compliance			
8.16.2.43 E ADDITIONAL REQUIREMENTS FOR CHILDREN WITH	SPECIAL NEEDS		Compliance			
8.16.2.43 G SWIMMING, WADING AND WATER			N/A			
8.16.2.43 H FIELD TRIPS			N/A			
8.16.2.43 F OUTDOOR PLAY AREAS			Non-compliance			
Deficiencies The fall zone underneath the [ cildrens work out area] is not enough resilient surface material under the equipment ].  Regulation: 8.16.2.43F(2)  Corrective Action Plan A resilient surface will be provided beneath the play equipmed devised to provide routine checks.						
Date to be Completed: 05/19/2017	Food Service					
8.16.2.44 B MEALS AND SNACKS		T	Compliance			
8.16.2.44 C KITCHENS			Not Inspected			
Health 8	Safety Requirements					
8.16.2.45 A HYGIENE		$\neg \neg$	Compliance			
8.16.2.45 B FIRST AID REQUIREMENTS		Not Inspected				
8.16.2.45 C MEDICATION		Not Inspected				
8.16.2.45 D ILLNESSES	Not Inspected					
8.16.2.46 A-H TRANSPORTATION REQUIREMENTS		Not Inspected				
Buildin	gs, Grounds & Safety					
8.16.2.47 A HOUSEKEEPING	· · · · · · · · · · · · · · · · · · ·		Compliance			
8.16.2.47 B PEST CONTROL						
8.16.2.47 C MECHANICAL SYSTEMS		Not Inspected  Compliance				
8.16.2.47 D LIGHTING, LIGHTING FIXTURES AND ELECTRICAL	+	Compliance				
8.16.2.47 E EXITS AND WINDOWS		Compliance				
8.16.2.47 F TOILET AND BATHING FACILITIES		+	Compliance			

Survey Report Form Page 2 of 3

Center Name:  Roswell ASP/Del Norte Elementary	License Number: 53029	<b>Date:</b> 04/18/2017					
Buildings, Grounds & Safety							
8.16.2.47 G SAFETY COMPLIANCE Compliance							
8.16.2.47 H SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEGAL DRUGS	CES	Compliance					
8.16.2.47 G, I PETS			N/A				

Please note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans as noted above, may result in further action taken against the licensee.

04/18/2017

04/18/2017

Date

Surveyor: Allen Anderson

Date

Facility Rep:Mary Dawe