

Center Name: YDI Reginald Chavez Head Start		Address: 2700 Mountain Rd. N.W. Albuquerque, NM 87104			Phone: (505)244-0330		
License Number: 94621	Issue Date: 09/10/2017	Expiration Date: 09/9/2018	Type: 5 Star FOCUS Child Care Center		Status: Licensed		
Capacity					Census		
Over Age 2:	40	Under Age 2:	0	Night Care:	0	Playground:	40
		Over 2:	30	Under 2:	0		
Days and Hours of Operation							
	<u>Monday</u>	<u>Tuesday</u>	<u>Wednesday</u>	<u>Thursday</u>	<u>Friday</u>	<u>Saturday</u>	<u>Sunday</u>
Opening Times:	07:00 AM	07:00 AM	07:00 AM	07:00 AM	07:00 AM	Closed	Closed
Closing Times:	03:00 PM	03:00 PM	03:00 PM	03:00 PM	03:00 PM		
# of Classrooms: 2	Purpose: Semi-Annual		Date: 10/06/2017		Time: 10:50 AM		
Comments Transferred from a paper survey.							

A SURVEY OF YOUR FACILITY HAS BEEN MADE AND YOU ARE NOTIFIED OF NON-COMPLIANCE OF THE REGULATIONS AS NOTED BELOW:

Licensure	
8.16.2.11 A TYPES OF LICENSES	Not Inspected
8.16.2.11 B RENEWAL OF LICENSE	Not Inspected
8.16.2.11 D NON-TRANSFERABLE RESTRICTIONS OF LICENSE	Not Inspected
8.16.2.12 A, K, M LICENSING ACTIONS AND ADMINISTRATIVE APPEALS	Not Inspected
8.16.2.17 E, F SURVEYS FOR CHILD CARE FACILITIES	Not Inspected
8.16.2.18 D COMPLAINTS	Not Inspected
8.16.2.21 A LICENSING REQUIREMENTS	Not Inspected
8.16.2.21 B CAPACITY OF CENTERS	Compliance
8.16.2.21 C INCIDENT REPORTING REQUIREMENTS	Not Inspected
Administrative Requirements	
8.16.2.22 A ADMINISTRATION RECORDS	Compliance
8.16.2.22 B MISSION, PHILOSOPHY AND CURRICULUM STATEMENT	Not Inspected
8.16.2.22 C POLICY AND PROCEDURES	Not Inspected
8.16.2.22 D FAMILY HANDBOOK	Not Inspected
8.16.2.22 E CHILDREN'S RECORDS	Compliance
8.16.2.22 F PERSONNEL RECORDS	Non-compliance

Center Name: YDI Reginald Chavez Head Start	License Number: 94621	Date: 10/06/2017
-------------------------------------------------------	---------------------------------	----------------------------

Administrative Requirements

Deficiencies

From the review of staff records, it was determined that 1 out of 5 staff records does/do not include a background check. See Staff Records 8.16.2.22 form for staff with this missing information.

Regulation: 8.16.2.22F(1)(e)

Corrective Action Plan

The center will obtain documentation of a background check.

Date to be Completed: 10/09/2017

Deficiencies

From the review of staff records, it was determined that 4 out of 5 staff records does/do not include documentation of current first-aid and cardiopulmonary resuscitation training. See Staff Records 8.16.2.22 form for staff without verification of training.

Regulation: 8.16.2.22F(1)(g)

Corrective Action Plan

The center will obtain documentation of first-aid and CPR training and retain on file.

Date to be Completed: 11/06/2017

Deficiencies

From the review of staff records, it was determined that 3 out of 5 staff records does/do not include a professional development plan based on seven areas of competency. See Staff Records 8.16.2.22 form for staff who need a current plan.

Regulation: 8.16.2.22F(1)(n)

Corrective Action Plan

The center will have staff complete a professional development plan and sign the plan. The plan will be maintained on file.

Date to be Completed: 11/06/2017

8.16.2.22 G PERSONNEL HANDBOOK	Not Inspected
Personnel & Staffing	
8.16.2.23 A PERSONNEL AND STAFFING REQUIREMENTS	Compliance
8.16.2.23 B STAFF QUALIFICATIONS AND TRAINING	Compliance
8.16.2.23 C STAFF/CHILD RATIOS AND GROUP SIZES	Compliance
Services & Care of Children	
8.16.2.24 A GUIDANCE	Compliance
8.16.2.24 B NAPS OR REST PERIOD	Compliance
8.16.2.24 C ADDITIONAL REQUIREMENTS FOR INFANTS AND TODDLERS	N/A
8.16.2.24 D DIAPERING AND TOILETING	Compliance
8.16.2.24 E ADDITIONAL REQUIREMENTS FOR CHILDREN WITH SPECIAL NEEDS	N/A
8.16.2.24 F ADDITIONAL REQUIREMENTS FOR NIGHT CARE	N/A
8.16.2.24 G PHYSICAL ENVIRONMENT	Not Inspected
8.16.2.24 H SOCIAL-EMOTIONAL RESPONSIVE ENVIRONMENT	Not Inspected
8.16.2.24 I EQUIPMENT AND PROGRAM	Not Inspected


Center Name: YDI Reginald Chavez Head Start	License Number: 94621	Date: 10/06/2017
Services & Care of Children		
8.16.2.24 J OUTDOOR PLAY AREAS		Compliance
8.16.2.24 K SWIMMING, WADING AND WATER		N/A
8.16.2.24 L FIELD TRIPS		N/A
Food Service		
8.16.2.25 B MEALS AND SNACKS		Not Inspected
8.16.2.25 C MENUS		Compliance
8.16.2.25 D KITCHENS		Compliance
8.16.2.25 E MEAL TIMES		Not Inspected
Health & Safety Requirements		
8.16.2.26 A HYGIENE		Compliance
8.16.2.26 B FIRST AID REQUIREMENTS		Not Inspected
8.16.2.26 C MEDICATION		Not Inspected
8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS		Not Inspected
8.16.2.28 A-H TRANSPORTATION REQUIREMENTS FOR CENTERS		N/A
Buildings, Grounds & Safety		
8.16.2.29 A HOUSEKEEPING Deficiencies The playground has a heavy accumulation of trash and weeds. Regulation: 8.16.2.29A(1) Corrective Action Plan A routine will be established to assess all areas of the premises for cleanliness , safety and potential hazards. Date to be Completed: 11/06/2017 Deficiencies The ceiling tiles in the classroom RC1 are not clean as evidenced by water stains. Regulation: 8.16.2.29A(1) Corrective Action Plan Cleaning will be completed and a schedule for routine cleaning will be established. Date to be Completed: 11/06/2017		Non-compliance
8.16.2.29 B PEST CONTROL		Not Inspected
8.16.2.29 C MECHANICAL SYSTEMS		Compliance
8.16.2.29 D WATER AND WASTE		Compliance
8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL		Compliance
8.16.2.29 F EXITS AND WINDOWS		Compliance
8.16.2.29 G TOILET AND BATHING FACILITIES		Compliance
8.16.2.29 H SAFETY COMPLIANCE		Compliance
8.16.2.29 I SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEGAL DRUGS AND CONTROLLED SUBSTANCES		Not Inspected

Center Name: YDI Reginald Chavez Head Start	License Number: 94621	Date: 10/06/2017
-------------------------------------------------------	---------------------------------	----------------------------

Buildings, Grounds & Safety

8.16.2.29 J PETS	N/A
-------------------------	-----

Please note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans as noted above, may result in further action taken against the licensee.



10/06/2017

On file

10/06/2017

Surveyor: Lucille Mizner	Date	Facility Rep: Helen Chavez	Date
--------------------------	------	----------------------------	------