Family Day Care Inspection Compliance Plan

Provider's Name: Tara Hixon City: Aberdeen Provider Number: 011102372

Inspector: Julie Hermansen Date of Inspection: 03/20/2018 Time of Inspection: 10:23 AM

The items listed below are those that the provider was not in compliance with at the time of the inspection.

B. Record Keeping/Fire Safety & Emergency Weather Drills

30. Does each child's record contain all required information? 67:42:16:13

Corrections To Be Made: Agency Action:

AB - Immunization Records Compliance Plan

DB - Immunization Records

AF - Immunization Records

NF - Immunization Records

Completion

Completion

NF - Immunization RecordsCompletionCompletionRM - Immunization RecordsDate:Date:

03/31/2018 03/30/2018

Status: Corrected

C. Health & Safety Features of the Home - Indoor Environmental Observations

43. Is a copy of the latest Family Day Care Inspection and Inspection Summary posted in a visible location? 67:42:16:17

Corrections To Be Made: Agency Action:

Compliance Plan

Suggested Actual Completion Completion Date: Date:

03/31/2018 03/21/2018

Status: Corrected

Corrections To Be Made:

Hot water temperature is 128 degrees. Turn hot water heater down or install a scald guard on the hand washing sink.

Compliance Plan

Suggested Actual Completion Completion Date:

Date:

03/31/2018

Status: Corrected

72. Is there documentation showing pets have current vaccination records? 67:42:03:22

69. Is the hot water temperature at hand washing sinks maintained at 120 degrees or lower?

67:42:03:11.05

Corrections To Be Made:	Agency Action:		
	Compliance Plan	1	
	Suggested Completion Date:	Actual Completion Date: 03/30/2018	
	Status: Correcte		

Tara Hixon	03/20/2018	Julie Hermansen	03/20/2018
Provider Signature	Date	Inspector Signature	Date