

Facility Safety Inspection Fire & Life Safety / Environmental Health Licensed Day Care Programs Compliance Plan

Provider's Name: **Prodigy Learning Center**

City: **Dakota Dunes**

Provider Number: **018042118**

Inspector: **Stacy Wildermuth**

Date of Inspection: **06/10/2020**

Time of Inspection: **10:45 AM**

The items listed below are those that the provider was not in compliance with at the time of the inspection.

A. FIRE AND LIFE SAFETY

7. In Licensed Day Care Programs Caring for 21 or More Children - Is a fire alarm system installed in the building wiring and operable? 61:15:05:08 NOTE: Manual pull stations, audible alarms inside and out. Smoke detectors are in stairwells, corridors, lounges, recreation and sleeping areas.

<p>Corrections To Be Made:</p> <p>Fire alarm inspection documentation was not available during inspection. Fire alarms should be inspected yearly.</p> <p>***The documentation for the current fire alarm inspection has been received by Child Care Services.</p>	<p>Agency Action:</p> <p>Compliance Plan</p> <table style="width: 100%;"> <tr> <td style="width: 50%;">Suggested Completion Date:</td> <td style="width: 50%;">Actual Completion Date:</td> </tr> <tr> <td style="text-align: center;">07/10/2020</td> <td style="text-align: center;">06/11/2020</td> </tr> </table> <p>Status: Corrected</p>	Suggested Completion Date:	Actual Completion Date:	07/10/2020	06/11/2020
Suggested Completion Date:	Actual Completion Date:				
07/10/2020	06/11/2020				

B. ENVIRONMENTAL HEALTH

50. Is the heating and cooling system maintained and inspected annually? 67:42:11:12

Corrections To Be Made:

Heating and cooling system inspection documentation was not available during inspection. Heating and cooling systems should be inspected yearly.

*****The documentation for the current heating and cooling system inspection has been received by Child Care Services.**

Agency Action:

Compliance Plan

Suggested
Completion
Date:

Actual
Completion
Date:

07/10/2020

06/23/2020

Status: **Corrected**

Kathy Soldati

Provider Signature

06/10/2020

Date

Stacy Wildermuth

Inspector Signature

06/10/2020

Date