

Facility Safety Inspection

Fire & Life Safety / Environmental Health

Before & After School Center - School Location

Compliance Plan

Provider's Name: **Beyond School Adventures-Austin**

City: **Vermillion**

Provider Number: **019521941**

Inspector: **Stacy Wildermuth**

Date of Inspection: **10/04/2018**

Time of Inspection: **3:15 PM**

The items listed below are those that the provider was not in compliance with at the time of the inspection.

A. FIRE AND LIFE SAFETY

1. Are written emergency evacuation plans posted? 67:42:14:28

Corrections To Be Made:

Written emergency evacuation plan was not posted during the inspection.

*** The written emergency evacuation plans were posted and observed by licensing specialist.**

Agency Action:

Compliance Plan

Suggested
Completion
Date:

10/12/2018

Actual
Completion
Date:

10/10/2018

Status: **Corrected**

C. FOOD SERVICE

42. Are dining tables sanitized before and after the next meal or snack with a solution of one ounce household bleach to two gallons of water or an approved sanitizer solution? 67:42:11:07 NOTE: Bleach solution strength is diluted as it sits, so new solution should be prepared daily.\ul

Corrections To Be Made:

Solution used to sanitize the tables before snack was not mixed properly.

***Director educated staff on how to mix bleach solution correctly.**

Agency Action:

Compliance Plan

Suggested
Completion
Date:

10/04/2018

Actual
Completion
Date:

10/10/2018

Status: **Corrected**

Bonnie

Provider Signature

10/04/2018

Date

Stacy Wildermuth

Inspector Signature

10/04/2018

Date