

#### Bright from the Start Georgia Department of Early Care and Learning 2 Martin Luther King Jr. Drive SE, 670 East Tower Atlanta, GA 30334 Phone: (404) 657-5562 WWW.DECAL.GA.GOV

Date: 6/12/2020 VisitType: Licensing Study

Arrival: 1:00 PM

Departure: 3:30 PM

**Regional Consultant** 

Phone: (770) 357-9953

yolanda.marable@decal.ga.gov

Fax: (678) 302-2432

Yolanda Marable

# FR-36894

## Carter, Melissa L

42 East Gate Drive Tifton, GA 31794 Tift County (229) 402-7376 bernard\_tindall2000@yahoo.com

# Mailing Address

42 east gate drive Tifton, GA 31794



			<b>Compliance Zone Designation</b> - A summary measure of a program's 12 month monitoring history, as it pertains to child care health and safety rules. The three compliance zones are good		
06/12/2020	Licensing Study		standing, support, and deficient.		
09/20/2019	Monitoring Visit	Good Standing	Good Standing - Program is demonstrating an acceptable level of performance in meeting the rules.		
01/22/2019	Licensing Study	Good Standing	Support - Program performance is demonstrating a need for improvement in meeting rules.		
			<b>Deficient</b> - Program is not demonstrating an acceptable level of performance in meeting the rules.		

#### Ratios/License Capacity

Age Ranges	Children Present	Child For Pay	CAPS	Not for Pay	Provider Children
Infant (0-11 mos)	0	0	0	0	0
1 & 2 Years	1	1	0	0	0
3 & 4 Years	0	0	0	0	0
School Age(5+) Years	0	2	0	0	0
Total Under 13 Years	1	3	0	0	0
Total Under 18 Years	1				

Children Present: 1

Caregivers/Helpers Present: 5

Total Children: 3

Total Caregivers/Helpers: 5

Comments No Plan Develpoed

Plan of Improvement: No Plan Developed

Any rule violation which subjects a child to injury or life-threatening situation or any rule violations previously cited but not corrected, may result in the imposition of an adverse enforcement action. Serious or continued noncompliance may also jeopardize participation in one or more DECAL program(s).

<ul> <li>Please refer to the website, <u>http://www.decal.ga.gov/CCS/RulesAndRegulations.aspx</u>, for information regarding October 1, 2018 rule changes about Criminal Records Checks that may affect your facility. In summary,</li> <li>New records checks will be required to be completed if a staff member experiences a six month break in service from the child care industry</li> <li>New clearance is required at least once every five years</li> <li>Any staff member solely responsible for supervising children will be required to have completed a comprehensive background clearance</li> <li>All staff members are required to have completed at least a national fingerprint based clearance check</li> <li>Any staff member with only the national fingerprint based clearance, must be under constant and direct supervision of a staff member with a satisfactory comprehensive records check clearance</li> <li>Facilities are required to use DECAL KOALA for Criminal Records Checks, including to verify portability of an employee</li> </ul>

O.C.G.A. Section 42.1.12(i)(2) requires Bright from the Start: Georgia Department of Early Care and Learning to notify licensed child care programs on accessing and retrieving from the Georgia Bureau of Investigation's (GBI) website a list of the names and addresses of all registered sexual offenders. Please see GBI's website located at http://gbi.georgia.gov to access the Georgia Sex Offender Registry.

**Refutation Process:** 

You have the right to refute any of the citations noted in this report with which you disagree. To refute a citation(s), e-mail the following information to CCSRefutations@decal.ga.gov.

1) Facility name, license number and visit date

2) Your name, title/relationship to the facility, e-mail address & up to two phone number(s) where you can be reached

3) Specific rule number(s) that you are refuting, along with your concerns or questions regarding the rule citation

Refutations must be submitted to Child Care Services (CCS) within 10 business days of the completion date.

A sample form for submitting a refutation can be found at: <u>http://decal.ga.gov/ChildCareServices/RefutationInformation.aspx</u>

Your refutation will be forwarded to the appropriate CCS manager, who will follow up with you about your concerns. If you have any questions about this process, contact our office at 404-657-5562.

Bright from the Start recommends that all licensed child care providers carry liability insurance coverage sufficient to protect its clients. If you do not have this liability insurance, you are required to post a notice with ½ inch letters in a conspicuous location in the program, notify the parent or guardian of each child in care in writing, obtain their signature to acknowledge receipt and maintain this written acknowledgment on file at the program at all times while the child attends the program and for 12 months after the child's last date of attendance. (O.C.G.A. Section 20-1A-4)





#### **Important New Deadlines:**

Your program must be Quality Rated by December 31, 2020 in order to continue to receive Childcare and Parent Services (CAPS).

Get started today! Sign up by completing a short online application: <u>https://qualityrated.decal.ga.gov/</u> Request free technical assistance to help you earn your star rating by contacting the Quality Rated help desk at 855-800-7747 or <u>qualityrated@decal.ga.gov</u>

Melissa Carter, Program Official

Date

Yolanda Marable, Consultant

Date

Date: 6/12/2020       VisitType: Licensing Study       Arrival: 1:00 PM       Departure: 3:30 PM         FR-36894       Regional Consultant         Carter, Melissa L       Yolanda Marable         42 East Gate Drive Tifton, GA 31794 Tift County (229) 402-7376       Phone: (770) 357-9953         FR-36894       Frax: (678) 302-2432         Valing Address       Volanda.marable@decal.ga.gov         Valing Address       Met         Comment       Volanda.marable@decal.ga.gov         There is no pool on the property       Facility         Valing Address       Volanda.marable@decal.ga         Valing Address       Vol	Bright from the Start Ge 2 Martin Luthe Phone: (404	r King Jr. Dr Atlanta, GA	ive SE, 670 E 30334 /WW.DECAL.G	ast Tower
FR-36894       Regional Consultant         Carter, Melissa L       Yolanda Marable         42 East Gate Drive Tifton, GA 31794 Tift County       Phone: (770) 357-9953         (229) 402-7376 bernard_indal/2000@yahoo.com       Fax: (678) 302-2432         Waling Address       42 east gate drive         Tifton, GA 31794       Activities and Equipment         Phone: (770) 357-9953       Fax: (678) 302-2432         yolanda_marable@decal.ga.gov       Waling Address         42 east gate drive       Activities and Equipment         The following information is associated with a Licensing Study:       Activities and Equipment         290-2-312 Equipment and Supplies(CR)       Met         Comment       Equipment and furniture observed to be properly secured, as applicable.         290-2-319 Infant-Sleeping Safety Requirements(CR)       Met         Corrected on 6/12/2020       Met         19(2) - Previous citation corrected, the crib was removed from the home.       290-2-307 Swimming Pools & Water-related Activities(CR)         Comment       There is no pool on the property       Facility         290-2-311 Physical Plant - Safe Environment(CR)       Met         Comment       No hazards observed accessible to children on this date.       No hazards observed accessible to children on this date.         290-2-313 Physical Plant-Structural/Mechanical	Date: 6/12/2020 VisitType: Liconsing Study	-	-	Departure: 3:30 PM
Carter, Melissa L       Yolanda Marable         42 East Gate Drive Tifton, GA 31794 Tift County       Phone: (77) 357-9953         (229) 402-7376 bemard_tindall2000@yahoo.com       Fax: (678) 302-2432         Maling Address       yolanda.marable@decal.ga.gov         Material Address       Yolanda Marable         Ze sets gate drive       Activities and Equipment         Triton, GA 31794       Activities and Equipment         290-2-312 Equipment and Supplies(CR)       Met         Comment       Equipment and furniture observed to be properly secured, as applicable.         290-2-319 Infant-Sleeping Safety Requirements(CR)       Met         Correction Deadline: 9/20/2019       Met         Corrected on 6/12/2020       Infant Sleeping Safety Requirements(CR)         19(2) - Previous citation corrected, the crib was removed from the home.       290-2-307 Swimming Pools & Water-related Activities(CR)         290-2-311 Physical Plant - Safe Environment(CR)       Met         Comment       No hazards observed accessible to children on this date.         290-2-313 Physical Plant-Structural/Mechanical(CR)       Met         Comment       No hazards observed accessible to children on this date.         290-2-313 Physical Plant-Structural/Mechanical(CR)       Met         Comment       No hazards.         290-2-313 Physical Plant-S		Anivai.		•
42 East Gale Drive Tifton, GA 31794 Tift County (229) 402-7376 bernard_tindall2000@yahoo.com       Phone: (770) 357-9953 Fax: (678) 302-2432 yolanda.marable@decal.ga.gov         Mailing Address 42 east gate drive Tiften, GA 31794       The following information is associated with a Licensing Study:         Comment Equipment and furniture observed to be properly secured, as applicable.       Met         290-2-319 Infant-Sleeping Safety Requirements(CR)       Met         Correction Deadline: 9/20/2019       Met         Corrected on 6/12/2020       Met         19(2) - Previous citation corrected, the crib was removed from the home.       1920-2-307 Swimming Pools & Water-related Activities(CR)         Met       Comment There is no pool on the property       Facility         290-2-311 Physical Plant - Safe Environment(CR)       Met         Comment There is no pool on the property       Facility         290-2-313 Physical Plant - Safe Environment(CR)       Met         Comment No hazards observed accessible to children on this date.       290-2-313 Physical Plant-Structural/Mechanical(CR)         Yen bare appears clean and free from hazards.       290-2-313 Physical Plant scient and scient and free from hazards.         290-2-313 Playgrounds(CR)       Met			-	
42 easi gate drive Triton, CA 31794         The following information is associated with a Licensing Study:         Activities and Equipment         290-2-312 Equipment and Supplies(CR)       Met         Comment Equipment and furniture observed to be properly secured, as applicable.         290-2-319 Infant-Sleeping Safety Requirements(CR)       Met         Corrected on 6/12/2020 .19(2) - Previous citation corrected, the crib was removed from the home.       19(2) - Previous citation corrected, the crib was removed from the home.         290-2-307 Swimming Pools & Water-related Activities(CR)       Met         Comment There is no pool on the property         290-2-311 Physical Plant - Safe Environment(CR)       Met         Comment No hazards observed accessible to children on this date.         290-2-313 Physical Plant-Structural/Mechanical(CR)       Met         Comment The Home appears clean and free from hazards.         290-2-313 Playgounds(CR)       Met	42 East Gate Drive Tifton, GA 31794 Tift County		Phor Fax:	ne: (770) 357-9953 (678) 302-2432
Activities and Equipment         290-2-312 Equipment and Supplies(CR)       Met         Comment       Equipment and furniture observed to be properly secured, as applicable.         290-2-319 Infant-Sleeping Safety Requirements(CR)       Met         Correction Deadline: 9/20/2019       Met         Corrected on 6/12/2020	42 east gate drive			
290-2-312 Equipment and Supplies(CR)       Met         Comment Equipment and furniture observed to be properly secured, as applicable.       90-2-319 Infant-Sleeping Safety Requirements(CR)       Met         290-2-319 Infant-Sleeping Safety Requirements(CR)       Met         Correction Deadline: 9/20/2019       Met         Corrected on 6/12/2020 .19(2) - Previous citation corrected, the crib was removed from the home.       Met         290-2-307 Swimming Pools & Water-related Activities(CR)       Met         Comment There is no pool on the property       Facility         290-2-311 Physical Plant - Safe Environment(CR)       Met         Comment No hazards observed accessible to children on this date.       Met         290-2-313 Physical Plant-Structural/Mechanical(CR)       Met         Comment The Home appears clean and free from hazards.       Met         Comment The Home appears clean and well maintained.       Met	The following information is associated with a Licensi	ng Study:	A - (1- 1/1-	
Comment Equipment and furniture observed to be properly secured, as applicable.         290-2-319 Infant-Sleeping Safety Requirements(CR)       Met         Correction Deadline: 9/20/2019       Met         Corrected on 6/12/2020			Activitie	es and Equipment
Comment Equipment and furniture observed to be properly secured, as applicable.         290-2-319 Infant-Sleeping Safety Requirements(CR)       Met         Correction Deadline: 9/20/2019       Met         Corrected on 6/12/2020	200-2-3-12 Equipment and Supplies(CB)			Mot
Correction Deadline: 9/20/2019 Corrected on 6/12/2020 .19(2) - Previous citation corrected, the crib was removed from the home. 290-2-307 Swimming Pools & Water-related Activities(CR) Met Comment There is no pool on the property Facility 290-2-311 Physical Plant - Safe Environment(CR) Met Comment No hazards observed accessible to children on this date. 290-2-313 Physical Plant-Structural/Mechanical(CR) Met Comment The Home appears clean and free from hazards. 290-2-313 Playgrounds(CR) Met Comment The outside area appears clean and well maintained.	Comment	as applicable		
Corrected on 6/12/2020         .19(2) - Previous citation corrected, the crib was removed from the home.         290-2-307 Swimming Pools & Water-related Activities(CR)       Met         Comment There is no pool on the property       Facility         290-2-311 Physical Plant - Safe Environment(CR)       Met         Comment No hazards observed accessible to children on this date.       290-2-313 Physical Plant-Structural/Mechanical(CR)         Met       Comment The Home appears clean and free from hazards.       Met         Comment The outside area appears clean and well maintained.       Met	290-2-319 Infant-Sleeping Safety Requirements(CR)			Met
.19(2) - Previous citation corrected, the crib was removed from the home.         290-2-307 Swimming Pools & Water-related Activities(CR)       Met         Comment There is no pool on the property       Facility         290-2-311 Physical Plant - Safe Environment(CR)       Met         Comment No hazards observed accessible to children on this date.       Met         290-2-313 Physical Plant-Structural/Mechanical(CR)       Met         Comment The Home appears clean and free from hazards.       Met         290-2-313 Playgrounds(CR)       Met	Correction Deadline: 9/20/2019			
Comment         There is no pool on the property         Facility         290-2-311 Physical Plant - Safe Environment(CR)         Met         Comment         No hazards observed accessible to children on this date.         290-2-313 Physical Plant-Structural/Mechanical(CR)         Met         Comment         The Home appears clean and free from hazards.         290-2-313 Playgrounds(CR)         Met         Comment         The outside area appears clean and well maintained.		ved from the	home.	
There is no pool on the property         Facility         290-2-311 Physical Plant - Safe Environment(CR)         Met         Comment         No hazards observed accessible to children on this date.         290-2-313 Physical Plant-Structural/Mechanical(CR)       Met         Comment       Met         The Home appears clean and free from hazards.       290-2-313 Playgrounds(CR)         Met       Met         Comment       Met         The outside area appears clean and well maintained.       Met	290-2-307 Swimming Pools & Water-related Activities	(CR)		Met
Facility         290-2-311 Physical Plant - Safe Environment(CR)         Met         Comment         No hazards observed accessible to children on this date.         290-2-313 Physical Plant-Structural/Mechanical(CR)         Met         Comment         The Home appears clean and free from hazards.         290-2-313 Playgrounds(CR)         Met         Comment         The outside area appears clean and well maintained.				
Comment       No hazards observed accessible to children on this date.         290-2-313 Physical Plant-Structural/Mechanical(CR)       Met         Comment       The Home appears clean and free from hazards.         290-2-313 Playgrounds(CR)       Met         Comment       The outside area appears clean and well maintained.				Facility
Comment       No hazards observed accessible to children on this date.         290-2-313 Physical Plant-Structural/Mechanical(CR)       Met         Comment       The Home appears clean and free from hazards.         290-2-313 Playgrounds(CR)       Met         Comment       The outside area appears clean and well maintained.				
No hazards observed accessible to children on this date.         290-2-313 Physical Plant-Structural/Mechanical(CR)       Met         Comment The Home appears clean and free from hazards.       290-2-313 Playgrounds(CR)         290-2-313 Playgrounds(CR)       Met         Comment The outside area appears clean and well maintained.       Met	290-2-311 Physical Plant - Safe Environment(CR)			Met
Comment         The Home appears clean and free from hazards.         290-2-313 Playgrounds(CR)         Met         Comment         The outside area appears clean and well maintained.				
The Home appears clean and free from hazards.         290-2-313 Playgrounds(CR)         Met         Comment         The outside area appears clean and well maintained.	290-2-313 Physical Plant-Structural/Mechanical(CR)			Met
290-2-313 Playgrounds(CR)       Met         Comment       The outside area appears clean and well maintained.				
The outside area appears clean and well maintained.				Met
Health and Hygiene				
			Н	ealth and Hygiene

## 290-2-3-.11 Children's Health and Hygiene(CR)

### Comment

Staff state proper knowledge of diapering procedures.

## 290-2-3-.11 Diapering Areas & Practices(CR)

#### Comment

Staff state proper knowledge of diapering procedures.

#### 290-2-3-.11 Medications(CR)

#### Comment

Per the provider no medication is currently dispensed

### 290-2-3-.04 Application Requirements(CR)

#### Comment

Appropriate number of children observed in Family Child Care Learning Home this date.

290-2-311	Discipline	(CR)
	Discipline	

#### Comment

Age-appropriate discussion and/or redirection observed.

290-2-3-.11 Transportation(CR)

#### Comment

The provider does not provide routine transportation.

290-2-321 Criminal Records and Comprehensive	e Background Checks(CR)	Met
Comment		
Criminal records checks were observed to be comple	ete.	
290-2-307 Staff Qualifications(CR)		Met
<b>Comment</b> Staff observed to be compliant with applicable laws a	and regulations.	
	Staff:Child Ratios and Staff:	Supervision

# 290-2-3-.07 Staff:Child Ratios(CR)

#### Comment

Appropriate ratios were observed on this date.

### 290-2-3-.07 Supervision(CR)

Comment

Adequate supervision observed on this date.

Met
-----

Met

Met

# Licensure

Met

Met

Met

# **Staff Records**

Safety and Discipline

Met

Met