

Bright from the Start Georgia Department of Early Care and Learning 2 Martin Luther King Jr. Drive SE, 670 East Tower Atlanta, GA 30334

Phone: (404) 657-5562 WWW.DECAL.GA.GOV

Date: 11/5/2019 VisitType: Monitoring Visit Arrival: 10:30 AM Departure: 12:30 PM

CCLC-2492

Saint Philip Child Development Center, Inc.

240 Candler Road, S. E. Atlanta, GA 30317 DeKalb County (404) 371-0777 cdc@saintphilip.org

Mailing Address 240 Candler Road, S.E. Atlanta, GA 30317

Quality Rated: ★



Regional Consultant

Ashia Jackson

Phone: (770) 357-7070 Fax: (770) 357-7069

ashia.jackson@decal.ga.gov

<u>Com</u> p	oliance Zone Desig	<u>nation</u>
11/05/2019	Monitoring Visit	Support
07/16/2019	Complaint Closure	Good Standing
07/16/2019	Complaint Investigation & Monitoring Visit	Good Standing

Compliance Zone Designation - A summary measure of a program's 12 month monitoring history, as it pertains to child care health and safety rules. The three compliance zones are good standing, support, and deficient.

Good Standing - Program is demonstrating an acceptable level of performance in meeting

the rules.

Support - Program performance is demonstrating a need for improvement in meeting

rules.

Deficient - Program is not demonstrating an acceptable level of performance in meeting

the rules.

Ratios/License Capacity

Building	Room	Age Group	Staff	Children	NC/C	Max 35 SF.	35 SF. Comp.	Max 25 SF.	25 SF. Comp.	Notes
Main	102		0	0	С	14	С	NA	NA	
Main	106		0	0	С	14	С	NA	NA	
Main	108		0	0	С	14	С	NA	NA	
Main	109		0	0	С	14	С	NA	NA	
Main	110	Four Year Olds and Five Year Olds	1	7	С	14	С	NA	NA	Transitioning
Main	112		0	0	С	11	С	NA	NA	
Main	113	Three Year Olds	1	7	С	13	С	NA	NA	Transitioning
Main	114	Two Year Olds	1	5	С	11	С	NA	NA	Free Play
Main	116	Two Year Olds and Three Year Olds	2	7	С	11	С	NA	NA	Free Play
Main	117	Three Year Olds	2	6	NC	13	С	NA	NA	Transitioning
Main	118	Two Year Olds	1	7	С	11	С	NA	NA	Free Play
Main	119		0	0	С	13	С	NA	NA	
Main	120		0	0	С	22	С	NA	NA	
		Total Capacity @35 sq. ft.: 1	75		Total C	apacity @	25 sq.			

Total # Children this Date: 39 Total Capacity @35 sq. ft.: 175

Total Capacity @25 sq. ft.: 0

Building	Playground	Playground Occupancy	Playground Compliance
Main	Playground	97	C

Comments

Any rule violation which subjects a child to injury or life-threatening situation or any rule violations previously cited but not corrected, may result in the imposition of an adverse enforcement action. Serious or continued noncompliance may also jeopardize participation in one or more DECAL program(s).



Please refer to the website, http://www.decal.ga.gov/CCS/RulesAndRegulations.aspx, for information regarding October 1, 2018 rule changes about Criminal Records Checks that may affect your facility. In summary,

- New records checks will be required to be completed if a staff member experiences a six month break in service from the child care industry
- New clearance is required at least once every five years
- Any staff member solely responsible for supervising children will be required to have completed a comprehensive background clearance
- · All staff members are required to have completed at least a national fingerprint based clearance check
- Any staff member with only the national fingerprint based clearance, must be under constant and direct supervision of a staff member with a satisfactory comprehensive records check clearance
- Facilities are required to use DECAL KOALA for Criminal Records Checks, including to verify portability of an employee

O.C.G.A. Section 42.1.12(i)(2) requires Bright from the Start: Georgia Department of Early Care and Learning to notify licensed child care programs on accessing and retrieving from the Georgia Bureau of Investigation's (GBI) website a list of the names and addresses of all registered sexual offenders. Please see GBI's website located at http://gbi.georgia.gov to access the Georgia Sex Offender Registry.

Refutation Process:

You have the right to refute any of the citations noted in this report with which you disagree. To refute a citation(s), e-mail the following information to CCSRefutations@decal.ga.gov.

- 1) Facility name, license number and visit date
- 2) Your name, title/relationship to the facility, e-mail address & up to two phone number(s) where you can be reached
- 3) Specific rule number(s) that you are refuting, along with your concerns or questions regarding the rule citation

Refutations must be submitted to Child Care Services (CCS) within 10 business days of the completion date.

A sample form for submitting a refutation can be found at: http://decal.ga.gov/ChildCareServices/RefutationInformation.aspx

Your refutation will be forwarded to the appropriate CCS manager, who will follow up with you about your concerns. If you have any questions about this process, contact our office at 404-657-5562.

Bright from the Start recommends that all licensed child care providers carry liability insurance coverage sufficient to protect its clients. If you do not have this liability insurance, you are required to post a notice with ½ inch letters in a conspicuous location in the program, notify the parent or guardian of each child in care in writing, obtain their signature to acknowledge receipt and maintain this written acknowledgment on file at the program at all times while the child attends the program and for 12 months after the child's last date of attendance. (O.C.G.A. Section 20-1A-4)





Important New Deadlines:

Your program must be Quality Rated by December 31, 2020 in order to continue to receive Childcare and Parent Services (CAPS).

Get started today! Sign up by completing a short online application: https://qualityrated.decal.ga.gov/ Request free technical assistance to help you earn your star rating by contacting the Quality Rated help desk at 855-800-7747 or qualityrated@decal.ga.gov

Cindy McNeil, Program Official	Date	Ashia Jackson, Consultant	Date



Bright from the Start Georgia Department of Early Care and Learning 2 Martin Luther King Jr. Drive SE, 670 East Tower Atlanta, GA 30334

Phone: (404) 657-5562 WWW.DECAL.GA.GOV

Findings Report

Date: 11/5/2019 Arrival: 10:30 AM Departure: 12:30 PM VisitType: Monitoring Visit

CCLC-2492

Saint Philip Child Development Center, Inc.

240 Candler Road, S. E. Atlanta, GA 30317 DeKalb County (404) 371-0777 cdc@saintphilip.org

Mailing Address 240 Candler Road, S.E. Atlanta, GA 30317

Regional Consultant

Ashia Jackson

Phone: (770) 357-7070 Fax: (770) 357-7069

ashia.jackson@decal.ga.gov

The following information is associated with a Monitoring Visit:

Activities and Equipment 591-1-1-.12 Equipment & Toys(CR) Met Comment A variety of equipment and toys were observed throughout the center. 591-1-1-.35 Swimming Pools & Water-related Activities(CR) Met Comment Center does not provide swimming activities. **Facility** 591-1-1-.19 License Capacity(CR) Met Comment Licensed capacity observed to be routinely met by center. 591-1-1-.25 Physical Plant - Safe Environment(CR) Met

Comment

Center appears clean and well maintained.

591-1-1-.26 Playgrounds(CR)

Not Met

591-1-1-.26(4) requires that playgrounds be protected from traffic or other hazards by a (4) four foot high fence or other barrier approved by this Department. Fencing material shall not present a hazard to children and shall be maintained so as to prevent children from leaving the playground area by any means other than through an approved access route. Fence gates shall be kept closed except when persons are entering or exiting the area. It was determined based on consultant's observation that the fencing on the right side closest to the street measured three feet five inches in height. It was further determined that fencing on the left side closest to the parking lot measured three feet eight inches in height.

Correction Deadline: 11/19/2019	
Recited on 11/5/2019	
Finding 591-1-126(8) requires climbing and swinging equipment to have a resilient surface beneath the equipment the fall zone from such equipment must be adequately maintained by the Center to assure continuresiliency. It was determined based on the consultant's observation that the there was less than three in resilient surfacing under the climbing structure closest to the building and zero inches of measurable resurfacing beneath the small blue metal arch climber. Six inches of resilient surfacing was required under equipment.	ing nches of esilient
Correction Deadline: 11/12/2019	
Recited on 11/5/2019	
Health and Hy	/giene
	/giene
	/giene _{Met}
591-1-110 Diapering Areas & Practices(CR) Comment	
591-1-110 Diapering Areas & Practices(CR) Comment Staff state proper knowledge of diapering procedures.	
591-1-110 Diapering Areas & Practices(CR) Comment Staff state proper knowledge of diapering procedures. 591-1-117 Hygiene(CR) Comment	Met
591-1-110 Diapering Areas & Practices(CR) Comment Staff state proper knowledge of diapering procedures. 591-1-117 Hygiene(CR) Comment Proper hand washing observed throughout the center.	Met
591-1-110 Diapering Areas & Practices(CR) Comment Staff state proper knowledge of diapering procedures. 591-1-117 Hygiene(CR) Comment Proper hand washing observed throughout the center. 591-1-120 Medications(CR) Comment	Met
591-1-110 Diapering Areas & Practices(CR) Comment Staff state proper knowledge of diapering procedures. 591-1-117 Hygiene(CR) Comment Proper hand washing observed throughout the center. 591-1-120 Medications(CR) Comment Documentation for medication dispensing observed complete.	Met Met
591-1-110 Diapering Areas & Practices(CR) Comment Staff state proper knowledge of diapering procedures. 591-1-117 Hygiene(CR) Comment Proper hand washing observed throughout the center. 591-1-120 Medications(CR) Comment Documentation for medication dispensing observed complete.	Met
591-1-110 Diapering Areas & Practices(CR) Comment Staff state proper knowledge of diapering procedures. 591-1-117 Hygiene(CR) Comment Proper hand washing observed throughout the center. 591-1-120 Medications(CR) Comment Documentation for medication dispensing observed complete.	Met Met
591-1-110 Diapering Areas & Practices(CR) Comment Staff state proper knowledge of diapering procedures. 591-1-117 Hygiene(CR) Comment Proper hand washing observed throughout the center. 591-1-120 Medications(CR) Comment Documentation for medication dispensing observed complete.	Met Met
591-1-110 Diapering Areas & Practices(CR) Comment Staff state proper knowledge of diapering procedures. 591-1-117 Hygiene(CR) Comment Proper hand washing observed throughout the center. 591-1-120 Medications(CR) Comment Documentation for medication dispensing observed complete. 591-1-111 Discipline(CR) Correction Deadline: 7/16/2019 Corrected on 11/5/2019	Met Met
591-1-110 Diapering Areas & Practices(CR) Comment Staff state proper knowledge of diapering procedures. 591-1-117 Hygiene(CR) Comment Proper hand washing observed throughout the center. 591-1-120 Medications(CR) Comment Documentation for medication dispensing observed complete.	Met Met

Sleeping & Resting Equipment

591-1-1-.30 Safe Sleeping and Resting Requirements(CR)

Met

Comment

Discussed SIDS and infant sleeping position.

Staff Records

591-1-1-.09 Criminal Records and Comprehensive Background Checks(CR)

Met

Commen

Criminal record checks were observed to be complete.

591-1-1-.31 Staff(CR)

Met

Comment

Staff observed to be compliant with applicable laws and regulations.

Staffing and Supervision

591-1-1-.32 Staff:Child Ratios and Group Size(CR)

Met

Comment

Center observed to maintain appropriate staff:child ratios.

591-1-1-.32 **Supervision(CR)**

Met

Comment

Adequate supervision observed on this date.