

Bright from the Start Georgia Department of Early Care and Learning 2 Martin Luther King Jr. Drive SE, 670 East Tower Atlanta, GA 30334

Phone: (404) 657-5562 WWW.DECAL.GA.GOV

Date: 7/31/2019 VisitType: Monitoring Visit Arrival: 10:10 AM Departure: 12:20 PM

CCLC-16270 Regional Consultant

Cotton's Learning Center of Serenity

3423 Peach Orchard Road Augusta, GA 30906 Richmond County (706) 798-1221 cottonstroop80@aol.com

Brandon Cason

Phone: (877) 372-3909 Fax: (877) 375-7034

carrie.spangler@decal.ga.gov

Mailing Address Same







Compliance Zone Designation				
07/31/2019	Monitoring Visit	Support		
02/08/2019	Licensing Study	Good Standing		
08/14/2018	Monitoring Visit	Good Standing		

Compliance Zone Designation - A summary measure of a program's 12 month monitoring history, as it pertains to child care health and safety rules. The three compliance zones are good standing, support, and deficient.

Good Standing - Program is demonstrating an acceptable level of performance in meeting the rules.

Support - Program

- Program performance is demonstrating a need for improvement in meeting

Deficient - Program is not demonstrating an acceptable level of performance in meeting the rules.

Ratios/License Capacity

Building	Room	Age Group	Staff	Children	NC/C	Max 35 SF.	35 SF. Comp.	Max 25 SF.	25 SF. Comp.	Notes
First Level	Left	One Year Olds and Two Year Olds	1	8	С	16	С	NA	NA	Free Play,Outside,Tra nsitioning
First Level	Middle Left	Two Year Olds and Three Year Olds and Four Year Olds and Six Year Olds and Over	1	22	NC	13	NC	NA	NA	Circle Time,Free Play,Centers
First Level	Middle Right		0	0	С	20	С	NA	NA	Centers,Floor Play
First Level	Right		0	0	С	20	С	NA	NA	Not In Use
		Total Capacity @35 sq. ft.: 69	9		Total C ft.: 0	apacity @	25 sq.			
Second Level	School Age		0	0	С	15	С	NA	NA	
		Total Capacity @35 sq. ft.: 15	5		Total C ft.: 0	apacity @	25 sq.			
Total # C	hildren this Date: 30	Total Capacity @35 sq. ft.: 84	1		Total C ft.: 0	apacity @	25 sq.			

		Playground	Playground
Building	Playground	Occupancy	Compliance

Comments

This was the first visit of the fiscal year. The director stated that there were no new hires since the last visit. A plan of improvement was left on this date

Plan of Improvement: To Be Submitted 08/14/2019

Any rule violation which subjects a child to injury or life-threatening situation or any rule violations previously cited but not corrected, may result in the imposition of an adverse enforcement action. Serious or continued noncompliance may also jeopardize participation in one or more DECAL program(s).



Please refer to the website, http://www.decal.ga.gov/CCS/RulesAndRegulations.aspx, for information regarding October 1, 2018 rule changes about Criminal Records Checks that may affect your facility. In summary,

- New records checks will be required to be completed if a staff member experiences a six month break in service from the child care industry
- New clearance is required at least once every five years
- Any staff member solely responsible for supervising children will be required to have completed a comprehensive background clearance
- All staff members are required to have completed at least a national fingerprint based clearance check
- Any staff member with only the national fingerprint based clearance, must be under constant and direct supervision of a staff member with a satisfactory comprehensive records check clearance
- Facilities are required to use DECAL KOALA for Criminal Records Checks, including to verify portability of an employee

O.C.G.A. Section 42.1.12(i)(2) requires Bright from the Start: Georgia Department of Early Care and Learning to notify licensed child care programs on accessing and retrieving from the Georgia Bureau of Investigation's (GBI) website a list of the names and addresses of all registered sexual offenders. Please see GBI's website located at http://gbi.georgia.gov to access the Georgia Sex Offender Registry.

Refutation Process:

You have the right to refute any of the citations noted in this report with which you disagree. To refute a citation(s), e-mail the following information to CCSRefutations@decal.ga.gov.

- 1) Facility name, license number and visit date
- 2) Your name, title/relationship to the facility, e-mail address & up to two phone number(s) where you can be reached
- 3) Specific rule number(s) that you are refuting, along with your concerns or questions regarding the rule citation

Refutations must be submitted to Child Care Services (CCS) within 10 business days of the completion date.

A sample form for submitting a refutation can be found at: http://decal.ga.gov/ChildCareServices/RefutationInformation.aspx

Your refutation will be forwarded to the appropriate CCS manager, who will follow up with you about your concerns. If you have any questions about this process, contact our office at 404-657-5562.

Bright from the Start recommends that all licensed child care providers carry liability insurance coverage sufficient to protect its clients. If you do not have this liability insurance, you are required to post a notice with ½ inch letters in a conspicuous location in the program, notify the parent or guardian of each child in care in writing, obtain their signature to acknowledge receipt and maintain this written acknowledgment on file at the program at all times while the child attends the program and for 12 months after the child's last date of attendance. (O.C.G.A. Section 20-1A-4)





Important New Deadlines:

Your program must be Quality Rated by December 31, 2020 in order to continue to receive Childcare and Parent Services (CAPS).

Get started today! Sign up by completing a short online application: https://qualityrated.decal.ga.gov/
Request free technical assistance to help you earn your star rating by contacting the Quality Rated help desk at 855-800-7747 or qualityrated@decal.ga.gov

	Date



Bright from the Start Georgia Department of Early Care and Learning 2 Martin Luther King Jr. Drive SE, 670 East Tower Atlanta, GA 30334

Phone: (404) 657-5562 WWW.DECAL.GA.GOV

Findings Report

Date:	7/31/2019	VisitType: Monitoring Visit	Arrival:	10:10 AM	Departure:	12:20 PM
CCLC	-16270			Regio	nal Consultar	nt
Cotto	n's Learning	Center of Serenity		Brand	on Cason	
		rd Road Augusta, GA 30906 Rich tonstroop80@aol.com	mond County	Fax: (8	e: (877) 372-39 877) 375-7034 spangler@dec	
Mailing Same	g Address					
The fo	llowing infor	mation is associated with a Mo	nitoring Visit:			
				Activities	s and Equ	ipment
591-1-	112 Equipm	nent & Toys(CR)				Met
Comm Equipr		ture observed to be properly secu	ıred, as applicable	<u>. </u>		
591-1-	135 Swimm	ing Pools & Water-related Activ	rities(CR)			Met
Comm Center		vide swimming activities.				
						Facility
504.4	4 40 1 1 2 2 2 2 2	O-11-1(1/OD)				No. (BA of
591-1-	119 License	e Capacity(CR)				Not Met
Center	119(1) requi 's License ca	res a Center to provide 35 square pacity. It was determined based o icensed for 20 children.				
	ction Deadlin					
Corre	xion Deadiin	e: //31/2019				

Comment

Please be mindful to keep items that pose a hazard inaccessible to children.

591-1-1-.25 Physical Plant - Safe Environment(CR)

Not Met

Finding 591-1-125(3) requires the Center and surrounding premises to be kept clean, free of debris and in good repair. Hygienic measures such as, but not limited to, screened windows and proper waste disposal procedures shall be utilized to minimize the presence of rodents, flies, roaches and other vermin at the Center. It was determined based on consultants observation that roaches were under a crib mattress in the Left classroom.
Correction Deadline: 7/31/2019
Recited on 7/31/2019
591-1-126 Playgrounds(CR) Not Met
Finding 591-1-126(4) requires that playgrounds be protected from traffic or other hazards by a (4) four foot high fence or other barrier approved by this Department. Fencing material shall not present a hazard to children and shall be maintained so as to prevent children from leaving the playground area by any means other than through an approved access route. Fence gates shall be kept closed except when persons are entering or exiting the area. It was determined based on consultants observation that the fencing on the older playground in the front right corner measured 40 inches and the fencing on the back right side measured 44 inches. A measurement of 48 inches is required for all fencing. Furthermore, the fencing on the older playground created an escape hazard when a four foot gap was observed on the back left corner due to the fence not being fully enclosed.
Finding 591-1-126(4) requires that playgrounds be protected from traffic or other hazards by a (4) four foot high fence or other barrier approved by this Department. Fencing material shall not present a hazard to children and shall be maintained so as to prevent children from leaving the playground area by any means other than through an approved access route. Fence gates shall be kept closed except when persons are entering or exiting the area. It was determined based on consultants observation that the fencing on the older playground in the front right corner measured 40 inches and the fencing on the back right side measured 44 inches. A measurement of 48 inches is required for all fencing. Furthermore, the fencing on the older playground created an escape hazard when a four foot gap was observed on the back left corner due to the fence not being fully enclosed.
Finding 591-1-126(4) requires that playgrounds be protected from traffic or other hazards by a (4) four foot high fence or other barrier approved by this Department. Fencing material shall not present a hazard to children and shall be maintained so as to prevent children from leaving the playground area by any means other than through an approved access route. Fence gates shall be kept closed except when persons are entering or exiting the area. It was determined based on consultants observation that the fencing on the older playground in the front right corner measured 40 inches and the fencing on the back right side measured 44 inches. A measurement of 48 inches is required for all fencing. Furthermore, the fencing on the older playground created an escape hazard when a four foot gap was observed on the back left corner due to the fence not being fully enclosed.
Finding 591-1-126(4) requires that playgrounds be protected from traffic or other hazards by a (4) four foot high fence or other barrier approved by this Department. Fencing material shall not present a hazard to children and shall be maintained so as to prevent children from leaving the playground area by any means other than through an approved access route. Fence gates shall be kept closed except when persons are entering or exiting the area. It was determined based on consultants observation that the fencing on the older playground in the front right corner measured 40 inches and the fencing on the back right side measured 44 inches. A measurement of 48 inches is required for all fencing. Furthermore, the fencing on the older playground created an escape hazard when a four foot gap was observed on the back left corner due to the fence not being fully enclosed.
Finding 591-1-126(4) requires that playgrounds be protected from traffic or other hazards by a (4) four foot high fence or other barrier approved by this Department. Fencing material shall not present a hazard to children and shall be maintained so as to prevent children from leaving the playground area by any means other than through an approved access route. Fence gates shall be kept closed except when persons are entering or exiting the area. It was determined based on consultants observation that the fencing on the older playground in the front right corner measured 40 inches and the fencing on the back right side measured 44 inches. A measurement of 48 inches is required for all fencing. Furthermore, the fencing on the older playground created an escape hazard when a four foot gap was observed on the back left corner due to the fence not being fully enclosed.
Finding 591-1-126(4) requires that playgrounds be protected from traffic or other hazards by a (4) four foot high fence or other barrier approved by this Department. Fencing material shall not present a hazard to children and shall be maintained so as to prevent children from leaving the playground area by any means other than through an approved access route. Fence gates shall be kept closed except when persons are entering or exiting the area. It was determined based on consultants observation that the fencing on the older playground in the front right corner measured 40 inches and the fencing on the back right side measured 44 inches. A measurement of 48 inches is required for all fencing. Furthermore, the fencing on the older playground created an escape hazard when a four foot gap was observed on the back left corner due to the fence not being fully enclosed.
Finding 591-1-126(4) requires that playgrounds be protected from traffic or other hazards by a (4) four foot high fence or other barrier approved by this Department. Fencing material shall not present a hazard to children and shall be maintained so as to prevent children from leaving the playground area by any means other than through an approved access route. Fence gates shall be kept closed except when persons are entering or exiting the area. It was determined based on consultants observation that the fencing on the older playground in the front right corner measured 40 inches and the fencing on the back right side measured 44 inches. A measurement of 48 inches is required for all fencing. Furthermore, the fencing on the older playground created an escape hazard when a four foot gap was observed on the back left corner due to the fence not being fully enclosed.

591-1-1-.26(6) requires that playground equipment provide an opportunity for the children to engage in a variety of experiences and shall be age-appropriate. For example, toddlers shall not be permitted to swing in swings designed for School-age Children. The outdoor equipment shall be free of lead-based paint, sharp corners and shall be regularly maintained in such a way as to be free of rust and splinters that could pose significant safety hazard to the children. All equipment shall be arranged so as not to obstruct supervision of children. It was determined based on consultants observation that on the toddler playground, the steering wheel on the red car with a blue push handle was broken exposing sharp and jagged edges. Furthermore, it was determined that the red merry go round and blue merry go round had chipping paint exposed to the children in care on the older playground.

Correction Deadline: 8/10/2019	
Finding 591-1-126(8) requires climbing and swinging equipment to have a resilient surface beneath the equipment and the fall zone from such equipment must be adequately maintained by the Center to assure continuir resiliency. It was determined based on consultants observation that four feet of resilient surfacing was at the silver monkey bar climber in the fall zone, four feet of resilient surfacing was around the red and blue monkey bar climber in the fall zone and three feet of resilient surfacing was in front of the slide where six resilient surfacing was required for each piece of equipment.	ng round e
Correction Deadline: 8/10/2019	
Finding 591-1-126(9) requires the playground to be kept clean, free from litter and free of hazards, such as but limited to rocks, exposed tree roots and exposed sharp edges of concrete. It was determined based on consultants observation that an active ant bed was on the front right corner of the playground to the left swing set. It was further determined that several broken branches and tree bark was observed on the frocorner of the playground to the left of the swing set. Furthermore, it was determined that black tarp was exposed underneath the resilient surfacing on the toddler playground creating a tripping hazard.	of the
Correction Deadline: 7/31/2019	
Recited on 7/31/2019	
	giono
Health and Hy	giene
591-1-110 Diapering Areas & Practices(CR)	Not Met
Comment	
Staff state proper knowledge of diapering procedures.	

Staff # 1	Met
Records Reviewed: 4 Records with Missing	/Incomplete Components: 0
	Staff Records
Comment Discussed SIDS and infant sleeping position.	
591-1-130 Safe Sleeping and Resting Requirements(CR)	Met
Slee	ping & Resting Equipment
Center does not provide routine transportation.	ning 0 Destina Facility
Comment	N/A
Age-appropriate discussion and/or redirection observed. 591-1-136 Transportation(CR)	N/A
591-1-111 Discipline(CR) Comment	Met
The Provider currently does not dispense/administer medication.	Safety
Comment	
Staff were observed to remind children to wash hands. 591-1-120 Medications(CR)	N/A
591-1-117 Hygiene(CR) Comment	Met
Correction Deadline: 7/31/2019	
591-1-110(4) requires that if diapers are changed on a diaper changing surf nonporous, and equipped with a guard or rails to prevent falls. Between each surface shall be cleaned with a disinfectant and dried with a single-use dispo on observation that the changing pad was torn in the Left room not allowing f sanitized as required.	n diaper change, the diaper changing sable towel. It was determined based
Finding F01.1.1.10(4) requires that if dispers are changed an a disper changing out	

Records Reviewed: 4	Records with Missing/Incomplete Components: 0
Staff # 2	Met
Staff # 3	Met
Staff # 4	Met
Staff Credentials Reviewed: 4	
591-1-109 Criminal Records and Comprehensive	e Background Checks(CR) Met
Comment Criminal record checks were observed to be complete	ee.
591-1-133 Staff Training	Defer
Defer 591-1-133(6)- Staff training was already evaluated in 2020, training will be evaluated for the calendar ye Correction Deadline: 2/8/2019	for the calendar year of 2018. At the time of the next inspection ear of 2019.
591-1-131 Staff(CR)	Met
Comment Staff observed to be compliant with applicable laws a	and regulations.
	Staffing and Supervision
591-1-132 Staff:Child Ratios and Group Size(CR) Not Met
group of children that includes more than twenty per was determined based on consultants observation the	Id ratios in mixed-age groups based on the age of the youngest cent of the total number of children in the mixed-age group. It nat one staff member was providing care for three two-year-1 children over the age of six. A ratio of 3:22 should have been
Correction Deadline: 7/31/2019	
and cannot be mixed with older children except at sp consultants observation that children under the age o other than specified times and circumstances.	ors old be housed in separate physical areas from older children becified times and circumstances. It was determined based on of three were mixed with children over the age of three at a time

Correction Deadline: 7/31/2019

591-1-1-.32 Supervision(CR)

Met

Comment

Discussed combining children of mixed ages.