

Bright from the Start Georgia Department of Early Care and Learning 2 Martin Luther King Jr. Drive SE, 670 East Tower Atlanta, GA 30334

Phone: (404) 657-5562 WWW.DECAL.GA.GOV

Morgan Stahl

Phone: (770) 357-7042

morgan.stahl@decal.ga.gov

Fax: (770) 357-7041

Date: 5/2/2018 VisitType: Licensing Study Arrival: 10:15 AM Departure: 1:00 PM

CCLC-26917 Regional Consultant

Sweetwater Academy

35 Florence Road Douglasville, GA 30134 Paulding County (770) 942-7233 sweetwateracademy1@gmail.com

(770) 942-7233 sweetwateracademy1@gmail.com

Mailing Address Same

Quality Rated:





				Compliance Zone Designation - A summary measure of a program's 12 month monitoring history, as it pertains to child care health and safety rules. The three compliance zones are good				
	05/02/2018	Licensing Study	Good Standing	standing, support, and deficient.				
	04/30/2018	Complaint Closure	Good Standing	Good Standing -	Program is demonstrating an acceptable level of performance in meeting the rules.			
		Complaint Investigation Follow Up	Good Standing	''	 Program performance is demonstrating a need for improvement in meeting rules. Program is not demonstrating an acceptable level of performance in meeting 			
•					the rules.			

Ratios/License Capacity

Building	Room	Age Group	Staff	Children	NC/C	Max 35 SF.	35 SF. Comp.	Max 25 SF.	25 SF. Comp.	Notes
Main	First Back	PreK	2	19	С	25	С	NA	NA	Centers
Main	First Left	One Year Olds and Two Year Olds	2	14	С	14	С	NA	NA	Outside
Main	First Right	Three Year Olds and Four Year Olds	2	16	С	27	С	NA	NA	Outside
Main	Fourth Left(Right)	PreK	2	22	С	26	С	NA	NA	Centers
Main	Second Left	Infants and One Year Olds	2	7	С	23	С	NA	NA	Floor Play,Feeding
Main	Second Right (Left)	PreK	2	18	С	26	С	NA	NA	Centers
		Total Capacity @35 sq. ft.: 1	41		Total C ft.: 0	apacity @	25 sq.			
Total # C	aildren this Date: OC	Total Canacity @25 og ft . 1	11		Total	on a city @	2F 28			

Total # Children this Date: 96 Total Capacity @35 sq. ft.: 141 Total Capacity @25 sq. ft.: 0

Building	Playground	Playground Occupancy	Playground Compliance
Main	Playground A	184	С
Main	Playground B	96	С

Comments

Plan of Improvement: Developed This Date 05/02/2018

Any rule violation which subjects a child to injury or life-threatening situation or any rule violations previously cited but not corrected, may result in the imposition of an adverse enforcement action. Serious or continued noncompliance may also jeopardize participation in one or more DECAL program(s).



Reminder: All employees of child care programs must be fingerprinted before January 1, 2017. For instructions and to submit records check applications online, please visit www.decalkoala.com. You are encouraged not to wait and to complete the process as soon as possible.

O.C.G.A. Section 42.1.12(i)(2) requires Bright from the Start: Georgia Department of Early Care and Learning to notify licensed child care programs on accessing and retrieving from the Georgia Bureau of Investigation's (GBI) website a list of the names and addresses of all registered sexual offenders. Please see GBI's website located at http://gbi.georgia.gov to access the Georgia Sex Offender Registry.

Refutation Process:

You have the right to refute any of the citations noted in this report with which you disagree. To refute a citation(s), e-mail the following information to CCSRefutations@decal.ga.gov.

- 1) Facility name, license number and visit date
- 2) Your name, title/relationship to the facility, e-mail address & up to two phone number(s) where you can be reached
- 3) Specific rule number(s) that you are refuting, along with your concerns or questions regarding the rule citation

Refutations must be submitted to Child Care Services (CCS) within 10 business days of the completion date.

A sample form for submitting a refutation can be found at: http://decal.ga.gov/ChildCareServices/RefutationInformation.aspx

Your refutation will be forwarded to the appropriate CCS manager, who will follow up with you about your concerns. If you have any questions about this process, contact our office at 404-657-5562.

Bright from the Start recommends that all licensed child care providers carry liability insurance coverage sufficient to protect its clients. If you do not have this liability insurance, you are required to post a notice with ½ inch letters in a conspicuous location in the program, notify the parent or guardian of each child in care in writing, obtain their signature to acknowledge receipt and maintain this written acknowledgment on file at the program at all times while the child attends the program and for 12 months after the child's last date of attendance. (O.C.G.A. Section 20-1A-4)





Important New Deadlines:

Your program must be Quality Rated by December 31, 2020 in order to continue to receive Childcare and Parent Services (CAPS). Sign up for Quality Rated by June 30, 2018 in order to be eligible to receive a bonus package.

Get started today! Sign up by completing a short online application: https://qualityrated.decal.ga.gov/
Request free technical assistance to help you earn your star rating by contacting the Quality Rated help desk at 855-800-7747 or qualityrated@decal.ga.gov

Jennifer Hale, Program Official	Date	Morgan Stahl, Consultant	Date



Bright from the Start Georgia Department of Early Care and Learning 2 Martin Luther King Jr. Drive SE, 670 East Tower Atlanta, GA 30334

Phone: (404) 657-5562 WWW.DECAL.GA.GOV

Findings Report

Date: 5/2/2018 VisitType: Licensing Study Arrival: 10:15 AM Departure: 1:00 PM

CCLC-26917

Sweetwater Academy

35 Florence Road Douglasville, GA 30134 Paulding County (770) 942-7233 sweetwateracademy1@gmail.com

Mailing Address

Same

Regional Consultant

Morgan Stahl

Phone: (770) 357-7042 Fax: (770) 357-7041

morgan.stahl@decal.ga.gov

The following information is associated with a Licensing Study:

Activities and Equipment

591-1-1-.03 Activities Technical Assistance

Technical Assistance

591-1-1-.03(2) - Please ensure updated lesson plans are available in each classroom.

Correction Deadline: 5/2/2018

591-1-1-.12 Equipment & Toys(CR)

Met

Comment

A variety of equipment and toys were observed throughout the center.

591-1-1-.35 Swimming Pools & Water-related Activities(CR)

Met

Comment

Pool not in use at this time, gates observed locked.

Children's Records

Records Reviewed: 5	Records with Missing/Incomplete Components: 0
Child # 1	Met
Child # 2	Met
Child # 3	Met
Child # 4	Met
Child # 5	Met

591-1-1-.08 Children's Records

Met

Comment

Records were observed to be complete and well organized.

Facility

591-1-1-.19 License Capacity(CR)

Met

Comment

Licensed capacity observed to be routinely met by center.

591-1-1-.25 Physical Plant - Safe Environment(CR)

Met

Comment

No hazards observed accessible to children on this date.

591-1-1-.26 Playgrounds(CR)

Not Met

Technical Assistance

Maintenance of tree roots discussed with center Director.

Correction Deadline: 5/2/2018

Finding

591-1-1-.26(4) requires that playgrounds be protected from traffic or other hazards by a (4) four foot high fence or other barrier approved by this Department. Fencing material shall not present a hazard to children and shall be maintained so as to prevent children from leaving the playground area by any means other than through an approved access route. Fence gates shall be kept closed except when persons are entering or exiting the area. It was determined based on observation that on the back left playground, a six inch gap was observed in the fence on the back left side. Further, a six inch gap was observed in the gate to exit the back left playground. Further, the top pole of the fence connecting the back right and back left playground was observed to be leaning.

POI (Plan of Improvement)

The Center will routinely check the fence to determine if it is in good repair and remains at least 4 feet high, and will repair any hazards. The Center will train Staff to identify and report any fence hazards and to keep the fence gates closed when not in use.

Correction Deadline: 5/2/2018

Finding

591-1-1-.26(8) requires climbing and swinging equipment to have a resilient surface beneath the equipment and the fall zone from such equipment must be adequately maintained by the Center to assure continuing resiliency. It was determined based on observation that there was inadequate resilient surface underneath the climber on the back right playground, 0-2 inches was observed and 3 inches is required.

POI (Plan of Improvement)

The Center will add additional resilient surfacing to the fall zones where needed and check daily, adding resilient surfacing as needed to maintain adequate resiliency.

Correction Deadline: 5/12/2018

Food Service

591-1-1-.15 Food Service & Nutrition

Met

Comment

Center menu meets USDA guidelines.

Health and Hygiene

591-1-1-.10 Diapering Areas & Practices(CR)

Met

Comment

Hand washing requirements for diapering were discussed with the director on this date.

591-1-1-.17 Hygiene(CR)

Met

Comment

Staff were observed to remind children to wash hands.

591-1-1-.20 Medications(CR)

Met

Comment

Consultant observed complete documentation for long term emergency medication.

Correction Deadline: 5/2/2018

Organization

591-1-1-.16 Governing Body & License

Met

Comment

2018 license observed.

Correction Deadline: 5/16/2018

Policies and Procedures

591-1-1-.21 Operational Policies & Procedures

Met

Comment

Consultant observed complete documentation of emergency drills.

Correction Deadline: 5/7/2018

Safety

591-1-1-.11 Discipline(CR)

Met

Comment

Age-appropriate discussion and/or redirection observed.

591-1-1-.13 Field Trips(CR)

Met

Comment

Field trip documentation observed to be complete.

591-1-1-.36 Transportation(CR)

Met

Comment

Paperwork, checklist, permission forms, annual inspection form and proper check of the vehicle after transportation were discussed with the director.

v1.03

Sleeping & Resting Equipment

591-1-1-.30 Safe Sleeping and Resting Requirements(CR)

Met

Comment

Sleeping and resting requirements observed met.

Correction Deadline: 5/12/2018

Records Reviewed: 21	Records with Missing/Incomplete Components: 0
Staff # 1 Date of Hire: 08/02/2016	Met
Staff # 2 Date of Hire: 10/16/2017	Met
Staff # 3 Date of Hire: 01/10/2017	Met
Staff # 4 Date of Hire: 01/23/1995	Met
Staff # 5 Date of Hire: 09/18/2017	Met
Staff # 6 Date of Hire: 09/01/2017	Met
Staff # 7 Date of Hire: 10/16/2017	Met
Staff # 8 Date of Hire: 12/28/2016	Met
Staff # 9 Date of Hire: 08/11/2008	Met
Staff # 10 Date of Hire: 05/29/2013	Met
Staff # 11 Date of Hire: 02/12/2018	Met
Staff # 12 Date of Hire: 10/20/2015	Met
Staff # 13 Date of Hire: 01/01/2013	Met
Staff # 14 Date of Hire: 03/01/2018	Met
Staff # 15	Met

Records Reviewed: 21	Records with Missing/Incomplete Components: 0
Date of Hire: 01/01/2012	
Staff # 16	Met
Date of Hire: 08/17/2015	Wet
Date of Fille. 00/17/2010	
Staff # 17	Met
Date of Hire: 09/06/2017	
Staff # 18	Mot
Date of Hire: 08/16/2010	Met
Date of Fille. 00/10/2010	
Staff # 19	Met
Date of Hire: 07/28/2005	
Staff # 20	Met
Date of Hire: 06/22/2017	
Staff # 21	Met
Date of Hire: 03/10/2006	With
2 4.0 5.1 6. 50, 10, 2000	
Staff Credentials Reviewed: 21	
591-1-109 Criminal Records Check(CR)	Met
Comment	
Criminal records checks were observed to be comp	
591-1-114 First Aid & CPR	Met
Comment	
First aid and CPR certification observed for all requ	ired staff.
Correction Deadline: 6/1/2018	
591-1-133 Staff Training	Met
Comment	
Documentation observed of required staff training.	
591-1-131 Staff(CR)	Met
Comment	
Consultant observed staff in compliance with applic	able laws and regulations.
Correction Deadline: 5/2/2018	
	Staffing and Supervision
	- ·

Comment

Center observed to maintain appropriate staff:child ratios.

591-1-1-.32 Staff:Child Ratios and Group Size(CR)

Met

591-1-1-.32 **Supervision(CR)**

Met

Comment

Adequate supervision observed on this date.