

Bright from the Start Georgia Department of Early Care and Learning 2 Martin Luther King Jr. Drive SE, 670 East Tower Atlanta, GA 30334

Phone: (404) 657-5562 WWW.DECAL.GA.GOV

Arrival: 9:55 AM **Date:** 2/13/2023 VisitType: Licensing Study Departure: 12:55 PM

CCLC-51224 Regional Consultant

Wiggles & Giggles Childcare North

75 North Floyd Park Road Rome, GA 30165 Floyd County (706) 237-7535 wandgchildcare@gmail.com

Mailing Address 75 North Floyd Park rd Rome, GA 30165

Quality Rated: No

Chasity Baugh

Phone: (770) 357-1717

chasity.baugh@decal.ga.gov

Fax: (770) 357-1720

Compliance Zone Designation		Compliance Zone Designation - A summary measure of a program's 12 month monitoring history, as it pertains to child care health and safety rules. The three compliance zones are good				
02/13/2023 Licensing Study	Deficient	standing, support, and deficient.				
11/16/2022 Complaint Closur	Good Standing	Good Standing	g - Program is demonstrating an acceptable level of performance in meeting the rules.			
11/01/2022 Complaint Investigation & Monitoring Visit F Follow Up	Good Standing	Support Deficient	 Program performance is demonstrating a need for improvement in meeting rules. Program is not demonstrating an acceptable level of performance in meeting the rules. 			

Ratios/License Capacity

Building Room	Age Group	Staff	Children	NC/C	SF.	35 SF. Comp.	SF.		Notes
Total # Children this Date:	Total Capacity @35 sq. ft.: 0			Total C	apacity @	25 sq.		-	

ft.:

Building Playground		Playground Occupancy	Playground Compliance
Main	Playground	39	

Comments

A Licensing Study was completed on February 13, 2023.

Plan of Improvement: To Be Submitted 02/27/2023

Any rule violation which subjects a child to injury or life-threatening situation or any rule violations previously cited but not corrected, may result in the imposition of an adverse enforcement action. Serious or continued noncompliance may also jeopardize participation in one or more DECAL program(s).

Georgia Department of Early Care and Learning



Please refer to the website, http://www.decal.ga.gov/CCS/RulesAndRegulations.aspx, for information regarding October 1, 2018 rule changes about Criminal Records Checks that may affect your facility. In summary,

- New records checks will be required to be completed if a staff member experiences a six month break in service from the child care industry
- New clearance is required at least once every five years
- Any staff member solely responsible for supervising children will be required to have completed a comprehensive background clearance
- All staff members are required to have completed at least a national fingerprint based clearance check
- Any staff member with only the national fingerprint based clearance, must be under constant and direct supervision of a staff member with a satisfactory comprehensive records check clearance
- Facilities are required to use DECAL KOALA for Criminal Records Checks, including to verify portability of an employee

O.C.G.A. Section 42.1.12(i)(2) requires Bright from the Start: Georgia Department of Early Care and Learning to notify licensed child care
programs on accessing and retrieving from the Georgia Bureau of Investigation's (GBI) website a list of the names and addresses of all registered
sexual offenders. Please see GBI's website located at http://qbi.georgia.gov to access the Georgia Sex Offender Registry.

Refutation Process:

You have the right to refute any of the citations noted in this report with which you disagree. To refute a citation(s), do the following:

- 1) Log into DECAL KOALA www.decalkoala.com with the userid for your program
- 2) On the home page scroll down to the Inspection Reports and select 'Refute Citation' for the visit report in dispute
- 3) Select the specific rule number(s) that you are refuting, add the reason for disagreement regarding the rule citation, and upload supporting documentation
- 4) Submit the refutation in DECAL KOALA to Child Care Services (CCS) within 10 business days of the completion date.

Your refutation will be forwarded to the appropriate CCS manager, who will follow up with you about your concerns. If you have any questions about this process, contact our office at 404-657-5562.

Bright from the Start recommends that all licensed child care providers carry liability insurance coverage sufficient to protect its clients. If you do not have this liability insurance, you are required to post a notice with ½ inch letters in a conspicuous location in the program, notify the parent or guardian of each child in care in writing, obtain their signature to acknowledge receipt and maintain this written acknowledgment on file at the program at all times while the child attends the program and for 12 months after the child's last date of attendance. (O.C.G.A. Section 20-1A-4)





Important Quality Rated/CAPS Update:

As January 1, 2022, child care providers must be Quality Rated to receive Childcare and Parent Services (CAPS). Newly licensed, or new to CAPS providers may be eligible for the new CAPS/QR Provisional Status, allowing for scholarships while working toward a star rating.

Contact the Quality Rated help desk at 855-800-7747 or qualityrated@decal.ga.gov for more information. Free techincal assistance is available!

Hannah Jones, Program Official	Date	Chasity Baugh, Consultant	Date



2/42/2022

Bright from the Start Georgia Department of Early Care and Learning 2 Martin Luther King Jr. Drive SE, 670 East Tower Atlanta, GA 30334

Phone: (404) 657-5562 WWW.DECAL.GA.GOV

Findings Report

Arrival. O.EE AM

Date. 2/13/2023	visitiype. Licensing Study	AITIVAL 9.55 AIVI	Departure.	12.55 FW
CCLC-51224		Regio	onal Consultan	nt

Wiggles & Giggles Childcare North

75 North Floyd Park Road Rome, GA 30165 Floyd County (706) 237-7535 wandgchildcare@gmail.com

VioitType, Liesansias Otrodo

Mailing Address 75 North Floyd Park rd Rome, GA 30165

Regional Consultant

Chasity Baugh

Phone: (770) 357-1717 Fax: (770) 357-1720

chasity.baugh@decal.ga.gov

Departures 12:EE DM

The following information is associated with a Licensing Study:

Activities and Equipment 591-1-1-.03 Activities **Technical Assistance Technical Assistance** Consultant discussed 591-1-1-.03(14) which requires center staff to limit the use of entertainment media, such as television, videotaped programs or movies and video or computer games to no more than two (2) hours daily per child or group. Correction Deadline: 2/13/2023 591-1-1-.12 Equipment & Toys(CR) **Not Met** Comment A variety of equipment and toys were observed throughout the center. Finding 591-1-1-.12(4) requires that equipment and furniture is secured if it is of a weight or mass that could cause injury from tipping, falling, or being pulled or pushed over. It was determined based on observation in classroom 2R, a refrigerator was observed sitting on a shelf, not secure and could easily tip over.

Children's Records Children's Records One or more parameters were not specified for the subreport, 'Subreport5', located at: Mode of British (Spinish Control of British Control of British (Spinish Control of British Control of British Control of British (Spinish Control of British Control of British Control of British (Spinish Control of British Control of British Control of British (Spinish Control of British Control of British Control of British (Spinish Control of British Control of British Control of British (Spinish Control of British Control of British Control of British (Spinish Control of British Control of British Control of British (Spinish Control of British Control of British Control of British (Spinish Control of British Control of British Control of British (Spinish Control of British Control of British Control of British (Spinish Control of British Control of British Control of British (Spinish Control of British Control of British Control of British (Spinish Control of British Control of British Control of British (Spinish Control of British Control of British Control of British (Spinish Control of British Control of British Control of British (Spinish Control of British Control of British Control of British (British Control of British Control of British Control of British (British Control of British Control of British Control of British (British Control of British Control of British Control of British (British Control of British Control of British Control of British (British Control of British Control of British Control of British (British Control of British Control of British Control of British (British Control of British Control of British Control of British (British Control of British Control of British (British Control of British Control of British Control of British (British Control of British Control of British Control of British (British Control of British Control of British Control of British (British Control of British Control of British Control of British (British Control of Britis	Correction Deadline: 2/13/2023	
Children's Records Children's Records Children's Records Children's Records Children's Records Children's Records Me Comment Parent agreements observed obtained/completed. Comment Records were observed to be complete and well organized. Facility 591-1-1-06 Bathrooms Me Comment Please monitor bathrooms for necessary supplies. 591-1-1-19 License Capacity(CR) Comment Leensed capacity observed to be routinely met by center. 591-1-1-25 Physical Plant - Safe Environment(CR) Comment Please secure cleaning tools (i.e., broom, plunger) out of reach of children. Correction Deadline: 11/1/2022 Correction Service of the Contert to be lighted with a minimum of twenty-five foot candles of illumination except during rest periods. Areas used for napping shall be lit dimly. It was determined based on observation, not all rooms were appropriately illuminated when Consultant observed classroom SR to not have any light, the staff member could not supervise the Children during nap time due to the poor lighting in the roon Cossultant discussed turning on a lamp or opening the curtain to allow the room the be appropriately lit during nap time.	591-1-135 Swimming Pools & Water-related Activities(CR)	N/A
Children's Records One or more parameters were not specified for the subreport, 'Subreport5', located at: authorized DEC registron Concells Parameter PDL C ChildMission Requirements rate Sept-1-108 Children's Records Me Comment Records were observed obtained/completed. Comment Records were observed to be complete and well organized. Facility 591-1-106 Bathrooms Me Comment Please monitor bathrooms for necessary supplies. 591-1-119 License Capacity(CR) Me Comment Licensed capacity observed to be routinely met by center. 591-1-125 Physical Plant - Safe Environment(CR) Comment Please secure cleaning tools (i.e., broom, plunger) out of reach of children. Correction Deadline: 11/1/2022 Corrected on 2/13/2023 25(3) - This previous citation was observed to be corrected as the leak had been fixed. 191-1-125 Physical Plant-Structural/Mechanical Not Me Finding Find	Comment	
One or more parameters were not specified for the subreport, 'Subreport5', located at: Authorizab Discreasing Capacia Panets PDLC ChildMissing Parameters (1)	Center does not provide swimming activities.	
MeComment Comment Comm	Chile	dren's Records
Comment Records were observed obtained/completed. Comment Records were observed to be complete and well organized. Facility 591-1-106 Bathrooms Comment Reas monitor bathrooms for necessary supplies. 591-1-119 License Capacity(CR) Me Comment Licensed capacity observed to be routinely met by center. 591-1-125 Physical Plant - Safe Environment(CR) Comment Reter appears clean and well maintained. Reter appears clean and well maintained. Reter appears cleaning tools (i.e., broom, plunger) out of reach of children. Reter appears clean and well maintained. R	One or more parameters were not specified for the subreport, 'Subreport5', located at:	
Parent agreements observed to be complete and well organized. Facility Fac	591-1-108 Children's Records	Me
Facility 591-1-106 Bathrooms Me Comment Please monitor bathrooms for necessary supplies. 591-1-119 License Capacity(CR) Me Comment Licensed capacity observed to be routinely met by center. 591-1-125 Physical Plant - Safe Environment(CR) Me Comment Lenter appears clean and well maintained. Comment Please secure cleaning tools (i.e., broom, plunger) out of reach of children. Correction Deadline: 11/1/2022 Corrected on 2/13/2023 25(3) - This previous citation was observed to be corrected as the leak had been fixed. 591-1-125 Physical Plant-Structural/Mechanical Not Me Finding 591-1-125(14) requires the Center to be lighted with a minimum of twenty-five foot candles of illumination except during rest periods. Areas used for napping shall be lit dimly. It was determined based on observation, not all rooms were appropriately illuminated when Consultant observed classroom SR to not have any light, the staff member could not supervise the children during nap time due to the poor lighting in the room. Consultant discussed turning on a lamp or opening the curtain to allow the room the be appropriately lit during nap time.	Comment Parent agreements observed obtained/completed.	
Comment Please monitor bathrooms for necessary supplies. 591-1-1-19 License Capacity(CR) Me Comment Licensed capacity observed to be routinely met by center. 591-1-1-25 Physical Plant - Safe Environment(CR) Me Comment Center appears clean and well maintained. Comment Please secure cleaning tools (i.e., broom, plunger) out of reach of children. Correction Deadline: 11/1/2022 Corrected on 2/13/2023 25(3) - This previous citation was observed to be corrected as the leak had been fixed. 591-1-1-25 Physical Plant-Structural/Mechanical Not Me Finding 591-1-1-25(14) requires the Center to be lighted with a minimum of twenty-five foot candles of illumination except during rest periods. Areas used for napping shall be lit dimly. It was determined based on observation, not all rooms were appropriately illuminated when Consultant observed classroom 5R to not have any light, the staff member could not supervise the children during nap time due to the poor lighting in the room. Consultant discussed turning on a lamp or opening the curtain to allow the room the be appropriately lit during nap time.	Comment Records were observed to be complete and well organized.	
Comment Please monitor bathrooms for necessary supplies. 591-1-119 License Capacity(CR) Comment Licensed capacity observed to be routinely met by center. 591-1-125 Physical Plant - Safe Environment(CR) Comment Please secure clean and well maintained. Comment Please secure cleaning tools (i.e., broom, plunger) out of reach of children. Correction Deadline: 11/1/2022 Corrected on 2/13/2023 25(3) - This previous citation was observed to be corrected as the leak had been fixed. 591-1-125 Physical Plant-Structural/Mechanical Not Me Finding 591-1-125(14) requires the Center to be lighted with a minimum of twenty-five foot candles of illumination except during rest periods. Areas used for napping shall be lit dimly. It was determined based on observation, not all rooms were appropriately illuminated when Consultant observed classroom SR to not have any light, the staff member could not supervise the children during nap time due to the poor lighting in the room. Consultant discussed turning on a lamp or opening the curtain to allow the room the be appropriately lit during nap time.		Facility
Comment Please monitor bathrooms for necessary supplies. 591-1-119 License Capacity(CR) Comment Licensed capacity observed to be routinely met by center. 591-1-125 Physical Plant - Safe Environment(CR) Comment Please secure clean and well maintained. Comment Please secure cleaning tools (i.e., broom, plunger) out of reach of children. Correction Deadline: 11/1/2022 Corrected on 2/13/2023 25(3) - This previous citation was observed to be corrected as the leak had been fixed. 591-1-125 Physical Plant-Structural/Mechanical Not Me Finding 591-1-125(14) requires the Center to be lighted with a minimum of twenty-five foot candles of illumination except during rest periods. Areas used for napping shall be lit dimly. It was determined based on observation, not all rooms were appropriately illuminated when Consultant observed classroom SR to not have any light, the staff member could not supervise the children during nap time due to the poor lighting in the room. Consultant discussed turning on a lamp or opening the curtain to allow the room the be appropriately lit during nap time.		
Please monitor bathrooms for necessary supplies. 591-1-119 License Capacity(CR) Me Comment Licensed capacity observed to be routinely met by center. 591-1-125 Physical Plant - Safe Environment(CR) Me Comment Center appears clean and well maintained. Comment Please secure cleaning tools (i.e., broom, plunger) out of reach of children. Correction Deadline: 11/1/2022 Corrected on 2/13/2023 25(3) - This previous citation was observed to be corrected as the leak had been fixed. 591-1-125 Physical Plant-Structural/Mechanical Not Me Finding 591-1-125(14) requires the Center to be lighted with a minimum of twenty-five foot candles of illumination except during rest periods. Areas used for napping shall be lit dimly. It was determined based on observation, not all rooms were appropriately illuminated when Consultant observed classroom 5R to not have any light, the staff member could not supervise the children during nap time due to the poor lighting in the room. Consultant discussed turning on a lamp or opening the curtain to allow the room the be appropriately lit during nap time.	591-1-106 Bathrooms	Me
Comment Licensed capacity observed to be routinely met by center. 591-1-125 Physical Plant - Safe Environment(CR) Me Comment Center appears clean and well maintained. Comment Please secure cleaning tools (i.e., broom, plunger) out of reach of children. Correction Deadline: 11/1/2022 Corrected on 2/13/2023 25(3) - This previous citation was observed to be corrected as the leak had been fixed. 591-1-125 Physical Plant-Structural/Mechanical Not Me Finding 591-1-125(14) requires the Center to be lighted with a minimum of twenty-five foot candles of illumination except during rest periods. Areas used for napping shall be lit dimly. It was determined based on observation, not all rooms were appropriately illuminated when Consultant observed classroom 5R to not have any light, the staff member could not supervise the children during nap time due to the poor lighting in the room. Consultant discussed turning on a lamp or opening the curtain to allow the room the be appropriately lit during nap time.	Comment Please monitor bathrooms for necessary supplies.	
Licensed capacity observed to be routinely met by center. 391-1-125 Physical Plant - Safe Environment(CR) Me Comment Center appears clean and well maintained. Comment Please secure cleaning tools (i.e., broom, plunger) out of reach of children. Correction Deadline: 11/1/2022 Corrected on 2/13/2023 25(3) - This previous citation was observed to be corrected as the leak had been fixed. 391-1-125 Physical Plant-Structural/Mechanical Not Me Finding 591-1-125(14) requires the Center to be lighted with a minimum of twenty-five foot candles of illumination except during rest periods. Areas used for napping shall be lit dimly. It was determined based on observation, not all rooms were appropriately illuminated when Consultant observed classroom 5R to not have any light, the staff member could not supervise the children during nap time due to the poor lighting in the room. Consultant discussed turning on a lamp or opening the curtain to allow the room the be appropriately lit during nap time.	591-1-119 License Capacity(CR)	Me
Comment Center appears clean and well maintained. Comment Please secure cleaning tools (i.e., broom, plunger) out of reach of children. Correction Deadline: 11/1/2022 Corrected on 2/13/2023 25(3) - This previous citation was observed to be corrected as the leak had been fixed. Finding 591-1-125 Physical Plant-Structural/Mechanical Not Me Finding 591-1-125(14) requires the Center to be lighted with a minimum of twenty-five foot candles of illumination except during rest periods. Areas used for napping shall be lit dimly. It was determined based on observation, not all rooms were appropriately illuminated when Consultant observed classroom 5R to not have any light, the staff member could not supervise the children during nap time due to the poor lighting in the room. Consultant discussed turning on a lamp or opening the curtain to allow the room the be appropriately lit during nap time.	Comment Licensed capacity observed to be routinely met by center	
Comment Center appears clean and well maintained. Comment Please secure cleaning tools (i.e., broom, plunger) out of reach of children. Correction Deadline: 11/1/2022 Corrected on 2/13/2023 25(3) - This previous citation was observed to be corrected as the leak had been fixed. 591-1-125 Physical Plant-Structural/Mechanical Not Me Finding 591-1-1.25(14) requires the Center to be lighted with a minimum of twenty-five foot candles of illumination except during rest periods. Areas used for napping shall be lit dimly. It was determined based on observation, not all rooms were appropriately illuminated when Consultant observed classroom 5R to not have any light, the staff member could not supervise the children during nap time due to the poor lighting in the room. Consultant discussed turning on a lamp or opening the curtain to allow the room the be appropriately lit during nap time.		Me
Comment Please secure cleaning tools (i.e., broom, plunger) out of reach of children. Correction Deadline: 11/1/2022 Corrected on 2/13/2023 25(3) - This previous citation was observed to be corrected as the leak had been fixed. 591-1-125 Physical Plant-Structural/Mechanical Not Me Finding 591-1-125(14) requires the Center to be lighted with a minimum of twenty-five foot candles of illumination except during rest periods. Areas used for napping shall be lit dimly. It was determined based on observation, not all rooms were appropriately illuminated when Consultant observed classroom 5R to not have any light, the staff member could not supervise the children during nap time due to the poor lighting in the room. Consultant discussed turning on a lamp or opening the curtain to allow the room the be appropriately lit during nap time.		0
Please secure cleaning tools (i.e., broom, plunger) out of reach of children. Correction Deadline: 11/1/2022 Corrected on 2/13/2023 25(3) - This previous citation was observed to be corrected as the leak had been fixed. 591-1-125 Physical Plant-Structural/Mechanical Not Me Finding 591-1-125(14) requires the Center to be lighted with a minimum of twenty-five foot candles of illumination except during rest periods. Areas used for napping shall be lit dimly. It was determined based on observation, not all rooms were appropriately illuminated when Consultant observed classroom 5R to not have any light, the staff member could not supervise the children during nap time due to the poor lighting in the room. Consultant discussed turning on a lamp or opening the curtain to allow the room the be appropriately lit during nap time.	Comment Center appears clean and well maintained.	
Corrected on 2/13/2023 25(3) - This previous citation was observed to be corrected as the leak had been fixed. 591-1-125 Physical Plant-Structural/Mechanical Not Me Finding 591-1-125(14) requires the Center to be lighted with a minimum of twenty-five foot candles of illumination except during rest periods. Areas used for napping shall be lit dimly. It was determined based on observation, not all rooms were appropriately illuminated when Consultant observed classroom 5R to not have any light, the staff member could not supervise the children during nap time due to the poor lighting in the room. Consultant discussed turning on a lamp or opening the curtain to allow the room the be appropriately lit during nap time.	Comment	
Corrected on 2/13/2023 25(3) - This previous citation was observed to be corrected as the leak had been fixed. 591-1-125 Physical Plant-Structural/Mechanical Not Me Finding 591-1-125(14) requires the Center to be lighted with a minimum of twenty-five foot candles of illumination except during rest periods. Areas used for napping shall be lit dimly. It was determined based on observation, not all rooms were appropriately illuminated when Consultant observed classroom 5R to not have any light, the staff member could not supervise the children during nap time due to the poor lighting in the room. Consultant discussed turning on a lamp or opening the curtain to allow the room the be appropriately lit during nap time.		
25(3) - This previous citation was observed to be corrected as the leak had been fixed. 591-1-125 Physical Plant-Structural/Mechanical Not Me Finding 591-1-125(14) requires the Center to be lighted with a minimum of twenty-five foot candles of illumination except during rest periods. Areas used for napping shall be lit dimly. It was determined based on observation, not all rooms were appropriately illuminated when Consultant observed classroom 5R to not have any light, the staff member could not supervise the children during nap time due to the poor lighting in the room. Consultant discussed turning on a lamp or opening the curtain to allow the room the be appropriately lit during nap time.	Correction Deadline: 11/1/2022	
Finding 591-1-125 (14) requires the Center to be lighted with a minimum of twenty-five foot candles of illumination except during rest periods. Areas used for napping shall be lit dimly. It was determined based on observation, not all rooms were appropriately illuminated when Consultant observed classroom 5R to not have any light, the staff member could not supervise the children during nap time due to the poor lighting in the room. Consultant discussed turning on a lamp or opening the curtain to allow the room the be appropriately lit during nap time.	Corrected on 2/13/2023 .25(3) - This previous citation was observed to be corrected as the leak had been fix	ked.
591-1-125(14) requires the Center to be lighted with a minimum of twenty-five foot candles of illumination except during rest periods. Areas used for napping shall be lit dimly. It was determined based on observation, not all rooms were appropriately illuminated when Consultant observed classroom 5R to not have any light, the staff member could not supervise the children during nap time due to the poor lighting in the room. Consultant discussed turning on a lamp or opening the curtain to allow the room the be appropriately lit during nap time.	591-1-125 Physical Plant-Structural/Mechanical	Not Me
staff member could not supervise the children during nap time due to the poor lighting in the room. Consultant discussed turning on a lamp or opening the curtain to allow the room the be appropriately lit during nap time.	except during rest periods. Areas used for napping shall be lit dimly. It was determined ba	sed on observation,
	staff member could not supervise the children during nap time due to the poor lighting in the	he room. Consultant
		

Recited on 2/13/2023	
591-1-126 Playgrounds(CR)	Not Met
Finding 591-1-126(8) requires climbing and swinging equipment to have a resilient and the fall zone from such equipment must be adequately maintained by the resiliency. It was determined based on observation that the turf on the right front entrance is damaged, exposing foam pieces.	ne Center to assure continuing
	. – – – – – – – – – – – – – – – – – – –
Correction Deadline: 3/13/2023	
Recited on 2/13/2023	
	Food Service
591-1-115 Food Service & Nutrition	Met
Comment Center menu meets USDA guidelines.	
591-1-118 Kitchen Operations	Met
Comment Kitchen appears clean and well organized.	
	Health and Hygiene
591-1-110 Diapering Areas & Practices(CR)	Met
Comment	
Staff state proper knowledge of diapering procedures. 591-1-117 Hygiene(CR)	Met
	Mot
Comment Staff were observed to remind children to wash hands.	
591-1-120 Medications(CR)	Met
Comment The Provider currently does not dispense/administer medication.	
	Policies and Procedures
591-1-129 Required Reporting	Met
Correction Deadline: 11/1/2022	

Correction Deadline: 2/13/2023

.29(3) - This previous citation was corrected in regard to required reporting.

Safety

591-1-1-.11 Discipline(CR)

Met

Comment

Age-appropriate discussion and/or redirection observed.

Correction Deadline: 9/26/2022

Corrected on 2/13/2023

.11(2) - This previous citation in regard to discipline was observed to be corrected.

591-1-1-.36 Transportation(CR)

N/A

Comment

Center does not provide routine transportation.

Sleeping & Resting Equipment

591-1-1-.30 Safe Sleeping and Resting Requirements(CR)

Technical Assistance

Comment

Discussed SIDS and infant sleeping position.

Comment

The correct number of mats, sheets and blankets were observed on this date. Cleaning and disinfecting of mats was discussed with the director on this date.

Technical Assistance

Consultant discussed 591-1-1-.30(4) which requires that if cots and mats are stored in the children's activity room or area, they shall be stored to prevent children's access to them and to allow maximum use of play space. When storage is available and used for the storage of cots and mats that allows the cots, mats and any bedding to be stored without touching any other cots, mats or bedding, the bedding may be left on the cot or mat. When such storage is not available for the cots and mats, each child's bedding shall be kept separate from other children's bedding and stored in containers marked for individual use, such as, but not limited to, bins, cubbies, or bags.

Correction Deadline: 2/13/2023

Staff Records

One or more parameters were not specified for the subreport, 'StaffMissingRequirements', located at:

591-1-1-.09 Criminal Records and Comprehensive Background Checks(CR)

Not Met

Finding

591-1-Ī-.09(1)(j) requires that for portability for Directors, Employees and Provisional Employees, excluding Students-in-Training, only the most recently issued determination letter is eligible for portability and must be ported electronically. A Center may accept a satisfactory Fingerprint Records Check Determination letter or a satisfactory Comprehensive Records Check Determination letter issued by the Department if the Records Check Clearance Date is within the preceding 12 months from the hire date, the individual has not had a lapse of employment from the child care industry that lasted for 180 days (6 months) or longer, and the Center does not know or reasonably should not know that the individual's satisfactory status has changed. It was determined based on review of documents staff member #4's Comprehensive Records Check Determination letter was not electronically ported to center prior to their employment. Center Director stated the staff member began working on January 30, 2023 and the center's initial attempt to electronically port the determination letter was at consultant's time of visit on February 13, 2023. The staff member was observed working in classroom 1R, with children and another staff member.

Correction Deadline: 2/13/2023
Correction Deadline: 11/1/2022
Corrected on 2/13/2023 .09(1)(I)2 This previous citation was observed to be corrected.
591-1-114 First Aid & CPR Met
Comment Complete first aid kits observed in center.
Comment
Evidence observed of 100% of center staff certified in First Aid and CPR. Correction Deadline: 9/21/2022
Corrected on 2/13/2023 .14(2) - This previous citation was observed to be corrected.
591-1-133 Staff Training Met
Comment Discussed staff training. Please obtain required documentation.
591-1-131 Staff(CR) Technical Assistance
Comment Discussed that all lead staff must enroll in an approved education program within 6 months of hire and complete degree within 18 months.
Technical Assistance Consultant discussed 591-1-131(2)(b)3.(i) which requires that newly hired teachers who do not possess the educational and qualifying child care experience requirements must enroll in a program of study to obtain one of the educational credentials and qualifying experience requirements as required by these rules within six months after employment at the Center and complete the credential or degree within 18 months after enrollment.
Correction Deadline: 2/13/2023
Staffing and Supervision

591-1-132 Staff:Child Ratios and Group Size(CR)	Not Met
Finding 591-1-132(1) requires the Center to maintain the required Staff:child ratios as follows: under 1 year 18 months if not walking = 1:6; 1 year and walking = 1:8; 2 years = 1:10; 3 years = 1:15; 4 years = 1: = 1:20; and 6 years and older = 1:25. A Center must establish groupings of children for care with max group sizes as follows: under 1 year = 12; under 18 months/not walking = 12; 1 year and walking = 1 = 20; 3 years = 30; 4 years = 36; 5 years = 40; and 6 years and older = 50. It was determined based observation in classroom 2R, the ratio was 1:9, the classroom had seven two-year-olds and two one-	18; 5 years timum 6; 2 years on
Correction Deadline: 2/13/2023	· — — —
591-1-132 Supervision(CR)	Met

Comment

Staff observed to provide direct supervision and be attentive to children's needs.

Correction Deadline: 11/1/2022

Corrected on 2/13/2023

.32(7) - This previous citation in regard to supervision was observed to be corrected.