TLS	OF GFOF			King Jr. Di Atlanta, GA	rive SE, 670 É	ast Tower	irning
Date:	7/9/2021	VisitType:	Initial Licensing Study	Arrival:	10:45 AM	Departure:	12:15 PM
	C-51243 sville Head Sta	art Center			•	onal Consultar fer Salies	nt
Route 3, Middleground Road Louisville, GA 30424 Jefferson County (478) 625-8911 esmith@csraeoaheadstart.org					Phone: (770) 357-7052 Fax: (770) 357-7051 jennifer.salies@decal.ga.gov		
5315 N	y Address liddleground Road lle, GA 30424	d			Joint	with: Kati Cosb	у

Quality Rated: No

FOF G

Com	pliance Zone Desig	ination	Compliance Zone Designation - A summary measure of a program's 12 month moni history, as it pertains to child care health and safety rules. The three compliance zone				
07/09/2021	Initial Licensing Study	Good Standing	standing, support, and deficient.				
			Good Standing - Program is demonstrating an acceptable level of performance in mether rules.	eeting			
			Support - Program performance is demonstrating a need for improvement in rules.	meeting			
			Deficient - Program is not demonstrating an acceptable level of performance i the rules.	in meeting			

Ratios/License Capacity

Building	Room	Age Group	Staff	Children	NC/C	Max 35 SF.	35 SF. Comp.	Max 25 SF.	25 SF. Comp.	Notes
Modular 2	A- 3- 5 years		0	0	С	17	С	NA	NA	
Modular 2	B- 3 - 5 years		0	0	С	17	С	NA	NA	
		Total Capacity @35 sq. ft.: 34	1		Total C ft.: 0	apacity @	25 sq.	*		
Total # Children this Date: 0		Total Capacity @35 sq. ft.: 34	1		Total C ft.: 0	apacity @	25 sq.	•		

Building	Playground	Playground Occupancy	Playground Compliance
Modular 2	Playground - 3 - 5 yrs	87	С

Comments

An Administrative Review was conducted on June 28, 2021. Staff files, children's files, training, and background checks were all reviewed. An in person Initial Licensing Study was conducted on July 9, 2021. The exit conference was conducted virtually on July 13, 2021 at 2:30 p.m. with the Director. Permission to Operate was issued on this date. The facility carries Liability Insurance. The overall capacity was self-limited to 34 children.

Plan of Improvement: Developed This Date 07/09/2021

Any rule violation which subjects a child to injury or life-threatening situation or any rule violations previously cited but not corrected, may result in the imposition of an adverse enforcement action. Serious or continued noncompliance may also jeopardize participation in one or more DECAL program(s).

Please refer to the website, <u>http://www.decal.ga.gov/CCS/RulesAndRegulations.aspx</u> , for information regarding October 1, 2018 rule changes about Criminal Records Checks that may affect your facility. In summary,
 New records checks will be required to be completed if a staff member experiences a six month break in service from the child care industry New clearance is required at least once every five years
 New olditation of required at loads once every intervente
Any staff member solely responsible for supervising children will be required to have completed a comprehensive background clearance
 All staff members are required to have completed at least a national fingerprint based clearance check
 Any staff member with only the national fingerprint based clearance, must be under constant and direct supervision of a staff member with a satisfactory comprehensive records check clearance
 Facilities are required to use DECAL KOALA for Criminal Records Checks, including to verify portability of an employee

You have received permission to operate and the form received with this report is intended to serve as a temporary license which is <u>valid for</u> <u>thirty(30) days</u>. Your actual license/ will be emailed to you upon receipt of the licensing fee. You may pay the licensing fee either online at http://www.decal.ga.gov/ or by certified check or money order mailed to: Bright from the Start, 2 Martin Luther King Jr. Drive SE, Suite 670 East Tower, Atlanta, GA 30334

O.C.G.A. Section 42.1.12(i)(2) requires Bright from the Start: Georgia Department of Early Care and Learning to notify licensed child care programs on accessing and retrieving from the Georgia Bureau of Investigation's (GBI) website a list of the names and addresses of all registered sexual offenders. Please see GBI's website located at http://gbi.georgia.gov to access the Georgia Sex Offender Registry.

Refutation Process:

You have the right to refute any of the citations noted in this report with which you disagree. To refute a citation(s), e-mail the following information to CCSRefutations@decal.ga.gov.

- 1) Facility name, license number and visit date
- 2) Your name, title/relationship to the facility, e-mail address & up to two phone number(s) where you can be reached
- 3) Specific rule number(s) that you are refuting, along with your concerns or questions regarding the rule citation

Refutations must be submitted to Child Care Services (CCS) within 10 business days of the completion date.

A sample form for submitting a refutation can be found at: http://decal.ga.gov/ChildCareServices/RefutationInformation.aspx

Your refutation will be forwarded to the appropriate CCS manager, who will follow up with you about your concerns. If you have any questions about this process, contact our office at 404-657-5562.

Bright from the Start recommends that all licensed child care providers carry liability insurance coverage sufficient to protect its clients. If you do not have this liability insurance, you are required to post a notice with ½ inch letters in a conspicuous location in the program, notify the parent or guardian of each child in care in writing, obtain their signature to acknowledge receipt and maintain this written acknowledgment on file at the program at all times while the child attends the program and for 12 months after the child's last date of attendance. (O.C.G.A. Section 20-1A-4)





Important New Deadlines:

Your program must be Quality Rated by December 31, 2020 in order to continue to receive Childcare and Parent Services (CAPS).

Get started today! Sign up by completing a short online application: <u>https://qualityrated.decal.ga.gov/</u> Request free technical assistance to help you earn your star rating by contacting the Quality Rated help desk at 855-800-7747 or <u>qualityrated@decal.ga.gov</u> SHAQUANA SCOTT, Program Official Date

Kati Cosby, Consultant

Date

Jennifer Salies, Consultant

Date

Findings Report Date: 7/9/2021 VisitType: Initial Licensing Study Arrival: 10:45 AM Departure: 12:15 PM CCLC-51243 Regional Consultant Jennifer Salies Phone: 7/01 357-7052 Fax: Route 3, Middleground Road Louisville, GA 30424 Jefferson County (478) 625-8911 esmith @ csraeoaheadstart.org Phone: 7/01 357-7052 Fax:	OF.GE	C LA	Bright from the Start Ge 2 Martin Luthe Phone: (404	r King Jr. Dı Atlanta, GA	rive SE, 670 È	ast Tower	rning
CCLC-51243 Regional Consultant Louisville Head Start Center Jennifer Salies Route 3, Middleground Road Louisville, GA 30424 Jefferson County Phone: (770) 357-7052 Fax: (770) 357-7051 Jennifer Salies Phone: (770) 357-7052 Fax: (770) 357-7051 Jennifer Salies Phone: (770) 357-7052 Fax: (770) 357-7051 Jennifer Salies Joint with: Kati Cosby Joint with: Kati Cosby Mailing Address Joint with: Kati Cosby Sits Middleground Road Cosby Louisville, GA 30424 Activities and Equipment The following information is associated with a Initial Licensing Study:	1776			Findings	Report		
Louisville Head Start Center Jennifer Salies Route 3, Middleground Road Louisville, GA 30424 Jefferson County (478) 625-8911 esmith@csraeoaheadstart.org Phone: (770) 357-7052 Fax: (770) 357-7051 jennifer.salies@decal.ga.gov Mailing Address 5315 Middleground Road Louisville, GA 30424 Joint with: Kati Cosby The following information is associated with a Initial Licensing Study: Activities and Equipment 591-11-12 Equipment & Toys(CR) Technical Assistance Comment Equipment and furniture observed to be properly secured. Terchnical Assistance 591-1-1-(24) - Consultant discussed securing the computer screens to the table tops prior to children coming back on August 2, 2021. Correction Deadline: 779/2021 Met 591-11-12 Swimming Pools & Water-related Activities(CR) Met Comment Center does not provide swimming activities. Consultant observed no pool on site. 591-11-19 License Capacity(CR) Met Comment Self-11-25 Physical Plant - Safe Environment(CR) Met Comment Self-11-26 Physical Plant - Safe Environment(CR)	Date: 7/9/2021	VisitType:	Initial Licensing Study	Arrival:	10:45 AM	Departure:	12:15 PM
Route 3, Middleground Road Louisville, GA 30424 Jefferson County (478) 625-8911 esmith @csraeoaheadstart.org Phone: (770) 357-7051 jennifer.salies@decal.ga.gov Mailing Address 5315 Middleground Road Louisville, GA 30424 Joint with: Kati Cosby The following information is associated with a Initial Licensing Study: Activities and Equipment 591-1-1-12 Equipment & Toys(CR) Technical Assistance Comment Equipment and furniture observed to be properly secured. Technical Assistance 591-1-1-12 Equipment a formiture observed to be properly secured. Technical Assistance Correction Deadline: 7/9/2021 Spi-1-1-1/2 (Consultant discussed securing the computer screens to the table tops prior to children coming back on August 2, 2021. Correction Deadline: 7/9/2021 Met Spi-1-1-35 Swimming Pools & Water-related Activities(CR) Met Comment Permission to Operate issued on this date. The overall licensed capacity is self-limited to 34 children. Spi-1-1-25 Physical Plant - Safe Environment(CR) Spi-1-1-26 Playground accessible to children on this date. Spi-1-1-26 Playgrounds(CR) Met Comment Playground observed to be clean and in good repair. Met	CCLC-51243				Regi	onal Consultar	nt
(478) 625-8911 esmith@csraeoaheadstart.org Fax: (770) 357-7051 jennifer.salies@decal.ga.gov Mailing Address 5315 Middleground Road Louisville, GA 30424 Joint with: Kati Cosby The following information is associated with a Initial Licensing Study: Activities and Equipment 591-1112 Equipment & Toys(CR) Technical Assistance System to the property secured. Technical Assistance System to the table tops prior to children coming back on August 2, 2021. Correction Deadline: 7/9/2021 System to the table tops prior to children coming back on August 2, 2021. Comment Comment Center does not provide swimming activities. Consultant observed no pool on site. Facility System to the table top of the top of t	Louisville Head	d Start Center			Jenn	ifer Salies	
S315 Middleground Road Louisville, GA 30424 The following information is associated with a Initial Licensing Study: Activities and Equipment 591-1-1-12 Equipment & Toys(CR) Technical Assistance Comment Equipment and furniture observed to be properly secured. Technical Assistance 591-1-1.2 (24) - Consultant discussed securing the computer screens to the table tops prior to children coming back on August 2, 2021. Correction Deadline: 7/9/2021 591-1-1-35 Swinming Pools & Water-related Activities(CR) Met Comment Center does not provide swimming activities. Consultant observed no pool on site. Facility 591-1-1-19 License Capacity(CR) Met Comment Permission to Operate issued on this date. The overall licensed capacity is self-limited to 34 children. 591-1-1-25 Physical Plant - Safe Environment(CR) Met Comment No hazards observed accessible to children on this date. S91-1-1-26 Playgrounds(CR) Met Comment Playground observed to be clean and in good repair.				son County	Fax:	(770) 357-7051	
Activities and Equipment Activities and Equipment 591-1-1-12 Equipment & Toys(CR) Technical Assistance Equipment and furniture observed to be properly secured. Technical Assistance 591-1-1-12(4) - Consultant discussed securing the computer screens to the table tops prior to children coming back on August 2, 2021. Correction Deadline: 7/9/2021 591-1-1-35 Swimming Pools & Water-related Activities(CR) Met Comment Center does not provide swimming activities. Consultant observed no pool on site. Facility 591-1-119 License Capacity(CR) Met Comment Permission to Operate issued on this date. The overall licensed capacity is self-limited to 34 children. 591-1-1-25 Physical Plant - Safe Environment(CR) Met Comment No hazards observed accessible to children on this date. Met Comment No hazards observed accessible to children on this date. Met Comment No hazards observed to be clean and in good repair.	5315 Middleground				Joint	with: Kati Cosb	у
591-1-1-12 Equipment & Toys(CR) Technical Assistance Comment Equipment and furniture observed to be properly secured. Technical Assistance 591-1-1-12(4) - Consultant discussed securing the computer screens to the table tops prior to children coming back on August 2, 2021. Correction Deadline: 7/9/2021 Correction Deadline: 7/9/2021 591-1-1-35 Swimming Pools & Water-related Activities(CR) Met Comment Center does not provide swimming activities. Consultant observed no pool on site. 591-1-1-19 License Capacity(CR) Met Comment Permission to Operate issued on this date. The overall licensed capacity is self-limited to 34 children. 591-1-1-25 Physical Plant - Safe Environment(CR) Met Comment No hazards observed accessible to children on this date. 591-1-26 Playgrounds(CR) Met	The following in	oformation is as	ssociated with a Initial Li	censing Stu	dy:		
Comment Equipment and furniture observed to be properly secured. Technical Assistance 591-1-112(4) - Consultant discussed securing the computer screens to the table tops prior to children coming back on August 2, 2021. Correction Deadline: 7/9/2021 591-1-135 Swimming Pools & Water-related Activities(CR) Met Comment Center does not provide swimming activities. Consultant observed no pool on site. Facility 591-1-119 License Capacity(CR) Met Comment Permission to Operate issued on this date. The overall licensed capacity is self-limited to 34 children. 591-1-25 Physical Plant - Safe Environment(CR) Met Comment No hazards observed accessible to children on this date. 591-1-26 Playgrounds(CR) Met Comment Playground observed to be clean and in good repair.					Activitie	es and Equ	ipment
Comment Equipment and furniture observed to be properly secured. Technical Assistance 591-1-112(4) - Consultant discussed securing the computer screens to the table tops prior to children coming back on August 2, 2021. Correction Deadline: 7/9/2021 591-1-135 Swimming Pools & Water-related Activities(CR) Met Comment Center does not provide swimming activities. Consultant observed no pool on site. Facility 591-1-119 License Capacity(CR) Met Comment Permission to Operate issued on this date. The overall licensed capacity is self-limited to 34 children. 591-1-25 Physical Plant - Safe Environment(CR) Met Comment No hazards observed accessible to children on this date. 591-1-26 Playgrounds(CR) Met Comment Playground observed to be clean and in good repair.	591-1-1- 12 Equ	inment & Toys	(CR)			Technical A	ssistance
Equipment and furniture observed to be properly secured. Technical Assistance 591-1-1-12(4) - Consultant discussed securing the computer screens to the table tops prior to children coming back on August 2, 2021. Correction Deadline: 7/9/2021 591-1-1-35 Swimming Pools & Water-related Activities(CR) Met Comment Center does not provide swimming activities. Consultant observed no pool on site. Facility 591-1-1-19 License Capacity(CR) Met Comment Permission to Operate issued on this date. The overall licensed capacity is self-limited to 34 children. 591-1-25 Physical Plant - Safe Environment(CR) Met Comment No hazards observed accessible to children on this date. 591-1-1-26 Playgrounds(CR) Met Comment Playground observed to be clean and in good repair.	-	ipment & roys					3313101100
591-1-112(4) - Consultant discussed securing the computer screens to the table tops prior to children coming back on August 2, 2021. Correction Deadline: 7/9/2021 591-1-135 Swimming Pools & Water-related Activities(CR) Met Comment Center does not provide swimming activities. Consultant observed no pool on site. Facility 591-1-1.19 License Capacity(CR) Met Comment Permission to Operate issued on this date. The overall licensed capacity is self-limited to 34 children. 591-1-125 Physical Plant - Safe Environment(CR) Met Comment No hazards observed accessible to children on this date. 591-1-126 Playgrounds(CR) Met Comment Playground observed to be clean and in good repair.		urniture observe	d to be properly secured.				
591-1-135 Swimming Pools & Water-related Activities(CR) Met Comment Center does not provide swimming activities. Consultant observed no pool on site. 591-1-1-0 Facility 591-1-1-19 License Capacity(CR) Met Comment Permission to Operate issued on this date. The overall licensed capacity is self-limited to 34 children. 591-1-125 Physical Plant - Safe Environment(CR) Met Comment No hazards observed accessible to children on this date. 591-1-126 Playgrounds(CR) Met Comment Playground observed to be clean and in good repair.	591-1-112(4) -	Consultant discu	ussed securing the comput	ter screens to	o the table top	s prior to childre	en coming
Comment Center does not provide swimming activities. Consultant observed no pool on site. Facility 591-1-119 License Capacity(CR) Met Comment Permission to Operate issued on this date. The overall licensed capacity is self-limited to 34 children. 591-1-125 Physical Plant - Safe Environment(CR) Met Comment No hazards observed accessible to children on this date. 591-1-126 Playgrounds(CR) Met Comment Playground observed to be clean and in good repair.	Correction Dea	dline: 7/9/2021					
Center does not provide swimming activities. Consultant observed no pool on site. Facility 591-1-119 License Capacity(CR) Met Comment Permission to Operate issued on this date. The overall licensed capacity is self-limited to 34 children. 591-1-125 Physical Plant - Safe Environment(CR) Met Comment No hazards observed accessible to children on this date. 591-1-126 Playgrounds(CR) Met Comment Playground observed to be clean and in good repair.	591-1-135 Swi	nming Pools &	Water-related Activities	(CR)			Met
591-1-119 License Capacity(CR) Met Comment Permission to Operate issued on this date. The overall licensed capacity is self-limited to 34 children. 591-1-125 Physical Plant - Safe Environment(CR) Met Comment No hazards observed accessible to children on this date. 591-1-126 Playgrounds(CR) Met Comment Playground observed to be clean and in good repair.		provide swimmi	ng activities. Consultant ol	oserved no p	ool on site.		
Comment Permission to Operate issued on this date. The overall licensed capacity is self-limited to 34 children. 591-1-125 Physical Plant - Safe Environment(CR) Met Comment No hazards observed accessible to children on this date. 591-1-126 Playgrounds(CR) Met Comment Playground observed to be clean and in good repair.							Facility
Permission to Operate issued on this date. The overall licensed capacity is self-limited to 34 children. 591-1-125 Physical Plant - Safe Environment(CR) Met Comment No hazards observed accessible to children on this date. 591-1-126 Playgrounds(CR) Met Comment Playground observed to be clean and in good repair.	591-1-119 Lice	nse Capacity(C	CR)				Met
Comment No hazards observed accessible to children on this date. 591-1-126 Playgrounds(CR) Comment Playground observed to be clean and in good repair.		perate issued or	this date. The overall lice	nsed capacity	y is self-limited	d to 34 children.	
No hazards observed accessible to children on this date. 591-1-126 Playgrounds(CR) Comment Playground observed to be clean and in good repair.	591-1-125 Phy	sical Plant - Sa	fe Environment(CR)				Met
Comment Playground observed to be clean and in good repair.		erved accessible	to children on this date.				
Playground observed to be clean and in good repair.	591-1-126 Play	grounds(CR)					Met
		mode he also	and in good tor -it				
Пеант ана Пудіене		erveu to be clear	r and in good repair.			alth and L	lvaione
							ygiene

591-1-1.10 Diapering Areas & Practices(CR)

Comment

No children enrolled who require diapering. Program serving children three (3) years through five (5) years old. Consultant discussed the American Disability Act guidelines and alternate methods used for diapering.

591-1-1-.17 Hygiene(CR)

Comment

There were no children present on this date. Proper hand washing of children and staff was discussed with the director on this date.

591-1-1-.20 Medications(CR)

Comment

Discussed proper medication documentation and procedures.

591-1-1-.11 Discipline(CR)

Comment

There were no children present on this date. The center's discipline policy was reviewed on this date. Regulations regarding proper discipline were discussed with the director on this date.

591-1-1-.36 Transportation(CR)

Comment

Paperwork, checklist, permission forms, annual inspection form and proper check of the vehicle after transportation were discussed with the director.

Comment

The vehicle was checked for compliance. Proper restraints were observed and discussed with the director.

Comment

Vehicle was not present at the center. Consultant reviewed current/completed inspection for all vehicles used in transporting children this date.

Sleeping & Resting Equipment

591-1-130 Safe	Sleeping a	and Resting	Requirements(CR)

Comment

Program not serving infants. Consultant observed the correct number of cots, sheets, and covers on this date.

Records Reviewed: 14	Records with Missing/Incomplete Components: 0
Staff # 1	Met
Date of Hire: 02/05/2021	
Staff # 2	Met
Date of Hire: 01/11/1999	
Staff # 3	Met
Date of Hire: 09/19/2020	
Staff # 4	Met
Georgia Department of Early Care and Learning	v1.03 Page 2 of 4

Staff Records

Met

Met

Met

Safety

Met

Met

Met

Records Reviewed: 14	Records with Missing/Incomplete Components: 0
Date of Hire: 04/06/1998	
Staff # 5	Met
Date of Hire: 08/01/1988	
Staff # 6	Met
Date of Hire: 11/16/2019	
Staff # 7	Met
Staff # 8	Met
Date of Hire: 08/03/2009	
Staff # 9	Met
Date of Hire: 09/30/2019	
Staff # 10	Met
Date of Hire: 10/13/2014	
Staff # 11	Met
Date of Hire: 05/04/2020	
Staff # 12	Met
Date of Hire: 02/23/1998	
Staff # 13	Met
Date of Hire: 10/06/2003	
Staff # 14	Met
Date of Hire: 09/01/1992	
Staff Credentials Reviewed: 1	
591-1-109 Criminal Records and Compre	ehensive Background Checks(CR) Met
	e complete. Twelve (12) of twelve (12) staff records were observed to background Check determination letters on file.
591-1-1.31 Staff(CR)	Met
Comment Staff observed to be compliant with applicab	ble laws and regulations.

Staffing and Supervision

591-1-1-.32 Staff:Child Ratios and Group Size(CR)

Comment

There were no children present on this date. Proper ratios and classroom capacities were discussed with the director on this date.

Met

591-1-1-.32 Supervision(CR)

Comment

A supervision plan was created on this date for the route to the playground for classrooms A and B.

Comment

There were no children present on this date. Proper supervision of children, including being prompt to children's needs, was discussed with the director on this date.