

Bright from the Start Georgia Department of Early Care and Learning 2 Martin Luther King Jr. Drive SE, 670 East Tower Atlanta, GA 30334

Phone: (404) 657-5562 WWW.DECAL.GA.GOV

Date: 10/6/2020 VisitType: Initial Licensing Study Arrival: 1:30 PM Departure: 3:00 PM

CCLC-53110 Regional Consultant

The Kids Zone Learning Center

505 Underwood Street Dalton, GA 30720 Whitfield County (706) 529-8648 ddtnm@yahoo.com

Phone: (770) 359-5808 Fax: (404) 591-5814 jessica.grant@decal.ga.gov

Jessica Grant

Mailing Address Same

Quality Rated:

Com	<u>ipliance Zone Desi</u>			Zone Designation - A summary measure of a program's 12 month monitoring pertains to child care health and safety rules. The three compliance zones are good			
10/06/2020	Initial Licensing Study		standing, support, and deficient.				
		•	Good Standi	ing - Program is demonstrating an acceptable level of performance in meeting the rules.			
			Support	 Program performance is demonstrating a need for improvement in meeting rules. 			
			Deficient	 Program is not demonstrating an acceptable level of performance in meeting the rules. 			

Ratios/License Capacity

Building	Room	Age Group	Staff	Children	NC/C	Max 35 SF.	35 SF. Comp.	Max 25 SF.	25 SF. Comp.	Notes
Main	A 4-5 yrs	Four Year Olds	2	9	С	35	С	NA	NA	Nap
Main	B 2yrs		0	0	С	14	С	NA	NA	Not In Use
Main	C 6wks-1yr	One Year Olds	2	2	С	14	С	NA	NA	Nap
		Total Capacity @35 sq. ft.: 63	3		Total Capacity @25 sq. ft.: 0					
Total # Cl	hildren this Date: 11	Total Capacity @35 sq. ft.: 63	3		Total C	apacity @	25 sq.			

BuildingPlaygroundPlayground
OccupancyPlayground
ComplianceMainMain57C

Comments

An Administrative Review was conducted on October 5, 2020. Staff files, children's files, training, and background checks were all reviewed. A virtual inspection was conducted on October 6, 2020 with the Director. An in-person visit was not conducted due to the COVID-19 pandemic. Compliance with the Executive Order issued on May 12, 2020 was reviewed during the virtual inspection.

A temporary license was issued on this date due to the center not having zoning and the Building Certificate of Occupancy. The center does not carry liability insurance.

Plan of Improvement: To Be Submitted 10/21/2020

Any rule violation which subjects a child to injury or life-threatening situation or any rule violations previously cited but not corrected, may result in the imposition of an adverse enforcement action. Serious or continued noncompliance may also jeopardize participation in one or more DECAL program(s).



Please refer to the website, http://www.decal.ga.gov/CCS/RulesAndRegulations.aspx, for information regarding October 1, 2018 rule changes about Criminal Records Checks that may affect your facility. In summary,

- New records checks will be required to be completed if a staff member experiences a six month break in service from the child care industry
- New clearance is required at least once every five years
- Any staff member solely responsible for supervising children will be required to have completed a comprehensive background clearance
- All staff members are required to have completed at least a national fingerprint based clearance check
- Any staff member with only the national fingerprint based clearance, must be under constant and direct supervision of a staff member with a satisfactory comprehensive records check clearance
- Facilities are required to use DECAL KOALA for Criminal Records Checks, including to verify portability of an employee

O.C.G.A. Section 42.1.12(i)(2) requires Bright from the Start: Georgia Department of Early Care and Learning to notify licensed child care programs on accessing and retrieving from the Georgia Bureau of Investigation's (GBI) website a list of the names and addresses of all registered sexual offenders. Please see GBI's website located at http://gbi.georgia.gov to access the Georgia Sex Offender Registry.

Refutation Process:

You have the right to refute any of the citations noted in this report with which you disagree. To refute a citation(s), e-mail the following information to CCSRefutations@decal.ga.gov.

- 1) Facility name, license number and visit date
- 2) Your name, title/relationship to the facility, e-mail address & up to two phone number(s) where you can be reached
- 3) Specific rule number(s) that you are refuting, along with your concerns or questions regarding the rule citation

Refutations must be submitted to Child Care Services (CCS) within 10 business days of the completion date.

A sample form for submitting a refutation can be found at: http://decal.ga.gov/ChildCareServices/RefutationInformation.aspx

Your refutation will be forwarded to the appropriate CCS manager, who will follow up with you about your concerns. If you have any questions about this process, contact our office at 404-657-5562.

Bright from the Start recommends that all licensed child care providers carry liability insurance coverage sufficient to protect its clients. If you do not have this liability insurance, you are required to post a notice with ½ inch letters in a conspicuous location in the program, notify the parent or quardian of each child in care in writing, obtain their signature to acknowledge receipt and maintain this written acknowledgment on file at the program at all times while the child attends the program and for 12 months after the child's last date of attendance. (O.C.G.A. Section 20-1A-4)





Important New Deadlines:

Your program must be Quality Rated by December 31, 2020 in order to continue to receive Childcare and Parent Services (CAPS).

Get started today! Sign up by completing a short online application: https://qualityrated.decal.ga.gov/ Request free technical assistance to help you earn your star rating by contacting the Quality Rated help desk at 855-800-7747 or qualityrated@decal.ga.gov

Beverly Hyde, Program Official	Date	Jessica Grant, Consultant	Date

Revision Date: 10/7/2020 4:38:27 PM



Bright from the Start Georgia Department of Early Care and Learning 2 Martin Luther King Jr. Drive SE, 670 East Tower Atlanta, GA 30334

Phone: (404) 657-5562 WWW.DECAL.GA.GOV

Findings Report

Date: 10/6/2020 Arrival: 1:30 PM Departure: 3:00 PM VisitType: Initial Licensing Study

CCLC-53110 **Regional Consultant**

The Kids Zone Learning Center

505 Underwood Street Dalton, GA 30720 Whitfield County

(706) 529-8648 ddtnm@yahoo.com

Mailing Address Same

The following information is associated with a Initial Licensing Study:

Activities and Equipment

Jessica Grant

Phone: (770) 359-5808

Fax: (404) 591-5814 jessica.grant@decal.ga.gov

591-1-1-.12 Equipment & Toys(CR)

Met

Comment

During the virtual walk through, due to COVID-19, the Consultant observed the equipment and furniture observed to be properly secured.

591-1-1-.35 Swimming Pools & Water-related Activities(CR)

Met

Comment

On this date, the Center Director stated that the program will not participate in Swimming activities. Consultant discussed Swimming requirements with Center Director. Consultant also stated to Center Director that prior to participating in Swimming activities, in water two (2) feet in depth or greater, the Center is required to contact the assigned Bright from the Start: Regional Consultant, to discuss and review Swimming Rules.

Facility 1

591-1-1-.19 License Capacity(CR)

Met

Comment

The overall capacity for the center is 63 children.

591-1-1-.25 Physical Plant - Safe Environment(CR)

Met

Comment

A Virtual Visit was conducted due to the COVID-19 pandemic. During the virtual walk through no hazards were observed accessible to children.

591-1-1-.26 Playgrounds(CR)

Not Met

Finding

591-1-1-.26(8) requires climbing and swinging equipment to have a resilient surface beneath the equipment and the fall zone from such equipment must be adequately maintained by the Center to assure continuing resiliency. It was determined based on observation during the virtual walk through that one inch of mulch was present underneath the climbing structure when six inches is required.

Correction Deadline: 10/16/2020
Finding
591-1-126(9) requires the playground to be kept clean, free from litter and free of hazards, such as but not limited to rocks, exposed tree roots and exposed sharp edges of concrete. It was determined based on consultant observation during the virtual walk through that tree limbs and vines were hanging over the fence in the back left corner of the playground.
Correction Deadline: 10/6/2020
Health and Hygiene
591-1-110 Diapering Areas & Practices(CR) Not Met
Finding 591-1-110(2) requires Centers first licensed after March 1, 1991, and Centers that renovate existing plumbing facilities, to have a hand washing sink with running heated water located adjacent to the diapering area. Flush sinks shall not be used for hand washing. Cleansing procedures in other facilities shall be approved by the Department. It was determined based on Consultant observation during the virtual walk through that the diapering sink in the Infant classroom was not operable. Per the Director, the staff wash their hands and the children hands in the bathroom.
Finding 591-1-110(2) requires Centers first licensed after March 1, 1991, and Centers that renovate existing plumbing facilities, to have a hand washing sink with running heated water located adjacent to the diapering area. Flush sinks shall not be used for hand washing. Cleansing procedures in other facilities shall be approved by the Department. It was determined based on Consultant observation during the virtual walk through that the diapering sink in the Infant classroom was not operable. Per the Director, the staff wash their hands and the children hands in the bathroom.
Finding 591-1-110(2) requires Centers first licensed after March 1, 1991, and Centers that renovate existing plumbing facilities, to have a hand washing sink with running heated water located adjacent to the diapering area. Flush sinks shall not be used for hand washing. Cleansing procedures in other facilities shall be approved by the Department. It was determined based on Consultant observation during the virtual walk through that the diapering sink in the Infant classroom was not operable. Per the Director, the staff wash their hands and the children hands in the bathroom.
Finding 591-1-110(2) requires Centers first licensed after March 1, 1991, and Centers that renovate existing plumbing facilities, to have a hand washing sink with running heated water located adjacent to the diapering area. Flush sinks shall not be used for hand washing. Cleansing procedures in other facilities shall be approved by the Department. It was determined based on Consultant observation during the virtual walk through that the diapering sink in the Infant classroom was not operable. Per the Director, the staff wash their hands and the children hands in the bathroom.
Finding 591-1-110(2) requires Centers first licensed after March 1, 1991, and Centers that renovate existing plumbing facilities, to have a hand washing sink with running heated water located adjacent to the diapering area. Flush sinks shall not be used for hand washing. Cleansing procedures in other facilities shall be approved by the Department. It was determined based on Consultant observation during the virtual walk through that the diapering sink in the Infant classroom was not operable. Per the Director, the staff wash their hands and the children hands in the bathroom.
Finding 591-1-110(2) requires Centers first licensed after March 1, 1991, and Centers that renovate existing plumbing facilities, to have a hand washing sink with running heated water located adjacent to the diapering area. Flush sinks shall not be used for hand washing. Cleansing procedures in other facilities shall be approved by the Department. It was determined based on Consultant observation during the virtual walk through that the diapering sink in the Infant classroom was not operable. Per the Director, the staff wash their hands and the children hands in the bathroom.
Finding 591-1-110(2) requires Centers first licensed after March 1, 1991, and Centers that renovate existing plumbing facilities, to have a hand washing sink with running heated water located adjacent to the diapering area. Flush sinks shall not be used for hand washing. Cleansing procedures in other facilities shall be approved by the Department. It was determined based on Consultant observation during the virtual walk through that the diapering sink in the Infant classroom was not operable. Per the Director, the staff wash their hands and the children hands in the bathroom.
Finding 591-1-110(2) requires Centers first licensed after March 1, 1991, and Centers that renovate existing plumbing facilities, to have a hand washing sink with running heated water located adjacent to the diapering area. Flush sinks shall not be used for hand washing. Cleansing procedures in other facilities shall be approved by the Department. It was determined based on Consultant observation during the virtual walk through that the diapering sink in the Infant classroom was not operable. Per the Director, the staff wash their hands and the children hands in the bathroom.
Finding 591-1-110(2) requires Centers first licensed after March 1, 1991, and Centers that renovate existing plumbing facilities, to have a hand washing sink with running heated water located adjacent to the diapering area. Flush sinks shall not be used for hand washing. Cleansing procedures in other facilities shall be approved by the Department. It was determined based on Consultant observation during the virtual walk through that the diapering sink in the Infant classroom was not operable. Per the Director, the staff wash their hands and the children hands in the bathroom. Correction Deadline: 10/6/2020
Finding 591-1-110(2) requires Centers first licensed after March 1, 1991, and Centers that renovate existing plumbing facilities, to have a hand washing sink with running heated water located adjacent to the diapering area. Flush sinks shall not be used for hand washing. Cleansing procedures in other facilities shall be approved by the Department. It was determined based on Consultant observation during the virtual walk through that the diapering sink in the Infant classroom was not operable. Per the Director, the staff wash their hands and the children hands in the bathroom. Correction Deadline: 10/6/2020 591-1-117 Hygiene(CR) Met Comment A Virtual Visit was conducted due to the COVID-19 pandemic. Hand washing and sanitizing requirements were

According to the Director, the center does not administer medication.

	Safety
591-1-111 Discipline(CR)	Met
Comment During the virtual walk through appropriate discussion was observed and redirection.	
591-1-136 Transportation(CR)	Met
Comment The Center Director stated that the Center will not provide routine Transportation and Fiel Consultant discussed with Center Director, all requirements needed in order to transport with children. Consultant also stated to Center Director that prior to providing Transportate the Center is required to complete and maintain documentation of current CPR and First as two (2) clock hours of Transportation Training, regarding the Center Director and all Cein any aspect of Transportation. Further, Consultant stated to Center Director, that prior to Transportation and/or Field Trips, the Center is required to contact the assigned Bright from Consultant, to discuss and review all Transportation and Field Trip requirements.	and conduct field trips tion and/or Field Trips, - Aid Training, as well enter Staff participating o providing
Sleeping & Rest	ing Equipment
	9 <u> </u>
591-1-130 Safe Sleeping and Resting Requirements(CR)	Not Met
Comment During the virtual walk through, Consultant observed two (2) of two (2) cribs used for slee meet Consumer Product Safety Commission (CPSC) and American Society for Testing an International (ASTM) safety standards. Consultant also discussed all Infant Safe Sleeping requirements with Center Director. Further, Consultant discussed cot and mat disinfecting the Director on this date.	nd Materials g and Resting

Finding

591-1-1-.30(2) requires the Center to provide a safe sleep environment in accordance with American Academy of Pediatrics (AAP), Consumer Product Safety Commission (CPSC) and American Society for Testing and Materials (ASTM) recommendations as listed in these rules for all infants. Center Staff shall place an infant to sleep on the infant's back in a crib unless the Center has been provided a physician's written statement authorizing another sleep position for that particular infant that includes how the infant shall be placed to sleep and a time frame that the instructions are to be followed. When an infant can easily turn over from back to front and back again, Staff shall continue to put the infant to sleep initially on the infant's back but allow the infant to roll over into his or her preferred position and not re-position the infant. Sleepers, sleep sacks and wearable blankets that fit according to the commercial manufacturer's guidelines and will not slide up around the infant's face may be used when necessary for the comfort of the sleeping infant. Swaddling shall not be used unless the Center has been provided a physician's written statement authorizing its use for a particular infant that includes instructions and a time frame for swaddling the infant. Center Staff shall not place objects or allow objects to be placed in or on the crib with an infant such as but not limited to toys, pillows, quilts, comforters, bumper pads, sheepskins, stuffed toys, or other soft items and shall not attach objects or allow objects to be attached to a crib with a sleeping infant, such as, but not limited to, crib gyms, toys, mirrors and mobiles. It was determined based on Consultant observation during the virtual walk though that two blue blankets were present in the cribs with two sleeping one-year-old children.

	Staff Records
Records Reviewed: 4	Records with Missing/Incomplete Components: 0
Staff # 1	Met
Date of Hire: 08/10/2017	
Staff # 2 Date of Hire: 07/02/2020	Met
Date of file. 07/02/2020	

Staff Credentials Reviewed: 2

Date of Hire: 07/02/2020

Date of Hire: 07/02/2020

591-1-1-.09 Criminal Records and Comprehensive Background Checks(CR)

Met

Comment

Staff #3

Staff #4

Criminal record checks were observed to be complete.

Met

Met

591-1-1-.14 First Aid & CPR **Not Met Finding** 591-1-1-1.14(1) requires the Center Director and, at any given time, at least fifty percent (50%) of the caregiver Staff to successfully complete a biennial training program in cardiopulmonary resuscitation (CPR) and a triennial training program in first aid. The first aid training must be done by certified or licensed health care professionals or trainers and must deal with the provision of emergency care to infants and children. The Center shall maintain current evidence of the successful completion of such training which shall be available to the Department for inspection. It was determined based on review of staff files that one of six staff had the required CPR and first aid completed when at least three staff is required to have the training completed. Correction Deadline: 11/5/2020 591-1-1-.31 Staff(CR) Met Comment Additional cleaning and sanitizing requirements due to the COVID-19 pandemic were discussed and observed during a virtual walk through on this date. The program was in compliance with the Executive Order issued on May 12, 2020. Comment Discussed that all lead staff must enroll in an approved education program within 6 months of hire and complete degree within 18 months. Staffing and Supervision 591-1-1-.32 Staff: Child Ratios and Group Size(CR) Met

Comment

Center observed to maintain appropriate staff:child ratios.

591-1-1-.32 Supervision(CR)

Met

Comment

A Virtual Visit was conducted due to the COVID-19 pandemic. During the virtual walk through the center was observed to maintain adequate supervision.