

Date:	10/28/2019	VisitType:	Monitoring Visit
-------	------------	------------	------------------

Arrival: 9:10 AM

Departure: 10:10 AM

# FR-000001826 Hardy, Lori A.

2127 EASTLAND DRIVE Augusta, GA 30904 Richmond County (706) 733-6283 HardyL54@yahoo.com

# Regional Consultant Melyn Smith

Phone: (706) 855-3455 Fax: (706) 434-7640 melyn.smith@decal.ga.gov

Mailing Address 2127 EASTLAND DRIVE AUGUSTA, GA 30904

#### **Quality Rated: No**

Compliance Zone Designation		ignation	<b>Compliance Zone Designation</b> - A summary measure of a program's 12 month monitoring history, as it pertains to child care health and safety rules. The three compliance zones are good
10/28/2019	Monitoring Visit		standing, support, and deficient.
06/18/2019	Licensing Study	Good Standing	Good Standing - Program is demonstrating an acceptable level of performance in meeting the rules.
10/29/2018	Monitoring Visit	Good Standing	Support - Program performance is demonstrating a need for improvement in meeting rules.
			Deficient - Program is not demonstrating an acceptable level of performance in meeting the rules.

#### Ratios/License Capacity

Age Ranges	Children Present	Child For Pay	CAPS	Not for Pay	Provider Children
Infant (0-11 mos)	0	0	0	0	0
1 & 2 Years	0	0	0	0	0
3 & 4 Years	0	0	0	0	0
School Age(5+) Years	0	0	0	0	4
Total Under 13 Years	0	0	0	0	2
Total Under 18 Years	0			-	
Children Present: 0	Total Children: 4				
Caregivers/Helpers Present: 1	Total Caregivers/Helpers: 1				

#### **Comments**

#### Plan of Improvement: Developed This Date 10/28/2019

Any rule violation which subjects a child to injury or life-threatening situation or any rule violations previously cited but not corrected, may result in the imposition of an adverse enforcement action. Serious or continued noncompliance may also jeopardize participation in one or more DECAL program(s).

	Please refer to the website, <u>http://www.decal.ga.gov/CCS/RulesAndRegulations.aspx</u> , for information regarding October 1, 2018 rule changes about Criminal Records Checks that may affect your facility. In summary,
	<ul> <li>New records checks will be required to be completed if a staff member experiences a six month break in service from the child care industry</li> <li>New clearance is required at least once every five years</li> </ul>
100	<ul> <li>New clearance is required at least once every five years</li> <li>Any staff member solely responsible for supervising children will be required to have completed a comprehensive background clearance</li> <li>All staff members are required to have completed at least a national fingerprint based clearance check</li> <li>Any staff member with only the national fingerprint based clearance, must be under constant and direct supervision of a staff member with a satisfactory comprehensive records check clearance</li> <li>Facilities are required to use DECAL KOALA for Criminal Records Checks, including to verify portability of an employee</li> </ul>

O.C.G.A. Section 42.1.12(i)(2) requires Bright from the Start: Georgia Department of Early Care and Learning to notify licensed child care programs on accessing and retrieving from the Georgia Bureau of Investigation's (GBI) website a list of the names and addresses of all registered sexual offenders. Please see GBI's website located at http://gbi.georgia.gov to access the Georgia Sex Offender Registry.

**Refutation Process:** 

You have the right to refute any of the citations noted in this report with which you disagree. To refute a citation(s), e-mail the following information to CCSRefutations@decal.ga.gov.

1) Facility name, license number and visit date

2) Your name, title/relationship to the facility, e-mail address & up to two phone number(s) where you can be reached

3) Specific rule number(s) that you are refuting, along with your concerns or questions regarding the rule citation

Refutations must be submitted to Child Care Services (CCS) within 10 business days of the completion date.

A sample form for submitting a refutation can be found at: http://decal.ga.gov/ChildCareServices/RefutationInformation.aspx

Your refutation will be forwarded to the appropriate CCS manager, who will follow up with you about your concerns. If you have any questions about this process, contact our office at 404-657-5562.

Bright from the Start recommends that all licensed child care providers carry liability insurance coverage sufficient to protect its clients. If you do not have this liability insurance, you are required to post a notice with ½ inch letters in a conspicuous location in the program, notify the parent or guardian of each child in care in writing, obtain their signature to acknowledge receipt and maintain this written acknowledgment on file at the program at all times while the child attends the program and for 12 months after the child's last date of attendance. (O.C.G.A. Section 20-1A-4)





#### **Important New Deadlines:**

Your program must be Quality Rated by December 31, 2020 in order to continue to receive Childcare and Parent Services (CAPS).

Get started today! Sign up by completing a short online application: <u>https://qualityrated.decal.ga.gov/</u> Request free technical assistance to help you earn your star rating by contacting the Quality Rated help desk at 855-800-7747 or <u>qualityrated@decal.ga.gov</u>

Lori Hardy, Program Official

Date

Melyn Smith, Consultant

Date

Date:       10/28/2019       VisitType:       Monitoring Visit       Arrival:       9:10 AM       Departure:       10:10 AM         FR-00001826       Regional Consultant       Melyn Smith         Hardy, Lori A.       Melyn Smith         2127 EASTLAND DRIVE Augusta, GA 30904 Richmond County (706) 733-6283 HardyL54@yahoo.com       Phone: (706) 855-3455 Fax: (706) 434-7640 melyn.smith@decal.ga.gov         Maling Address 2127 EASTLAND DRIVE AUGUSTA, GA 30904       Phone: (706) 855-3455         7207 EASTLAND DRIVE AUGUSTA, GA 30904       Activities and Equipment         290-2-312 Equipment and Supplies(CR)       Met         Comment Currently the provider is not caring for infants. (This rule was not evaluated on this date)       290-2307 Swimming Pools & Water-related Activities(CR)         290-2-319 Infant-Sleeping Safety Requirements(CR)       N/A         Comment Home does not provide swimming activities.       Facility         290-2-313 Physical Plant - Safe Environment(CR)       Met         Comment No hazards observed accessible to children on this date.       290-2313 Physical Plant - Safe Environment(CR)         No hazards observed accessible to children on this date.       290-2313 Physical Plant - Safe Environment(CR)         No hazards observed accessible to children on this date.       290-2313 Physical Plant - Safe Environment(CR)         Ne to comment The Home appears clean and free from hazards.       Met <th>2 Martin L</th> <th colspan="5">Bright from the Start Georgia Department of Early Care and Learning 2 Martin Luther King Jr. Drive SE, 670 East Tower Atlanta, GA 30334 Phone: (404) 657-5562 WWW.DECAL.GA.GOV Findings Report</th>	2 Martin L	Bright from the Start Georgia Department of Early Care and Learning 2 Martin Luther King Jr. Drive SE, 670 East Tower Atlanta, GA 30334 Phone: (404) 657-5562 WWW.DECAL.GA.GOV Findings Report				
FR-000001826       Regional Consultant         Hardy, Lori A.       Melyn Smith         2127 EASTLAND DRIVE Augusta, GA 30904 Richmond County       Phone: (706) 855-3455         7076 (705) 733-6283 HardyL54@yahoo.com       Phone: (706) 855-3455         Fax: (706) 434-7640       melyn.smith@decal.ga.gov         Mailing Address       2127 EASTLAND DRIVE         AUGUSTA. GA 30904       Activities and Equipment         The following information is associated with a Monitoring Visit:       Activities and Equipment         290-2-3-12 Equipment and Supplies(CR)       Met         Comment       Toys and equipment observed to be clean and safe from hazardous conditions.         290-2-3-19 Infant-Sleeping Safety Requirements(CR)       N/A         Comment       Comment         Hore does not provide is not caring for infants. (This rule was not evaluated on this date)       290-2-3-07 Swimming Pools & Water-related Activities(CR)         290-2-3-07 Swimming Pools & Water-related Activities(CR)       N/A         Comment       Hore does not provide swimming activities.         Via Davids observed accessible to children on this date.       290-2-3-13 Physical Plant - Safe Environment(CR)         No hazards observed accessible to children on this date.       290-2-3-13 Physical Plant-Structural/Mechanical(CR)         Via Davids observed accessible to children on this date.       290-2-3-13 Physical Plant-			<b>B</b>			
Hardy, Lori A.       Melyn Smith         2127 EASTLAND DRIVE Augusta, GA 30904 Richmond County       Phone: (706) 855-3455         Fax: (706) 434-7640       melyn.smith@decal.ga.gov         Mailing Address       2127 EASTLAND DRIVE         AUGUSTA, GA 30904       Activities and Equipment         2127 EASTLAND DRIVE       Activities and Equipment         200-2-3-12 Equipment and Supplies(CR)       Met         Comment       Toys and equipment observed to be clean and safe from hazardous conditions.         290-2-3-19 Infant-Sleeping Safety Requirements(CR)       N/A         Comment       Ourrently the provider is not caring for infants. (This rule was not evaluated on this date)         290-2-3-17 Swimming Pools & Water-related Activities(CR)       N/A         Comment       N/A         Comment       Met         290-2-3-11 Physical Plant - Safe Environment(CR)       Met         Comment       N/A         Comment       N/A         Yabardo observed accessible to children on this date.       Yabardo observed accessible to children on this date.         290-2-3-13 Physical Plant-Structural/Mechanical(CR)       Met         Comment       The Home appears clean and free from hazards.         290-2-3-13 Physical Plant-Structural/Mechanical(CR)       Met         Comment       The Home appears clean	Date: 10/28/2019 VisitType: Monitoring Visit	Arrival: 9:10 AM	Departure: 10:10 AM			
2127 EASTLAND DRIVE Augusta, GA 30904 Richmond County (706) 733-6283 HardyL54@yahoo.com       Phone: (706) 855-3455 Fax: (706) 434-7640 melyn.smith@decal.ga.gov         Mailing Address 2127 EASTLAND DRIVE AUGUSTA, GA 30904       The following information is associated with a Monitoring Visit:         The following information is associated with a Monitoring Visit:       Activities and Equipment         290-2-312 Equipment and Supplies(CR)       Met         Comment Toys and equipment observed to be clean and safe from hazardous conditions.       290-2-319 Infant-Sleeping Safety Requirements(CR)       N/A         Comment Currently the provider is not caring for infants. (This rule was not evaluated on this date)       290-2-307 Swimming Pools & Water-related Activities(CR)       N/A         Comment Home does not provide swimming activities.       Facility       290-2-311 Physical Plant - Safe Environment(CR)       Met         Comment Home does not provide accessible to children on this date.       290-2-313 Physical Plant-Structural/Mechanical(CR)       Met         Comment No hazards observed accessible to children on this date.       290-2-313 Physical Plant-Structural/Mechanical(CR)       Met         Comment The Home appears clean and free from hazards.       290-2-313 Physical Plant-Structural/Mechanical(CR)       Met		-				
2127 EASTLAND DRIVE         AUGUSTA, GA 30904    The following information is associated with a Monitoring Visit:          290-2-312 Equipment and Supplies(CR)       Met         Comment       Toys and equipment observed to be clean and safe from hazardous conditions.         290-2-319 Infant-Sleeping Safety Requirements(CR)       N/A         Comment       Currently the provider is not caring for infants. (This rule was not evaluated on this date)         290-2-307 Swimming Pools & Water-related Activities(CR)       N/A         Comment       Home does not provide swimming activities.         Image: Supplement Structural/Mechanical(CR)       Met         Comment       N/A         290-2-311 Physical Plant - Safe Environment(CR)       Met         Comment       No hazards observed accessible to children on this date.         290-2-313 Physical Plant-Structural/Mechanical(CR)       Met         Comment       The Home appears clean and free from hazards.         290-2-313 Playgrounds(CR)       Met	2127 EASTLAND DRIVE Augusta, GA 30904 Richn	a, GA 30904 Richmond County Phone: (706) p.com Fax: (706) 434				
Activities and Equipment         290-2-312 Equipment and Supplies(CR)       Met         Comment       Toys and equipment observed to be clean and safe from hazardous conditions.         290-2-319 Infant-Sleeping Safety Requirements(CR)       N/A         Comment       Currently the provider is not caring for infants. (This rule was not evaluated on this date)         290-2-307 Swimming Pools & Water-related Activities(CR)       N/A         Comment       Home does not provide swimming activities.         290-2-311 Physical Plant - Safe Environment(CR)       Met         Comment       No hazards observed accessible to children on this date.         290-2-313 Physical Plant-Structural/Mechanical(CR)       Met         Comment       The Home appears clean and free from hazards.         290-2-313 Playgrounds(CR)       Met	2127 EASTLAND DRIVE					
290-2-312 Equipment and Supplies(CR)       Met         Comment       Toys and equipment observed to be clean and safe from hazardous conditions.         290-2-319 Infant-Sleeping Safety Requirements(CR)       N/A         Comment       Currently the provider is not caring for infants. (This rule was not evaluated on this date)         290-2-307 Swimming Pools & Water-related Activities(CR)       N/A         Comment       Home does not provide swimming activities.         290-2-311 Physical Plant - Safe Environment(CR)       Met         Comment       No hazards observed accessible to children on this date.         290-2-313 Physical Plant-Structural/Mechanical(CR)       Met         Comment       Met         The Home appears clean and free from hazards.       290-2-313 Playgrounds(CR)         Met       Comment         The doute area appears clean and well maintained.       Met	The following information is associated with a Mo	itoring Visit:				
Comment Toys and equipment observed to be clean and safe from hazardous conditions.       N/A         290-2-3-19 Infant-Sleeping Safety Requirements(CR)       N/A         Comment Currently the provider is not caring for infants. (This rule was not evaluated on this date)       N/A         290-2-3-07 Swimming Pools & Water-related Activities(CR)       N/A         Comment Home does not provide swimming activities.       N/A         290-2-311 Physical Plant - Safe Environment(CR)       Met         Comment No hazards observed accessible to children on this date.       290-2-313 Physical Plant-Structural/Mechanical(CR)         Met       Comment The Home appears clean and free from hazards.       Met         290-2-313 Playgrounds(CR)       Met         Comment The outside area appears clean and well maintained.       Met		Activities	s and Equipment			
Comment Toys and equipment observed to be clean and safe from hazardous conditions.       N/A         290-2-3-19 Infant-Sleeping Safety Requirements(CR)       N/A         Comment Currently the provider is not caring for infants. (This rule was not evaluated on this date)       N/A         290-2-3-07 Swimming Pools & Water-related Activities(CR)       N/A         Comment Home does not provide swimming activities.       N/A         290-2-311 Physical Plant - Safe Environment(CR)       Met         Comment No hazards observed accessible to children on this date.       290-2-313 Physical Plant-Structural/Mechanical(CR)         Met       Comment The Home appears clean and free from hazards.       Met         290-2-313 Playgrounds(CR)       Met         Comment The outside area appears clean and well maintained.       Met						
Toys and equipment observed to be clean and safe from hazardous conditions.       290-2-319 Infant-Sleeping Safety Requirements(CR)       N/A         Comment Currently the provider is not caring for infants. (This rule was not evaluated on this date)       290-2-307 Swimming Pools & Water-related Activities(CR)       N/A         Comment Home does not provide swimming activities.       N/A       N/A         290-2-311 Physical Plant - Safe Environment(CR)       Met         Comment No hazards observed accessible to children on this date.       290-2-313 Physical Plant-Structural/Mechanical(CR)         Met       Comment The Home appears clean and free from hazards.       Met         Comment The outside area appears clean and well maintained.       Met	290-2-312 Equipment and Supplies(CR)		Met			
290-2-319 Infant-Sleeping Safety Requirements(CR)       N/A         Comment       Currently the provider is not caring for infants. (This rule was not evaluated on this date)         290-2-307 Swimming Pools & Water-related Activities(CR)       N/A         Comment       Home does not provide swimming activities.         290-2-311 Physical Plant - Safe Environment(CR)       Met         Comment       No hazards observed accessible to children on this date.         290-2-313 Physical Plant-Structural/Mechanical(CR)       Met         Comment       The Home appears clean and free from hazards.         290-2-313 Playgrounds(CR)       Met		m hazardous conditions				
Currently the provider is not caring for infants. (This rule was not evaluated on this date)         290-2-307 Swimming Pools & Water-related Activities(CR)       N/A         Comment       Home does not provide swimming activities.         290-2-311 Physical Plant - Safe Environment(CR)       Met         Comment       No hazards observed accessible to children on this date.         290-2-313 Physical Plant-Structural/Mechanical(CR)       Met         Comment       Met         The Home appears clean and free from hazards.       290-2-313 Playgrounds(CR)         Zeo-2-313 Playgrounds(CR)       Met			N/A			
290-2-307 Swimming Pools & Water-related Activities(CR)       N/A         Comment       Home does not provide swimming activities.         Facility       Facility         290-2-311 Physical Plant - Safe Environment(CR)       Met         Comment       No hazards observed accessible to children on this date.         290-2-313 Physical Plant-Structural/Mechanical(CR)       Met         Comment       The Home appears clean and free from hazards.         290-2-313 Playgrounds(CR)       Met		o was not avaluated on this data				
Comment Home does not provide swimming activities.         290-2-311 Physical Plant - Safe Environment(CR)         Met         Comment No hazards observed accessible to children on this date.         290-2-313 Physical Plant-Structural/Mechanical(CR)         Met         Comment The Home appears clean and free from hazards.         290-2-313 Playgrounds(CR)         Met         Comment The outside area appears clean and well maintained.			,			
290-2-311 Physical Plant - Safe Environment(CR)       Met         Comment       No hazards observed accessible to children on this date.         290-2-313 Physical Plant-Structural/Mechanical(CR)       Met         Comment       The Home appears clean and free from hazards.         290-2-313 Playgrounds(CR)       Met	Comment					
Comment       No hazards observed accessible to children on this date.         290-2-313 Physical Plant-Structural/Mechanical(CR)       Met         Comment       The Home appears clean and free from hazards.         290-2-313 Playgrounds(CR)       Met         Comment       The outside area appears clean and well maintained.			Facility			
No hazards observed accessible to children on this date.         290-2-313 Physical Plant-Structural/Mechanical(CR)       Met         Comment The Home appears clean and free from hazards.       290-2-313 Playgrounds(CR)         290-2-313 Playgrounds(CR)       Met         Comment The outside area appears clean and well maintained.       Met	290-2-311 Physical Plant - Safe Environment(CR)		Met			
Comment         The Home appears clean and free from hazards.         290-2-313 Playgrounds(CR)         Met         Comment         The outside area appears clean and well maintained.		te.				
The Home appears clean and free from hazards.         290-2-313 Playgrounds(CR)         Comment         The outside area appears clean and well maintained.			Met			
290-2-313 Playgrounds(CR)       Met         Comment       The outside area appears clean and well maintained.						
The outside area appears clean and well maintained.			Met			
		Не	alth and Hygiene			

# 290-2-3-.11 Children's Health and Hygiene(CR)

#### Comment

There were no children enrolled on this date. Proper hand washing of children and staff was discussed with the provider on this date.

# 290-2-3-.11 Diapering Areas & Practices(CR)

#### Comment

There are no diapered children currently enrolled in the program.

# 290-2-3-.11 Medications(CR)

# Comment

Per the provider no medication is currently dispensed

#### 290-2-3-.04 Application Requirements(CR)

#### Comment

Appropriate number of children observed in Family Child Care Learning Home this date. The provider had no children present on this date.

# 290-2-3-.11 Discipline(CR)

#### Comment

Currently there are no children enrolled in the program. (This rule was not evaluated on this date)

290-2-3-.11 Transportation(CR)

#### Comment

The provider does not provide routine transportation.

Safety and Discipline

# **Staff Records**

290-2-3-.21 Criminal Records and Comprehensive Background Checks(CR)

#### Comment

Criminal records checks were observed to be complete.

N/A

# N/A

#### Met

Licensure

Met

N/A

Met

#### 290-2-3-.07 First Aid & CPR

#### Finding

Previously Cited: 290-2-3-.07(5) requires the Home to maintain for the Provider and any Provisional Employee or Employee with direct care responsibilities current evidence of successful completion of a biennial training program in cardiopulmonary resuscitation (CPR) and a triennial training program in first aid which have been offered by certified or licensed health care professionals or trainers and which dealt with emergency care for infants and children. This training must be completed prior to initial licensure for the Provider and within 90 days from date of hire for Provisional Employees and Employees. It was determined, based on review of records, that the provider was lacking current evidence of completing first aid and CPR training on this date.

290-2-3-.07(8) requires the Home to maintain for the Provider and any Provisional Employee or Employee with direct care responsibilities current evidence of successful completion of a biennial training program in cardiopulmonary resuscitation (CPR) and a triennial training program in first aid which have been offered by certified or licensed health care professionals or trainers and which dealt with emergency care for infants and children. Such training must be completed prior to initial licensure for the Provider and within 90 days from date of hire for Provisional Employees and Employees. The Provider, a Provisional Employee or Employee with current CPR and first aid training must always be on the Home's premises and on any field trip whenever any Child is present. It was determined, based on review of records, that the provider was lacking current evidence of completing fist aid and CPR training on this date.

#### POI (Plan of Improvement)

Previously Cited: The Home will obtain the required CPR and first aid training and will keep certificates, cards, or other proof of training on file. The Home will submit proof of training to the Department, if requested.

The Home will obtain the required CPR and first aid training and will keep certificates, cards, or other proof of training on file. The Home will submit proof of training to the Department, if requested. The Home will ensure that there is always a Staff person on the Home's premises and on any field trip whenever any Child is present.

#### Correction Deadline: 11/29/2019

#### Recited on 10/28/2019

290-2-3-.07 Staff Qualifications(CR)

#### Comment

Discussed staff qualifications and compliance with applicable laws and regulations.

# Staff:Child Ratios and Supervision

#### 290-2-3-.07 Staff:Child Ratios(CR)

Comment

Currently there are no children enrolled in the program. (This rule was not evaluated on this date)

290-2-3-.07 Supervision(CR)

#### Comment

Currently there are no children enrolled in the program. (This rule was not evaluated on this date)

Met

Met

Met