

Date:	9/14/2018	VisitType:	Monitoring Visit
-------	-----------	------------	------------------

Arrival: 10:35 AM De

Departure: 11:45 AM

FR-26206

Gipson, Gwendolyn R

15 BOOTH ROAD D-5 Marietta, GA 30008 Cobb County (770) 428-9298 g_gipson@bellsouth.net

Regional Consultant Alison Benson

Phone: (866) 369-6921 Fax: (866) 370-1204 alison.benson@decal.ga.gov

Mailing Address 15 BOOTH ROAD D-5 MARIETTA, GA 30008

Quality Rated: No

Compliance Zone Designation		ignation	Compliance Zone Designation - A summary measure of a program's 12 month monitoring history, as it pertains to child care health and safety rules. The three compliance zones are good			
09/14/2018	Monitoring Visit	Good Standing	standing, support, and deficient.			
04/24/2018	Monitoring Visit	Good Standing	Good Standing - Program is demonstrating an acceptable level of performance in meeting the rules.			
10/05/2017	Licensing Study	Good Standing	Support - Program performance is demonstrating a need for improvement in meeting rules.			
			Deficient - Program is not demonstrating an acceptable level of performance in meeting the rules.			

Ratios/License Capacity

Age Ranges	Children Present	Child For Pay	CAPS	Not for Pay	Provider Children
Infant (0-11 mos)	0	0	0	0	0
1 & 2 Years	1	1	0	0	0
3 & 4 Years	0	0	0	0	0
School Age(5+) Years	0	0	0	0	0
Total Under 13 Years	1	1	0	0	0
Total Under 18 Years	1			-	
Children Present: 1	Total Children: 1				
Caregivers/Helpers Present: 1	Total Caregivers/Helpers: 1				

Comments

Fingerprint letters observed.

Plan of Improvement: No Plan Developed

Any rule violation which subjects a child to injury or life-threatening situation or any rule violations previously cited but not corrected, may result in the imposition of an adverse enforcement action. Serious or continued noncompliance may also jeopardize participation in one or more DECAL program(s).

 Please refer to the website, <u>http://www.decal.ga.gov/CCS/RulesAndRegulations.aspx</u>, for information regarding October 1, 2018 rule changes about Criminal Records Checks that may affect your facility. In summary, New records checks will be required to be completed if a staff member experiences a six month break in service from the child care industry New clearance is required at least once every five years
 Any staff member solely responsible for supervising children will be required to have completed a comprehensive background clearance All staff members are required to have completed at least a national fingerprint based clearance check Any staff member with only the national fingerprint based clearance, must be under constant and direct supervision of a staff member with a satisfactory comprehensive records check clearance Facilities are required to use DECAL KOALA for Criminal Records Checks, including to verify portability of an employee

O.C.G.A. Section 42.1.12(i)(2) requires Bright from the Start: Georgia Department of Early Care and Learning to notify licensed child care programs on accessing and retrieving from the Georgia Bureau of Investigation's (GBI) website a list of the names and addresses of all registered sexual offenders. Please see GBI's website located at http://gbi.georgia.gov to access the Georgia Sex Offender Registry.

Refutation Process:

You have the right to refute any of the citations noted in this report with which you disagree. To refute a citation(s), e-mail the following information to CCSRefutations@decal.ga.gov.

1) Facility name, license number and visit date

2) Your name, title/relationship to the facility, e-mail address & up to two phone number(s) where you can be reached

3) Specific rule number(s) that you are refuting, along with your concerns or questions regarding the rule citation

Refutations must be submitted to Child Care Services (CCS) within 10 business days of the completion date.

A sample form for submitting a refutation can be found at: http://decal.ga.gov/ChildCareServices/RefutationInformation.aspx

Your refutation will be forwarded to the appropriate CCS manager, who will follow up with you about your concerns. If you have any questions about this process, contact our office at 404-657-5562.

Bright from the Start recommends that all licensed child care providers carry liability insurance coverage sufficient to protect its clients. If you do not have this liability insurance, you are required to post a notice with ½ inch letters in a conspicuous location in the program, notify the parent or guardian of each child in care in writing, obtain their signature to acknowledge receipt and maintain this written acknowledgment on file at the program at all times while the child attends the program and for 12 months after the child's last date of attendance. (O.C.G.A. Section 20-1A-4)





Important New Deadlines:

Your program must be Quality Rated by December 31, 2020 in order to continue to receive Childcare and Parent Services (CAPS).

Get started today! Sign up by completing a short online application: <u>https://qualityrated.decal.ga.gov/</u> Request free technical assistance to help you earn your star rating by contacting the Quality Rated help desk at 855-800-7747 or <u>qualityrated@decal.ga.gov</u>

Gwendolyn Gipson, Program Official

Date

Alison Benson, Consultant

Date

Pindings Report Date: 9/14/2018 VisitType: Monitoring Visit Arrival: 10:35 AM Departure: 11:45 AM FR-26206 Regional Consultant Alison Benson 15 BOOTH ROAD D-5 Marietta, GA 30008 Cobb County Phone: (866) 370-1204 15 BOOTH ROAD D-5 Marietta, GA 30008 Soboet County Phone: (866) 370-1204 alison.benson@decal.ga.gov Mailing Address 15 BOOTH ROAD D-5 MARIETTA, GA 30008 Mailing Address alison.benson@decal.ga.gov The following information is associated with a Monitoring Visit: Activities and Equipment 290-2-3-12 Equipment and Supplies(CR) Met Comment A variety of equipment and toys were observed. 290-2-3-19 Infant-Sleeping Safety Requirements(CR) Met 290-2-3-07 Swimming Pools & Water-related Activities(CR) N/A Comment Home does not provide swimming activities. Facility 290-2-3-11 Physical Plant - Safe Environment(CR) Met Comment An operable and appropriately sized fire extinguisher was observed in the home this date. 290-2-3-13 Physical Plant - Structural/Mechanical(CR) Met Comment The Home appears clean and free from hazards. Met Comment The Home app	OF CEORE	Bright from the Start Georgia Department of Early Care and Learning 2 Martin Luther King Jr. Drive SE, 670 East Tower Atlanta, GA 30334 Phone: (404) 657-5562 WWW.DECAL.GA.GOV				
FR-26206 Regional Consultant Gipson, Gwendolyn R Alison Benson 15 BOOTH ROAD D-5 Marietta, GA 30008 Cobb County Phone: (866) 369-6921 (770) 428-9298 g_gipson @bellsouth.net Fax: (866) 370-1204 alison.benson @decal.ga.gov Mailing Address 15 BOOTH ROAD D-5 Marketta 15 BOOTH ROAD D-5 Marketta 16 BOOTH ROAD D-5 Marketta 17 BOOTH ROAD D-5 Marketta 18 BOOTH ROAD D-5 Marketta 19 BOOTH ROAD D-5 Marketta 19 BOOTH ROAD D-5 Marketta 19 Dotted Participation Marketta 19 Dotted Participation Marketta 290-2-3-12 Equipment and Supplies(CR) Met Comment A variety of equipment and toys were observed. 290-2-3-19 Infant-Sleeping Safety Requirements(CR) Met Comment Comment Home does not provide swimming activities. Facility 290-2-3-11 Physical Plant - Safe Environment(CR) Met An operable and appropriately sized fire extinguisher was observed in the home this date. 290-2-3-13 Physical Plant-Structural/Mechanical(CR) 290-2-3-13 Physical Plant-Structural/Mechanical(CR) Met	1776		Findings	Report		
Gipson, Gwendolyn R Alison Benson 15 BOOTH ROAD D-5 Marietta, GA 30008 Cobb County Phone: (866) 369-6921 (770) 428-9298 g_gipson@bellsouth.net Fax: (866) 370-1204 alison.benson@decal.ga.gov If age and the second sec	Date: 9/14/2018 VisitTyp	e: Monitoring Visit	Arrival:	10:35 AM	Departure:	11:45 AM
The following information is associated with a Monitoring Visit: Phone: (866) 369-6921 Fax: (866) 370-1204 alison.benson@decal.ga.gov Mailing Address 15 BOOTH ROAD D-5 MARETTA, GA 30008 Activities and Equipment 290-2-312 Equipment and Supplies(CR) Met Comment A variety of equipment and toys were observed. 290-2-319 Infant-Sleeping Safety Requirements(CR) Met Comment Ourrently the provider is not caring for infants. (This rule was not evaluated on this date) 290-2-307 Swimming Pools & Water-related Activities(CR) N/A Comment Home does not provide swimming activities. 290-2-311 Physical Plant - Safe Environment(CR) Met Comment An operable and appropriately sized fire extinguisher was observed in the home this date. 290-2-313 Physical Plant - Safe Environment(CR) Met Comment Met An operable and appropriately sized fire extinguisher was observed in the home this date. 290-23-3-13 Physical Plant-Structural/Mechanical(CR) Met Comment Met The Home appears clean and free from hazards. 290-23-13 Physical Plant-Structural/Mechanical(CR)				-		nt
Is BOOTH ROAD D-5 MARIETTA, GA 30008 The following information is associated with a Monitoring Visit: Activities and Equipment 290-2-312 Equipment and Supplies(CR) Met Comment A variety of equipment and toys were observed. 290-2-319 Infant-Sleeping Safety Requirements(CR) Met Comment Currently the provider is not caring for infants. (This rule was not evaluated on this date) 290-2-307 Swimming Pools & Water-related Activities(CR) N/A Comment Home does not provide swimming activities. Facility 290-2-311 Physical Plant - Safe Environment(CR) Met Comment An operable and appropriately sized fire extinguisher was observed in the home this date. 290-2-313 Physical Plant-Structural/Mechanical(CR) Met The Home appears clean and free from hazards. 290-2-313 Playgrounds(CR) Met Comment The Home appears clean and well maintained. Met	15 BOOTH ROAD D-5 Marie		Phone: (866) 369-6921 Fax: (866) 370-1204			
Activities and Equipment 290-2-312 Equipment and Supplies(CR) Met Comment A variety of equipment and toys were observed. 290-2-319 Infant-Sleeping Safety Requirements(CR) Met Comment Currently the provider is not caring for infants. (This rule was not evaluated on this date) 290-2-307 Swimming Pools & Water-related Activities(CR) N/A Comment Home does not provide swimming activities. 290-2-311 Physical Plant - Safe Environment(CR) Met Comment An operable and appropriately sized fire extinguisher was observed in the home this date. 290-2-313 Physical Plant-Structural/Mechanical(CR) Met Comment The Home appears clean and free from hazards. 290-2-313 Playgrounds(CR) Met Comment The outside area appears clean and well maintained.	15 BOOTH ROAD D-5					
Activities and Equipment 290-2-312 Equipment and Supplies(CR) Met Comment A variety of equipment and toys were observed. 290-2-319 Infant-Sleeping Safety Requirements(CR) Met Comment Currently the provider is not caring for infants. (This rule was not evaluated on this date) 290-2-307 Swimming Pools & Water-related Activities(CR) N/A Comment Home does not provide swimming activities. 290-2-311 Physical Plant - Safe Environment(CR) Met Comment An operable and appropriately sized fire extinguisher was observed in the home this date. 290-2-313 Physical Plant-Structural/Mechanical(CR) Met Comment The Home appears clean and free from hazards. 290-2-313 Playgrounds(CR) Met Comment The outside area appears clean and well maintained.	The following information is	accepted with a Manitari	na Vioit.			
290-2-312 Equipment and Supplies(CR) Met Comment A variety of equipment and toys were observed. 290-2-319 Infant-Sleeping Safety Requirements(CR) Met Comment Currently the provider is not caring for infants. (This rule was not evaluated on this date) 290-2-307 Swimming Pools & Water-related Activities(CR) N/A Comment Home does not provide swimming activities. 290-2-311 Physical Plant - Safe Environment(CR) Met Comment An operable and appropriately sized fire extinguisher was observed in the home this date. 290-2-313 Physical Plant-Structural/Mechanical(CR) Met Comment The Home appears clean and free from hazards. 290-2-313 Playgrounds(CR) Met	The following information is	associated with a monitori	ng visit:	Activitie	e and Fau	inment
Comment A variety of equipment and toys were observed. Met 290-2-3-19 Infant-Sleeping Safety Requirements(CR) Met Comment Currently the provider is not caring for infants. (This rule was not evaluated on this date) 290-2-307 Swimming Pools & Water-related Activities(CR) N/A Comment Home does not provide swimming activities. N/A Facility 290-2-311 Physical Plant - Safe Environment(CR) Met Comment An operable and appropriately sized fire extinguisher was observed in the home this date. 290-2-313 Physical Plant-Structural/Mechanical(CR) Met Comment The Home appears clean and free from hazards. Met Comment The outside area appears clean and well maintained. Met				ACTIVITE	s and Equ	ipment
A variety of equipment and toys were observed. 290-2-319 Infant-Sleeping Safety Requirements(CR) Met Comment Currently the provider is not caring for infants. (This rule was not evaluated on this date) 290-2-307 Swimming Pools & Water-related Activities(CR) N/A Comment Home does not provide swimming activities. N/A 290-2-311 Physical Plant - Safe Environment(CR) Met Comment An operable and appropriately sized fire extinguisher was observed in the home this date. 290-2-313 Physical Plant-Structural/Mechanical(CR) Met Comment The Home appears clean and free from hazards. 290-2-313 Playgrounds(CR) Met	290-2-312 Equipment and S	Supplies(CR)				Met
Comment Currently the provider is not caring for infants. (This rule was not evaluated on this date) 290-2-307 Swimming Pools & Water-related Activities(CR) N/A Comment Home does not provide swimming activities. N/A 290-2-311 Physical Plant - Safe Environment(CR) Facility 290-2-311 Physical Plant - Safe Environment(CR) Met Comment An operable and appropriately sized fire extinguisher was observed in the home this date. 290-2-313 Physical Plant-Structural/Mechanical(CR) 290-2-313 Physical Plant of the from hazards. Met Comment The Home appears clean and free from hazards. Met Comment The outside area appears clean and well maintained. Met		vs were observed.				
Currently the provider is not caring for infants. (This rule was not evaluated on this date) 290-2-307 Swimming Pools & Water-related Activities(CR) N/A Comment Home does not provide swimming activities. 290-2-311 Physical Plant - Safe Environment(CR) Met Comment An operable and appropriately sized fire extinguisher was observed in the home this date. 290-2-313 Physical Plant-Structural/Mechanical(CR) Met Comment Met 200-2-313 Physical Plant and free from hazards. 290-2-313 Playgrounds(CR) Met Comment The Home appears clean and well maintained. Met	290-2-319 Infant-Sleeping S	Safety Requirements(CR)				Met
290-2-307 Swimming Pools & Water-related Activities(CR) N/A Comment Home does not provide swimming activities. Facility Facility 290-2-311 Physical Plant - Safe Environment(CR) Met Comment An operable and appropriately sized fire extinguisher was observed in the home this date. 290-2-313 Physical Plant-Structural/Mechanical(CR) Met Comment The Home appears clean and free from hazards. 290-2-313 Playgrounds(CR) Met		aring for infants. (This rule wa	is not evalua	ted on this da	te)	
Home does not provide swimming activities. Facility 290-2-311 Physical Plant - Safe Environment(CR) Met Comment An operable and appropriately sized fire extinguisher was observed in the home this date. 290-2-313 Physical Plant-Structural/Mechanical(CR) Met Comment The Home appears clean and free from hazards. 290-2-313 Playgrounds(CR) Met Comment The outside area appears clean and well maintained.		-			,	N/A
290-2-311 Physical Plant - Safe Environment(CR) Met Comment An operable and appropriately sized fire extinguisher was observed in the home this date. 290-2-313 Physical Plant-Structural/Mechanical(CR) Met Comment The Home appears clean and free from hazards. 290-2-313 Playgrounds(CR) Met		ning activities.				
Comment An operable and appropriately sized fire extinguisher was observed in the home this date. 290-2-313 Physical Plant-Structural/Mechanical(CR) Met Comment The Home appears clean and free from hazards. 290-2-313 Playgrounds(CR) Met Comment The outside area appears clean and well maintained.						Facility
Comment An operable and appropriately sized fire extinguisher was observed in the home this date. 290-2-313 Physical Plant-Structural/Mechanical(CR) Met Comment The Home appears clean and free from hazards. 290-2-313 Playgrounds(CR) Met Comment The outside area appears clean and well maintained.						
An operable and appropriately sized fire extinguisher was observed in the home this date. 290-2-313 Physical Plant-Structural/Mechanical(CR) Met Comment The Home appears clean and free from hazards. 290-2-313 Playgrounds(CR) Met Comment The outside area appears clean and well maintained.	290-2-311 Physical Plant - 3	Safe Environment(CR)				Met
290-2-313 Physical Plant-Structural/Mechanical(CR) Met Comment The Home appears clean and free from hazards. 290-2-313 Playgrounds(CR) Met Comment Met The outside area appears clean and well maintained. Met		sized fire extinguisher was o	bserved in t	ne home this o	date.	
The Home appears clean and free from hazards. 290-2-313 Playgrounds(CR) Comment The outside area appears clean and well maintained.						Met
Comment The outside area appears clean and well maintained.		free from hazards.				
The outside area appears clean and well maintained.	290-2-313 Playgrounds(CR)				Met
Health and Hygiene		an and well maintained.				
				He	ealth and H	lygiene

290-2-3-.11 Children's Health and Hygiene(CR)

Comment

Staff stated proper knowledge of diapering procedures.

290-2-3-.11 Diapering Areas & Practices(CR)

Comment

Staff stated proper knowledge of diapering procedures.

290-2-3-.11 Medications(CR)

Comment

Per provider no medication is being dispensed at this time.

290-2-3-.04 Application Requirements(CR)

Comment

Appropriate number of children observed in Family Child Care Learning Home this date.

290-2-3-.11 Discipline(CR)

Comment

Pleasant interactions observed between the provider and children in care.

290-2-3-.11 Transportation(CR)

Comment

Complete documentation of transportation observed.

290-2-3-.21 Criminal Records Check(CR)

Comment

Consultant requested to view all Criminal Record checks for employees hired after last visit. Provider stated that there have been no new hires since last visit

290-2-3-.07 Staff Qualifications(CR)

Comment

Staff observed to be compliant with applicable laws and regulations.

290-2-3-.07 Staff:Child Ratios(CR)

Comment

Appropriate ratios were observed on this date.

Staff Records

Met

Staff: Child Ratios and Supervision

Met

Met

Licensure

Safety and Discipline

Met

Met

Met

Page 2 of 3

Met

Met

Met

290-2-3-.07 Supervision(CR)

Comment

The Provider was observed directly supervising and being attentive to the needs of the children.