



Bright from the Start Georgia Department of Early Care and Learning
2 Martin Luther King Jr. Drive SE, 670 East Tower
Atlanta, GA 30334
Phone: (404) 657-5562 WWW.DECAL.GA.GOV

Findings Report

Date: 3/12/2019 **VisitType:** Licensing Study **Arrival:** 9:15 AM **Departure:** 10:25 AM

FR-27097

Jacobs, Gwendolyn M

1233 WEST 49TH STREET Savannah, GA 31405 Chatham County
(912) 695-0339 jacobsllidreamers@att.net

Mailing Address

1233 W 49TH ST
SAVANNAH, GA 31405

Regional Consultant

Kesha McNeal

Phone: (866) 359-1672

Fax: (866) 359-7490

kesha.mcneal@dec.al.ga.gov

Joint with: Angelette Anderson

The following information is associated with a Licensing Study:

Activities and Equipment

290-2-3-.12 Equipment and Supplies(CR)

Met

Comment

A variety of equipment and toys were observed.

Comment

Toys and equipment observed to be clean and safe from hazardous conditions.

290-2-3-.19 Infant-Sleeping Safety Requirements(CR)

Met

Comment

Currently there are no children enrolled in the program. (This rule was not evaluated on this date)

Comment

There were no children present during the time of the inspection. (This rule was not evaluated on this date)

290-2-3-.07 Swimming Pools & Water-related Activities(CR)

Met

Comment

Home does not provide swimming activities.

Comment

There is no pool on the property

Facility

290-2-3-.11 Physical Plant - Safe Environment(CR)

Met

Comment

No hazards observed accessible to children on this date.

Comment

An operable and appropriately sized fire extinguisher was observed in the home this date.

Comment

Operable smoke detector(s) were observed as required in the home this date.

290-2-3-.13 Physical Plant-Structural/Mechanical(CR)**Met****Comment**

The Home appears clean and free from hazards.

290-2-3-.13 Playgrounds(CR)**Technical Assistance****Technical Assistance**

290-2-3-.13(2)(a) - Please ensure that the outdoor play is kept clean and free of hazards such as exposed sharp corners of concrete or equipment, rust and splinters on equipment, broken glass, open drainage ditches, holes and stagnant water. On this date the consultant observed a hole located in the back of the playground causing a potential fall hazard. Additionally there was tree roots that were exposed causing a tripping hazard.

Correction Deadline: 3/22/2019**Technical Assistance**

290-2-3-.13(2)(d) - Please ensure that the outside play areas be protected from traffic or other hazards by fencing or other barriers at least four feet in height and approved by the Department. Fencing material shall not present a hazard to children. A fence shall be provided around swimming pools to make them inaccessible when not in use. On this date there was a section of fencing on the back right side of the play area that was not fully enclosed due to a tree being cut down.

Correction Deadline: 3/12/2019

Health and Hygiene

290-2-3-.11 Children's Health and Hygiene(CR)**Met****Comment**

There were no children enrolled on this date. Proper hand washing of children and staff was discussed with the provider on this date.

290-2-3-.11 Diapering Areas & Practices(CR)**Met****Comment**

Currently there are no children enrolled in the program. (This rule was not evaluated on this date)

Comment

There were no children present during the time of the inspection. (This rule was not evaluated on this date)

290-2-3-.11 Medications(CR)**Met****Comment**

Currently there are no children enrolled in the program. (This rule was not evaluated on this date)

Licensure

290-2-3-.04 Application Requirements(CR)**Met****Comment**

Application requirements reviewed with the Provider on this date.

Safety and Discipline

290-2-3-.11 Animals**Met****Comment**

The Family Child Care Learning Home does not keep animals on premises.

290-2-3-.11 Discipline(CR)**Met****Comment**

Currently there are no children enrolled in the program. (This rule was not evaluated on this date)

Comment

There were no children present during the time of the inspection. (This rule was not evaluated on this date)

290-2-3-.11 First Aid Kit**Met****Comment**

Complete first aid kit observed in the Family Child Care Learning Home

Comment

Please replace expired item(s) in first aid kit(s).

290-2-3-.11 Transportation(CR)**Met****Comment**

Currently there are no children enrolled in the program. (This rule was not evaluated on this date)

Comment

There were no children present during the time of the inspection. (This rule was not evaluated on this date)

Staff Records

290-2-3-.21 Criminal Records and Comprehensive Background Checks(CR)**Met****Comment**

Consultant requested to view all Criminal Record checks for employees hired after last visit. Provider stated that there have been no new hires since last visit

Comment

Criminal records checks were observed to be complete.

290-2-3-.07 First Aid & CPR**Met****Comment**

Evidence observed that the provider was certified in First Aid and CPR.

290-2-3-.07 Staff Qualifications(CR)**Met****Comment**

Staff observed to be compliant with applicable laws and regulations.

290-2-3-.07 Staff Training**Not Met****Finding**

290-2-3-.07(6) requires the Home to maintain for the Provider and any Provisional Employee or Employee, current evidence of successful completion of ten (10) clock hours of diverse training which is related to the care of children and which is offered by an accredited college, university or vocational program or other Department approved source annually. The annual ten (10) clock hours of training shall be chosen from the following fields: child development, including discipline, guidance, nutrition, injury control and safety; health, including sanitation, disease control, cleanliness, detection and disposition of illness; child abuse and neglect, including identification and reporting, and meeting the needs of abused and/or neglected children; and business related topics, including parental communication, record keeping, etc.; provided however that such business related training shall be limited to no more than two (2) of the required ten (10) clock hours of training. Records of completion of such training programs shall be maintained in the Home by the Provider, as required by these rules. It was determined based on the consultant's review that the provider only had four hours of annual training for 2018.

POI (Plan of Improvement)

The Home will obtain the required annual training and will keep certificates, cards, or other proof of training on file. The Home will submit proof of training to the Department, if requested.

Correction Deadline: 4/11/2019

Staff:Child Ratios and Supervision

290-2-3-.07 Staff:Child Ratios(CR) **Met**

Comment

Currently there are no children enrolled in the program. (This rule was not evaluated on this date)

Comment

There were no children present during the time of the inspection. (This rule was not evaluated on this date)

290-2-3-.07 Supervision(CR) **Met**

Comment

Currently there are no children enrolled in the program. (This rule was not evaluated on this date)

Comment

There were no children present during the time of the inspection. (This rule was not evaluated on this date)