

Bright from the Start Georgia Department of Early Care and Learning 2 Martin Luther King Jr. Drive SE, 670 East Tower Atlanta, GA 30334

Phone: (404) 657-5562 WWW.DECAL.GA.GOV

Date: 11/18/2020 VisitType: Monitoring Visit Arrival: 1:00 PM Departure: 2:00 PM

FR-51163 Regional Consultant

Bailey, Daphne L

7727 Stone Meadow Trail Lithonia, GA 30058 DeKalb County (770) 557-0651 ittybittychildcareservices@gmail.com

Phone: (770) 357-7020 Fax: (770) 357-7019

Roslyn Williams

roslyn.williams@decal.ga.gov

Mailing Address Same





Compliance Zone Designation				
11/18/2020	Monitoring Visit	Good Standing		
05/14/2020	Licensing Study	Good Standing		
10/22/2019	Monitoring Visit	Good Standing		

Compliance Zone Designation - A summary measure of a program's 12 month monitoring history, as it pertains to child care health and safety rules. The three compliance zones are good standing, support, and deficient.

Good Standing - Program is demonstrating an acceptable level of performance in meeting the rules.

Support - Program

- Program performance is demonstrating a need for improvement in meeting

Deficient - Pro

 Program is not demonstrating an acceptable level of performance in meeting the rules.

Ratios/License Capacity

Age Ranges	Children Present	Child For Pay	CAPS	Not for Pay	Provider Children
Infant (0-11 mos)	1	2	0	0	0
1 & 2 Years	1	2	0	0	0
3 & 4 Years	1	1	0	0	0
School Age(5+) Years	0	0	0	0	0
Total Under 13 Years	3	5	0	0	0
Total Under 18 Years	3		_	-	

Children Present: 3 Total Children: 5

Caregivers/Helpers Present: 1 Total Caregivers/Helpers: 1

Comments

Virtual Visit completed.

Plan of Improvement: No Plan Developed

Any rule violation which subjects a child to injury or life-threatening situation or any rule violations previously cited but not corrected, may result in the imposition of an adverse enforcement action. Serious or continued noncompliance may also jeopardize participation in one or more DECAL program(s).

Georgia Department of Early Care and Learning

Revision #0

Revision Date: 11/18/2020 1:49:39 PM



Please refer to the website, http://www.decal.ga.gov/CCS/RulesAndRegulations.aspx, for information regarding October 1, 2018 rule changes about Criminal Records Checks that may affect your facility. In summary,

- New records checks will be required to be completed if a staff member experiences a six month break in service from the child care industry
- New clearance is required at least once every five years
- Any staff member solely responsible for supervising children will be required to have completed a comprehensive background clearance
- All staff members are required to have completed at least a national fingerprint based clearance check
- Any staff member with only the national fingerprint based clearance, must be under constant and direct supervision of a staff member with a satisfactory comprehensive records check clearance
- Facilities are required to use DECAL KOALA for Criminal Records Checks, including to verify portability of an employee

O.C.G.A. Section 42.1.12(i)(2) requires Bright from the Start: Georgia Department of Early Care and Learning to notify licensed child care programs on accessing and retrieving from the Georgia Bureau of Investigation's (GBI) website a list of the names and addresses of all registered sexual offenders. Please see GBI's website located at http://gbi.georgia.gov to access the Georgia Sex Offender Registry.

Refutation Process:

You have the right to refute any of the citations noted in this report with which you disagree. To refute a citation(s), e-mail the following information to CCSRefutations@decal.ga.gov.

- 1) Facility name, license number and visit date
- 2) Your name, title/relationship to the facility, e-mail address & up to two phone number(s) where you can be reached
- 3) Specific rule number(s) that you are refuting, along with your concerns or questions regarding the rule citation

Refutations must be submitted to Child Care Services (CCS) within 10 business days of the completion date.

A sample form for submitting a refutation can be found at: http://decal.ga.gov/ChildCareServices/RefutationInformation.aspx

Your refutation will be forwarded to the appropriate CCS manager, who will follow up with you about your concerns. If you have any questions about this process, contact our office at 404-657-5562.

Bright from the Start recommends that all licensed child care providers carry liability insurance coverage sufficient to protect its clients. If you do not have this liability insurance, you are required to post a notice with ½ inch letters in a conspicuous location in the program, notify the parent or guardian of each child in care in writing, obtain their signature to acknowledge receipt and maintain this written acknowledgment on file at the program at all times while the child attends the program and for 12 months after the child's last date of attendance. (O.C.G.A. Section 20-1A-4)





Important New Deadlines:

Your program must be Quality Rated by December 31, 2020 in order to continue to receive Childcare and Parent Services (CAPS).

Get started today! Sign up by completing a short online application: https://qualityrated.decal.ga.gov/ Request free technical assistance to help you earn your star rating by contacting the Quality Rated help desk at 855-800-7747 or qualityrated@decal.ga.gov

Daphne Bailey, Program Official	Date	Roslyn Williams, Consultant	Date

Georgia Department of Early Care and Learning

Revision #0

Revision Date: 11/18/2020 1:49:39 PM

Page 2 of 2



Bright from the Start Georgia Department of Early Care and Learning 2 Martin Luther King Jr. Drive SE, 670 East Tower Atlanta, GA 30334

Phone: (404) 657-5562 WWW.DECAL.GA.GOV

Findings Report

Arrival: 1:00 PM **Date:** 11/18/2020 VisitType: Monitoring Visit Departure: 2:00 PM

FR-51163

Bailey, Daphne L

7727 Stone Meadow Trail Lithonia, GA 30058 DeKalb County (770) 557-0651 ittybittychildcareservices@gmail.com

Mailing Address

Same

Regional Consultant

Roslyn Williams

Phone: (770) 357-7020 Fax: (770) 357-7019

roslyn.williams@decal.ga.gov

The following information is associated with a Monitoring Visit:

A variety of equipment and toys were observed. 290-2-319 Infant-Sleeping Safety Requirements(CR) Comment Pleasant naptime environment observed. 290-2-307 Swimming Pools & Water-related Activities(CR) Comment There is no pool on the property Facility 290-2-311 Physical Plant - Safe Environment(CR) Comment An operable and appropriately sized fire extinguisher was observed in the home this date. 290-2-313 Physical Plant-Structural/Mechanical(CR) Me Comment The Home appears clean and free from hazards.		Activities and Equipment
Comment A variety of equipment and toys were observed. 290-2-319 Infant-Sleeping Safety Requirements(CR) Comment Pleasant naptime environment observed. 290-2-307 Swimming Pools & Water-related Activities(CR) Comment There is no pool on the property Facility 290-2-311 Physical Plant - Safe Environment(CR) Comment An operable and appropriately sized fire extinguisher was observed in the home this date. 290-2-313 Physical Plant-Structural/Mechanical(CR) Comment The Home appears clean and free from hazards. 290-2-313 Playgrounds(CR) Metalogy	200.2.2.42 Environment and Symplica (CD)	NA ex
A variety of equipment and toys were observed. 290-2-319 Infant-Sleeping Safety Requirements(CR) Comment Pleasant naptime environment observed. 290-2-307 Swimming Pools & Water-related Activities(CR) Comment There is no pool on the property Facility 290-2-311 Physical Plant - Safe Environment(CR) Comment An operable and appropriately sized fire extinguisher was observed in the home this date. 290-2-313 Physical Plant-Structural/Mechanical(CR) Me Comment The Home appears clean and free from hazards.	290-2-312 Equipment and Supplies(CR)	Met
290-2-319 Infant-Sleeping Safety Requirements(CR) Comment Pleasant naptime environment observed. 290-2-307 Swimming Pools & Water-related Activities(CR) Comment There is no pool on the property Facility 290-2-311 Physical Plant - Safe Environment(CR) Comment An operable and appropriately sized fire extinguisher was observed in the home this date. 290-2-313 Physical Plant-Structural/Mechanical(CR) Comment The Home appears clean and free from hazards.	Comment	
Comment Pleasant naptime environment observed. 290-2-307 Swimming Pools & Water-related Activities(CR) Comment There is no pool on the property Facility 290-2-311 Physical Plant - Safe Environment(CR) Comment An operable and appropriately sized fire extinguisher was observed in the home this date. 290-2-313 Physical Plant-Structural/Mechanical(CR) Comment The Home appears clean and free from hazards. 290-2-313 Playgrounds(CR) Methods Method	A variety of equipment and toys were observed.	
Pleasant naptime environment observed. 290-2-307 Swimming Pools & Water-related Activities(CR) Comment There is no pool on the property Facility 290-2-311 Physical Plant - Safe Environment(CR) Comment An operable and appropriately sized fire extinguisher was observed in the home this date. 290-2-313 Physical Plant-Structural/Mechanical(CR) Comment The Home appears clean and free from hazards. 290-2-313 Playgrounds(CR) Method	290-2-319 Infant-Sleeping Safety Requirements(CR)	Met
290-2-307 Swimming Pools & Water-related Activities(CR) Comment There is no pool on the property Facility 290-2-311 Physical Plant - Safe Environment(CR) Comment An operable and appropriately sized fire extinguisher was observed in the home this date. 290-2-313 Physical Plant-Structural/Mechanical(CR) Comment The Home appears clean and free from hazards. 290-2-313 Playgrounds(CR) Means Me	Comment	
Comment There is no pool on the property Facility 290-2-311 Physical Plant - Safe Environment(CR) Comment An operable and appropriately sized fire extinguisher was observed in the home this date. 290-2-313 Physical Plant-Structural/Mechanical(CR) Comment The Home appears clean and free from hazards. 290-2-313 Playgrounds(CR) Means Means	Pleasant naptime environment observed.	
There is no pool on the property Facility 290-2-311 Physical Plant - Safe Environment(CR) Comment An operable and appropriately sized fire extinguisher was observed in the home this date. 290-2-313 Physical Plant-Structural/Mechanical(CR) Comment The Home appears clean and free from hazards. 290-2-313 Playgrounds(CR) Means	290-2-307 Swimming Pools & Water-related Activities(CR)	Met
Facility 290-2-311 Physical Plant - Safe Environment(CR) Comment An operable and appropriately sized fire extinguisher was observed in the home this date. 290-2-313 Physical Plant-Structural/Mechanical(CR) Comment The Home appears clean and free from hazards. 290-2-313 Playgrounds(CR) Methods Me	Comment	
290-2-311 Physical Plant - Safe Environment(CR) Comment An operable and appropriately sized fire extinguisher was observed in the home this date. 290-2-313 Physical Plant-Structural/Mechanical(CR) Comment The Home appears clean and free from hazards. 290-2-313 Playgrounds(CR) Me	There is no pool on the property	
Comment An operable and appropriately sized fire extinguisher was observed in the home this date. 290-2-313 Physical Plant-Structural/Mechanical(CR) Comment The Home appears clean and free from hazards. 290-2-313 Playgrounds(CR) Me		Facility
Comment An operable and appropriately sized fire extinguisher was observed in the home this date. 290-2-313 Physical Plant-Structural/Mechanical(CR) Comment The Home appears clean and free from hazards. 290-2-313 Playgrounds(CR) Me		
An operable and appropriately sized fire extinguisher was observed in the home this date. 290-2-313 Physical Plant-Structural/Mechanical(CR) Comment The Home appears clean and free from hazards. 290-2-313 Playgrounds(CR)	290-2-311 Physical Plant - Safe Environment(CR)	Met
290-2-313 Physical Plant-Structural/Mechanical(CR) Comment The Home appears clean and free from hazards. 290-2-313 Playgrounds(CR) Me	Comment	
Comment The Home appears clean and free from hazards. 290-2-313 Playgrounds(CR) Me	An operable and appropriately sized fire extinguisher was observed i	n the home this date.
The Home appears clean and free from hazards. 290-2-313 Playgrounds(CR) Me	290-2-313 Physical Plant-Structural/Mechanical(CR)	Met
290-2-313 Playgrounds(CR)	Comment	
	The Home appears clean and free from hazards.	
	290-2-313 Playgrounds(CR)	Met
Comment	Comment	
The outside area appears clean and well maintained.	The outside area appears clean and well maintained.	
Health and Hygien		Health and Hygiene

Met 290-2-3-.11 Children's Health and Hygiene(CR) Comment Staff state proper knowledge of hand washing and hygiene procedures. 290-2-3-.11 Diapering Areas & Practices(CR) Met Comment Staff state proper knowledge of diapering procedures. 290-2-3-.11 Medications(CR) Met Comment Per the provider no medication is currently dispensed Licensure 290-2-3-.04 Application Requirements(CR) Met Comment Appropriate number of children observed in Family Child Care Learning Home this date. Safety and Discipline Met 290-2-3-.11 Discipline(CR) Comment Pleasant interactions observed between the provider and children in care. Met 290-2-3-.11 Transportation(CR) Comment The provider does not provide routine transportation. **Staff Records** 290-2-3-.21 Criminal Records and Comprehensive Background Checks(CR) Met Comment Criminal records checks were observed to be complete. 290-2-3-.07 Staff Qualifications(CR) Met Comment Staff observed to be compliant with applicable laws and COVID 19 regulations. **Staff: Child Ratios and Supervision** 290-2-3-.07 Staff:Child Ratios(CR) Met Comment Appropriate ratios were observed on this date. 290-2-3-.07 Supervision(CR) Met Comment

The Provider was observed directly supervising and being attentive to the needs of the children.