

Bright from the Start Georgia Department of Early Care and Learning 2 Martin Luther King Jr. Drive SE, 670 East Tower Atlanta, GA 30334

Phone: (404) 657-5562 WWW.DECAL.GA.GOV

Cover Sheet

Arrival: 10:15 AM **Date:** 8/8/2022 Departure: 12:45 PM VisitType: Monitoring Visit

CCLC-3512

Second Baptist Church Childcare

301 Tomberlin Road Waycross, GA 31503 Ware County (912) 283-0436 secondbaptistdaycare@gmail.com

Support

Good Standing

Good Standing

Mailing Address

Same



08/08/2022

03/14/2022

07/19/2021



Compliance Zone Designation

Monitoring Visit

Licensing Study

Monitoring Visit

Compliance Zone Designation - A summary measure of a program's 12 month monitoring	

history, as it pertains to child care health and safety rules. The three compliance zones are good standing, support, and deficient. Good Standing - Program is demonstrating an acceptable level of performance in meeting

the rules. Support Program performance is demonstrating a need for improvement in meeting

Deficient Program is not demonstrating an acceptable level of performance in meeting

the rules.

Regional Consultant

Phone: (912) 544-9701

connie.boatright@decal.ga.gov

Fax: (912) 544-9700

Connie Boatright

Ratios/License Capacity

Building	Room	Age Group	Staff	Children	NC/C	Max 35 SF.	35 SF. Comp.	Max 25 SF.	25 SF. Comp.	Notes
Main	A/106	Two Year Olds	2	9	С	15	С	NA	NA	Snack,Transitioni ng,Nap
Main	B/104	Infants and One Year Olds	2	9	С	16	С	NA	NA	Snack,Transitioni ng,Nap
Main	C/101	Infants	2	6	С	16	С	NA	NA	Centers,Nap
Main	D/105		0	0	С	18	С	NA	NA	Not In Use
Main	E/103	Two Year Olds	2	11	С	15	С	NA	NA	Lunch,Nap,Trans itioning
Main	F/102	One Year Olds	2	7	С	16	С	NA	NA	Nap,Lunch,Trans itioning
Main	G/202	Three Year Olds	1	6	С	18	С	NA	NA	Lunch,Transitioni ng,Nap
Main	1/204		0	0	С	15	С	NA	NA	Not In Use
Main	K-10-12 yrs	Two Year Olds and Three Year Olds	2	3	С	26	С	NA	NA	Lunch,Nap,Trans itioning
Main	L-4-5 yrs	Four Year Olds	1	13	С	25	С	29	С	Lunch,Transitioni ng,Nap
Main	M-6-10 yrs		0	0	С	50	С	57	С	Not In Use

Total Capacity @35 sq. ft.: 230

Total Capacity @25 sq.

ft.: 241

Building	Playground	Playground Occupancy	Playground Compliance
Main	Plygrd #5	17	С
Main	Plygrd-1	87	С
Main	Plygrd-2	50	С
Main	Plygrd-3	15	С
Main	plygrd-4-2's	17	С
Main	plygrd-sch age	32	С

Comments

An inperson Monitoring Visit was completed on this day. The center director stated no medication is administered, no field trips are provided. Routine transportation is provided. Transportation was not observed on this day. The administrative review was completed on 08-16-2022 and a copy was emailed to the provider.

Plan of Improvement: To Be Submitted

Any rule violation which subjects a child to injury or life-threatening situation or any rule violations previously cited but not corrected, may result in the imposition of an adverse enforcement action. Serious or continued noncompliance may also jeopardize participation in one or more DECAL program(s).



Please refer to the website, http://www.decal.ga.gov/CCS/RulesAndRegulations.aspx, for information regarding October 1, 2018 rule changes about Criminal Records Checks that may affect your facility. In summary,

- New records checks will be required to be completed if a staff member experiences a six month break in service from the child care industry
- New clearance is required at least once every five years
- Any staff member solely responsible for supervising children will be required to have completed a comprehensive background clearance
- All staff members are required to have completed at least a national fingerprint based clearance check
- Any staff member with only the national fingerprint based clearance, must be under constant and direct supervision of a staff member with a satisfactory comprehensive records check clearance
- Facilities are required to use DECAL KOALA for Criminal Records Checks, including to verify portability of an employee





Important Quality Rated/CAPS Update:

As January 1, 2022, child care providers must be Quality Rated to receive Childcare and Parent Services (CAPS). Newly licensed, or new to CAPS providers may be eligible for the new CAPS/QR Provisional Status, allowing for scholarships while working toward a star rating.

Contact the Quality Rated help desk a1 855-800-7747 or qualityrated@decal.ga.gov for more information. Free techincal assistance is available!

O.C.G.A. Section 42.1.12(i)(2) requires Bright from the Start: Georgia Department of Early Care and Learning to notify licensed child care programs on accessing and retrieving from the Georgia Bureau of Investigation's (GBI) website a list of the names and addresses of all registered sexual offenders. Please see GBI's website located at http://gbi.georgia.gov to access the Georgia Sex Offender Registry.

Refutation Process:								
You have the right to refute any of the citations noted in this re	eport with which y	ou disagree. To refute a citation(s), do the following:						
1) Log into DECAL KOALA www.decalkoala.com with the userid for your program 2) On the home page scroll down to the Inspection Reports and select 'Refute Citation' for the visit report in dispute 3) Select the specific rule number(s) that you are refuting, add the reason for disagreement regarding the rule citation, and upload supporting documentation 4) Submit the refutation in DECAL KOALA to Child Care Services (CCS) within 10 business days of the completion date. Your refutation will be forwarded to the appropriate CCS manager, who will follow up with you about your concerns. If you have any questions								
about this process, contact our office at 404-657-5562.'	lager, who will folk	w up with you about your concerns. If you have any question	13					
do not have this liability insurance, you are required to post parent or guardian of each child in care in writing, obtain th	t a notice with ½ in neir signature to ac	liability insurance coverage sufficient to protect its clients. If you letters in a conspicuous location in the program, notify the knowledge receipt and maintain this written acknowledgmen months after the child's last date of attendance. (O.C.G.A. S	e t on					
Kathi Boyette, Program Official	Date	Connie Boatright, Consultant	Date					
You have the right to refute any of the citations noted in this real. 1) Log into DECAL KOALA www.decalkoala.com with the use 2) On the home page scroll down to the Inspection Reports at 3) Select the specific rule number(s) that you are refuting, add documentation 4) Submit the refutation in DECAL KOALA to Child Care Serv Your refutation will be forwarded to the appropriate CCS manabout this process, contact our office at 404-657-5562. Bright from the Start recommends that all licensed child card on thave this liability insurance, you are required to post parent or guardian of each child in care in writing, obtain the file at the program at all times while the child attends the precious contents.	erid for your progrand select 'Refute (d the reason for divices (CCS) within larger, who will follow the providers carry that a notice with ½ in leir signature to acorgram and for 12	Citation' for the visit report in dispute sagreement regarding the rule citation, and upload supporting 10 business days of the completion date. Sow up with you about your concerns. If you have any question is upon the protect its clients. If you have any question is conspicuous location in the program, notify the knowledge receipt and maintain this written acknowledgment months after the child's last date of attendance. (O.C.G.A. S.)	you et on					



Bright from the Start Georgia Department of Early Care and Learning 2 Martin Luther King Jr. Drive SE, 670 East Tower Atlanta, GA 30334

Phone: (404) 657-5562 WWW.DECAL.GA.GOV

Findings Report

Date: 8/8/2022 VisitType: Monitoring Visit Arrival: 10:15 AM Departure: 12:45 PM

CCLC-3512

Second Baptist Church Childcare

301 Tomberlin Road Waycross, GA 31503 Ware County (912) 283-0436 secondbaptistdaycare@gmail.com

Mailing Address

Same

Regional Consultant

Connie Boatright

Phone: (912) 544-9701 Fax: (912) 544-9700

connie.boatright@decal.ga.gov

The following information is associated with a Monitoring Visit:

Activities and Equipment

591-1-1-.03 Activities Technical Assistance

Comment

The consultant observed a variety of age appropriate activities through out the center.

Correction Deadline: 8/8/2022

Technical Assistance

591-1-1-.03(2) - The center staff and director will ensure that all lesson plans are up to date.

Correction Deadline: 8/8/2022

591-1-1-.12 Equipment & Toys(CR)

Not Met

Finding

591-1-1-.12(4) requires that equipment and furniture is secured if it is of a weight or mass that could cause injury from tipping, falling, or being pulled or pushed over. It was determined based on observation and measurements that the following furniture was not secured and present as a tipping hazard to the children in care:

- ---Three bookshelves measured 9.5 inches x 4.8 inches, three bookshelves measured 12 inches x 48 inches, and one bookshelf measured 5 feet by 1.5 inches were located in classroom A-106 and not secured causing a potential tipping hazard.
- ---Three bookshelves measured 12 inches by 48 inches were located in classroom B-104 and not secured causing a potential tipping hazard.

Correction Deadline: 8/29/2022		

Georgia Department of Early Care and Learning

Revision #5 Revision Date: 9/28/2022 7:52:25 AM

О.	ecite			010	10	222
ĸ	acite	an (on.	אוא	1//	122

591-1-1-.35 Swimming Pools & Water-related Activities(CR)

Met

Comment

Center does not provide swimming activities.

Facility

591-1-1-.06 Bathrooms

Met

Correction Deadline: 4/14/2022

Corrected on 8/8/2022

.06(7) - The previous citation is observed to be corrected.

591-1-1-.19 License Capacity(CR)

Met

Comment

Licensed capacity observed to be routinely met by center.

591-1-1-.25 Physical Plant - Safe Environment(CR)

Not Met

Finding

591-1-1-.25(13) requires that potentially hazardous equipment, materials and supplies be stored in a locked area inaccessible to children. It was determined based on observation that the following hazardous items were accessible to the children in care:

- --A toilet plunger was observed to be stored in the bathroom and accessible to the children in classroom 202.
- --- A mop was observed to be stored in the classroom and accessible to the children in classroom 202.
- ---Plastic bags were being stored in a cabinet with no safety latch and accessible to the children in classroom 202.

Correction Deadline: 8/29/2022

Recited on 8/8/2022

Finding

591-1-1-.25(3) requires the Center and surrounding premises to be kept clean, free of debris and in good repair. Hygienic measures such as, but not limited to, screened windows and proper waste disposal procedures shall be utilized to minimize the presence of rodents, flies, roaches and other vermin at the Center. It was determined based on observation and measurements that the following items were in need of repair:

- ---Classroom G had seven grey book shelves that were chipping paint.
- ---Three of three bookshelves located in classroom B-104 were chipping paint.
- --- The left toilet in classroom G-102 had a broken toilet flusher.
- ---Classroom B-104 had two of two classroom doors that were chipping paint, and the diaper changing table right leg had a one inch x a three inch splintering area, and three grey shelves were chipping paint.
- ---Classroom E-103 walls and chalk board were chipping paint.
- --- Classroom F-102 one 12 x 48 inch book shelf was chipping paint.
- --- Classroom K had two protruding bolts behind the toilet.
- ---Classroom L had two grey shelves that were chipping paint.

Correction Deadline: 8/29/2022
Recited on 8/8/2022
Correction Deadline: 3/14/2022
Corrected on 8/8/2022
.25(8) - The previous citation was observed to be corrected.
591-1-126 Playgrounds(CR) Not Met
pr. 11
Finding 591-1-126(4) requires that playgrounds be protected from traffic or other hazards by a (4) four foot high fence or other barrier approved by this Department. Fencing material shall not present a hazard to children and shall be maintained so as to prevent children from leaving the playground area by any means other than through an approved access route. Fence gates shall be kept closed except when persons are entering or exiting the area. It was determined based on observation and measurements that the fencing had the following measurements on some parts of the fencingPlayground fencing 1 measured 40 inches in height where 48 inches are requiredPlayground fencing 2 measured 40 - 47 inches in height where 48 inches are required and 57 inches of fencing were loosePlayground fencing 3 measured 40 to 46 inches in height where 48 inches are requiredPlayground fencing 4 measured 40 inches in height where 48 inches are required.
591-1-126(4) requires that playgrounds be protected from traffic or other hazards by a (4) four foot high fence or other barrier approved by this Department. Fencing material shall not present a hazard to children and shall be maintained so as to prevent children from leaving the playground area by any means other than through an approved access route. Fence gates shall be kept closed except when persons are entering or exiting the area. It was determined based on observation and measurements that the fencing had the following measurements on some parts of the fencingPlayground fencing 1 measured 40 inches in height where 48 inches are requiredPlayground fencing 2 measured 40 - 47 inches in height where 48 inches are required and 57 inches of fencing were loosePlayground fencing 3 measured 40 to 46 inches in height where 48 inches are requiredPlayground fencing 4 measured 40 inches in height where 48 inches are required.
591-1-1-26(4) requires that playgrounds be protected from traffic or other hazards by a (4) four foot high fence or other barrier approved by this Department. Fencing material shall not present a hazard to children and shall be maintained so as to prevent children from leaving the playground area by any means other than through an approved access route. Fence gates shall be kept closed except when persons are entering or exiting the area. It was determined based on observation and measurements that the fencing had the following measurements on some parts of the fencingPlayground fencing 1 measured 40 inches in height where 48 inches are requiredPlayground fencing 2 measured 40 - 47 inches in height where 48 inches are required and 57 inches of fencing were loosePlayground fencing 3 measured 40 to 46 inches in height where 48 inches are requiredPlayground fencing 4 measured 40 inches in height where 48 inches are required.
591-1-126(4) requires that playgrounds be protected from traffic or other hazards by a (4) four foot high fence or other barrier approved by this Department. Fencing material shall not present a hazard to children and shall be maintained so as to prevent children from leaving the playground area by any means other than through an approved access route. Fence gates shall be kept closed except when persons are entering or exiting the area. It was determined based on observation and measurements that the fencing had the following measurements on some parts of the fencing. Playground fencing 1 measured 40 inches in height where 48 inches are required. Playground fencing 2 measured 40 - 47 inches in height where 48 inches are required and 57 inches of fencing were loose.
591-1-126(4) requires that playgrounds be protected from traffic or other hazards by a (4) four foot high fence or other barrier approved by this Department. Fencing material shall not present a hazard to children and shall be maintained so as to prevent children from leaving the playground area by any means other than through an approved access route. Fence gates shall be kept closed except when persons are entering or exiting the area. It was determined based on observation and measurements that the fencing had the following measurements on some parts of the fencing. Playground fencing 1 measured 40 inches in height where 48 inches are required. Playground fencing 2 measured 40 - 47 inches in height where 48 inches are required and 57 inches of fencing were loose. Playground fencing 3 measured 40 to 46 inches in height where 48 inches are required. Playground fencing 4 measured 40 inches in height where 48 inches are required.
591-1-126(4) requires that playgrounds be protected from traffic or other hazards by a (4) four foot high fence or other barrier approved by this Department. Fencing material shall not present a hazard to children and shall be maintained so as to prevent children from leaving the playground area by any means other than through an approved access route. Fence gates shall be kept closed except when persons are entering or exiting the area. It was determined based on observation and measurements that the fencing had the following measurements on some parts of the fencingPlayground fencing 1 measured 40 inches in height where 48 inches are requiredPlayground fencing 2 measured 40 - 47 inches in height where 48 inches are required and 57 inches of fencing were loosePlayground fencing 3 measured 40 to 46 inches in height where 48 inches are requiredPlayground fencing 4 measured 40 inches in height where 48 inches are required.
591-1-126(4) requires that playgrounds be protected from traffic or other hazards by a (4) four foot high fence or other barrier approved by this Department. Fencing material shall not present a hazard to children and shall be maintained so as to prevent children from leaving the playground area by any means other than through an approved access route. Fence gates shall be kept closed except when persons are entering or exiting the area. It was determined based on observation and measurements that the fencing had the following measurements on some parts of the fencing. Playground fencing 1 measured 40 inches in height where 48 inches are required. Playground fencing 2 measured 40 - 47 inches in height where 48 inches are required and 57 inches of fencing were loose. Playground fencing 3 measured 40 to 46 inches in height where 48 inches are required. Playground fencing 4 measured 40 inches in height where 48 inches are required.
591-1-126(4) requires that playgrounds be protected from traffic or other hazards by a (4) four foot high fence or other barrier approved by this Department. Fencing material shall not present a hazard to children and shall be maintained so as to prevent children from leaving the playground area by any means other than through an approved access route. Fence gates shall be kept closed except when persons are entering or exiting the area. It was determined based on observation and measurements that the fencing had the following measurements on some parts of the fencingPlayground fencing 1 measured 40 inches in height where 48 inches are requiredPlayground fencing 2 measured 40 - 47 inches in height where 48 inches are required and 57 inches of fencing were loose

Finding

591-1-1-.26(6) requires that playground equipment provide an opportunity for the children to engage in a variety of experiences and shall be age-appropriate. For example, toddlers shall not be permitted to swing in swings designed for School-age Children. The outdoor equipment shall be free of lead-based paint, sharp corners and shall be regularly maintained in such a way as to be free of rust and splinters that could pose significant safety hazard to the children. All equipment shall be arranged so as not to obstruct supervision of children. It was determined based on observation that the following hazards were present:

Playground 1:

- ---The cement ramp had more than a four inch drop off.
- ---One board had a 3 x 5.5 splintering area.
- ---The trash can lid was cracked.

Playground 2:

- ---One of eight S clamps was not fastened or hooked.
- ---Two of eight green rubber chain covering were dry, broken, and had sharp edges.
- ---Two of two petal tricycles were chipping paint and rusting.
- ---One of ten tricycles was missing a pedal.

Playground 3:

- ---The double gate chain and lock were rusted.
- ---29 of 29 metal bars were chipping paint and rusting on the large structure.
- ---Several areas on the wooden flooring were not smooth, weathered, splintering and buckled.
- --- 1 green slide had a 9 inch gap on each side at the top.

---One of two swing poles is weathered and splintered.

---4 of 4 springy seats were chipping paint.

Playground 4:

- ---One chain located on the gate was rusted.

Correction Deadline: 8/29/2022

Recited on 8/8/2022

Finding

591-1-1-.26(8) requires climbing and swinging equipment to have a resilient surface beneath the equipment and the fall zone from such equipment must be adequately maintained by the Center to assure continuing resiliency. It was determined based on observation and measurements that playground 2 and playground 3 measured 1 - 3 inches of resilient surface beneath and within the fall zones of swinging and climbing equipment where 6 inches are required.

Recited on 8/8/2022 Finding 591-1-1-.26(9) requires the playground to be kept clean, free from litter and free of hazards, such as but not limited to rocks, exposed tree roots and exposed sharp edges of concrete. It was determined based on observation that weeds were growing on all playgrounds. Additionally, playground 3 had a broken tree root in need of removal, landscape plastic to be removed and a hole to fill in. Correction Deadline: 8/29/2022 Recited on 8/8/2022 **Health and Hygiene** 591-1-1-.07 Children's Health Met Correction Deadline: 3/14/2022 **Corrected on 8/8/2022** .07(5) - The previous citation is observed to be corrected. 591-1-1-.10 Diapering Areas & Practices(CR) Met Comment Proper diapering procedures observed. Met 591-1-1-.17 Hygiene(CR) Comment Proper hand washing observed throughout the center. 591-1-1-.20 Medications(CR) Met Comment The Provider currently does not dispense/administer medication. **Policies and Procedures** 591-1-1-.21 Operational Policies & Procedures Met Correction Deadline: 4/1/2022 Corrected on 8/8/2022 .21(3) - The previous citation was observed to be corrected. Comment Program observed complete emergency drills Safety

Correction Deadline: 8/29/2022

591-1-1-.11 Discipline(CR) Met

Comment

Age-appropriate discussion and/or redirection observed.

Comment

Staff were observed to maintain a positive learning environment on this date.

591-1-1-.36 Transportation(CR)

Met

Correction Deadline: 4/14/2022

Corrected on 8/8/2022

.36(4)(b) The previous citation is observed to be corrected.

Sleeping & Resting Equipment

591-1-1-.30 Safe Sleeping and Resting Requirements(CR)

Met

Correction Deadline: 3/14/2022

Corrected on 8/8/2022

.30(2)(a) - The previous citation is observed to be corrected.

Staff Records

Records Reviewed: 19 Records with Missing/Incomplete Components: 0 Staff # 1 Met Date of Hire: 03/02/2015 Staff # 2 Met Date of Hire: 04/22/2004 Staff #3 Met Date of Hire: 11/27/2021 Staff #4 Met Date of Hire: 02/04/2020 Staff #5 Met Date of Hire: 07/28/2014 Staff # 6 Met Date of Hire: 06/08/2008 Staff #7 Met Date of Hire: 06/25/2013 Staff #8 Met Date of Hire: 07/27/2022 Reminder - Health & Safety training is required within 90 calendar days of hired Staff #9 Met

Records Reviewed: 19 Records with Missing/Incomplete Components: 0 Date of Hire: 10/28/2004 Staff # 10 Met Date of Hire: 11/18/2019 Staff # 11 Met Date of Hire: 01/29/2021 Staff # 12 Met Date of Hire: 04/28/2016 Staff # 13 Met Date of Hire: 02/16/2022 Staff # 14 Met Date of Hire: 09/07/2010 Staff # 15 Met Date of Hire: 12/05/2014 Staff # 16 Met Date of Hire: 02/04/2022 Staff # 17 Met Date of Hire: 05/03/2010 Staff # 18 Met Date of Hire: 01/27/2022 Staff # 19 Met Date of Hire: 01/26/2006

Staff Credentials Reviewed: 13

591-1-1-.09 Criminal Records and Comprehensive Background Checks(CR)

Met

Comment

Criminal record checks were observed to be complete.

Comment

Director provided 1 file(s) for employees hired since last visit.

Correction Deadline: 3/14/2022

Corrected on 8/8/2022

.09(1)(c) - The previous citation is observed to be corrected on this day.

Correction Deadline: 4/5/2022

Corrected on 8/8/2022

.09(1)(j) - The previous citation is observed to be corrected on this day.

Correction Deadline: 4/5/2022

Corrected on 8/8/2022

.09(1)(I)3. - The previous citation is observed to be corrected on this day.

591-1-1-.33 Staff Training

Met

Comment

Documentation observed of required staff training.

Correction Deadline: 4/1/2022

Corrected on 8/8/2022

.33(3) - The previous citation is observed to be corrected on this day.

Correction Deadline: 4/1/2022

Corrected on 8/8/2022

.33(4) - The previous citation is observed to be corrected on this day.

Correction Deadline: 4/1/2022

Corrected on 8/8/2022

.33(5) - The previous citation is observed to be corrected on this day.

591-1-1-.31 Staff(CR)

Met

Comment

Staff observed to be compliant with applicable laws and regulations.

Staffing and Supervision

591-1-1-.32 Staff:Child Ratios and Group Size(CR)

Met

Comment

Center observed to maintain appropriate staff:child ratios.

591-1-1-.32 Supervision(CR)

Met

Comment

Adequate supervision observed on this date.