



Bright from the Start Georgia Department of Early Care and Learning
2 Martin Luther King Jr. Drive SE, 670 East Tower
Atlanta, GA 30334
 Phone: (404) 657-5562 WWW.DECAL.GA.GOV

Date: 12/13/2023 **VisitType:** Licensing Study

Arrival: 9:00 AM

Departure: 3:00 PM

CCLC-50216

Big Blue Marble - Dallas Acworth Hwy

10492 Dallas Acworth Hwy. Acworth, GA 30101 Paulding County
 (678) 574-9402 center23@bbmacademy.com

Regional Consultant

Kaiyah Werts

Phone: ()

Fax:

kaiyah.werts@decal.ga.gov

Mailing Address
 Same

Quality Rated: ★

Compliance Zone Designation			Compliance Zone Designation - A summary measure of a program's 12 month monitoring history, as it pertains to child care health and safety rules. The three compliance zones are good standing, support, and deficient. Good Standing - Program is demonstrating an acceptable level of performance in meeting the rules. Support - Program performance is demonstrating a need for improvement in meeting rules. Deficient - Program is not demonstrating an acceptable level of performance in meeting the rules.
12/13/2023	Licensing Study	Good Standing	
03/09/2023	POI Follow Up	Good Standing	
03/07/2023	Complaint Closure	Good Standing	

Ratios/License Capacity

Building	Room	Age Group	Staff	Children	NC/C	Max 35 SF.	35 SF. Comp.	Max 25 SF.	25 SF. Comp.	Notes
Main	A- 6wks to 12 months	Infants and One Year Olds	2	10	C	10	C	NA	NA	Floor Play,Diapering
Main	B- 1's	One Year Olds	1	4	C	18	C	NA	NA	Free Play,Diapering
Main	C- 2's	One Year Olds	2	10	C	18	C	NA	NA	Music
Main	D- GA Pre-K	Three Year Olds and Four Year Olds	3	12	C	31	C	NA	NA	Free Play
Main	E-1/ 2's	Two Year Olds	2	12	C	21	C	NA	NA	Music
Main	E-2/2's	Two Year Olds and Three Year Olds	2	14	C	21	C	NA	NA	Centers
Main	F-1/ 4 and up (AS)	GA PreK	2	20	C	30	C	NA	NA	Centers
		Total Capacity @35 sq. ft.: 149			Total Capacity @25 sq. ft.: 0					
Total # Children this Date: 82		Total Capacity @35 sq. ft.: 149			Total Capacity @25 sq. ft.: 0					

Building	Playground	Playground Occupancy	Playground Compliance
Main	Playground A-Left Front - 6wks- 12 months	14	C
Main	Playground B - Left Side/ Rear- 1's and 2's	43	C

Main	Playground C - Right Side/Rear/ 3 and up	82	C
Main	Playground D - Right Side/Center Area/ 3 and up	62	C
Main	Playground E-Right Side Front- Water play	28	C

Comments

The purpose of this visit is to conduct a licensing study.

Plan of Improvement: Developed This Date 12/13/2023

Any rule violation which subjects a child to injury or life-threatening situation or any rule violations previously cited but not corrected, may result in the imposition of an adverse enforcement action. Serious or continued noncompliance may also jeopardize participation in one or more DECAL program(s).



Please refer to the website, <http://www.dec.state.ga.us/CCS/RuleAndRegulations.aspx>, for information regarding October 1, 2018 rule changes about Criminal Records Checks that may affect your facility. In summary,

- New records checks will be required to be completed if a staff member experiences a six month break in service from the child care industry
- New clearance is required at least once every five years
- Any staff member solely responsible for supervising children will be required to have completed a comprehensive background clearance
- All staff members are required to have completed at least a national fingerprint based clearance check
- Any staff member with only the national fingerprint based clearance, must be under constant and direct supervision of a staff member with a satisfactory comprehensive records check clearance
- Facilities are required to use DECAL KOALA for Criminal Records Checks, including to verify portability of an employee

O.C.G.A. Section 42.1.12(i)(2) requires Bright from the Start: Georgia Department of Early Care and Learning to notify licensed child care programs on accessing and retrieving from the Georgia Bureau of Investigation's (GBI) website a list of the names and addresses of all registered sexual offenders. Please see GBI's website located at <http://gbi.georgia.gov> to access the Georgia Sex Offender Registry.

Refutation Process:

You have the right to refute any of the citations noted in this report with which you disagree. To refute a citation(s), do the following:

- 1) Log into DECAL KOALA www.decalkoala.com with the userid for your program
- 2) On the home page scroll down to the Inspection Reports and select 'Refute Citation' for the visit report in dispute
- 3) Select the specific rule number(s) that you are refuting, add the reason for disagreement regarding the rule citation, and upload supporting documentation
- 4) Submit the refutation in DECAL KOALA to Child Care Services (CCS) within 10 business days of the completion date.

Your refutation will be forwarded to the appropriate CCS manager, who will follow up with you about your concerns. If you have any questions about this process, contact our office at 404-657-5562.

Bright from the Start recommends that all licensed child care providers carry liability insurance coverage sufficient to protect its clients. If you do not have this liability insurance, you are required to post a notice with ½ inch letters in a conspicuous location in the program, notify the parent or guardian of each child in care in writing, obtain their signature to acknowledge receipt and maintain this written acknowledgment on file at the program at all times while the child attends the program and for 12 months after the child's last date of attendance. (O.C.G.A. Section 20-1A-4)



Important Quality Rated/CAPS Update:

As January 1, 2022, child care providers must be Quality Rated to receive Childcare and Parent Services (CAPS). Newly licensed, or new to CAPS providers may be eligible for the new CAPS/QR Provisional Status, allowing for scholarships while working toward a star rating.

Contact the Quality Rated help desk at 855-800-7747 or qualityrated@dec.al.ga.gov for more information. Free technical assistance is available!

Brianna Drain, Program Official

Date

Kaiyah Werts, Regional Consultant

Date



Bright from the Start Georgia Department of Early Care and Learning
2 Martin Luther King Jr. Drive SE, 670 East Tower
Atlanta, GA 30334

Phone: (404) 657-5562 WWW.DECAL.GA.GOV

(Findings Report)

Date: 12/13/2023 **VisitType:** Licensing Study

Arrival: 9:00 AM

Departure: 3:00 PM

CCLC-50216

Big Blue Marble - Dallas Acworth Hwy

10492 Dallas Acworth Hwy. Acworth, GA 30101 Paulding County
(678) 574-9402 center23@bbmacademy.com

Regional Consultant

Kaiyah Werts

Phone: ()

Fax:

kaiyah.werts@decal.ga.gov

Mailing Address
Same

The following information is associated with a Licensing Study:

Activities and Equipment

591-1-1-.03 Activities

Met

Comment

591-1-1-.03(2) - Please ensure dates are on all lesson plans for the current week.

Correction Deadline: 12/13/2023

591-1-1-.12 Equipment & Toys(CR)

Met

Comment

A variety of equipment and toys were observed throughout the center.

Comment

Equipment and furniture observed to be properly secured, as applicable.

591-1-1-.35 Swimming Pools & Water-related Activities(CR)

N/A

Comment

Center does not provide swimming activities.

Children's Records

591-1-1-.08 Children's Records

Met

Comment

Records were observed to be complete and well organized.

Facility

591-1-1-.06 Bathrooms**Not Met****Finding**

591-1-1-.06(4) requires a Center first licensed after March 1, 1991, and Centers that remodel or add to existing plumbing facilities, to have the bathroom area fully enclosed and ventilated to the outside of the building with either an open screened window or functioning exhaust fan and duct system and requires Centers without fully enclosed bathrooms to ensure there is adequate ventilation to control odors and adequate sanitation measures to prevent the spread of contagious diseases. It was determined based on observation the exhaust vents in the boys bathroom in classroom D was not working properly.

POI (Plan of Improvement)

The Center will fully enclose and ventilate bathroom areas, as required, and will provide adequate ventilation and sanitation in bathrooms that are not fully enclosed.

Correction Deadline: 1/12/2024

591-1-1-.19 License Capacity(CR)**Met****Comment**

Licensed capacity observed to be routinely met by center.

591-1-1-.25 Physical Plant - Safe Environment(CR)**Not Met****Finding**

591-1-1-.25(13) requires that potentially hazardous equipment, materials and supplies be stored in a locked area inaccessible to children. It was determined based on observation in classroom F there was a personal size hand sanitizer attached to a child's backpack. In classroom E 2/2 the changing station had an unlocked cabinet with different variations of diaper cream stored. In classroom E 1/2 the changing station had an unlocked cabinet with Aquaphor stored.

POI (Plan of Improvement)

The Center will identify all hazardous items and keep them in a locked area inaccessible to children. The Center will inform all Staff about hazardous items and the safe storage of those items.

Correction Deadline: 12/13/2023

591-1-1-.26 Playgrounds(CR)**Met****Comment**

Discussed maintenance of resilient surface. Please fluff and redistribute.

Comment

Playground observed to be clean and in good repair.

Food Service

591-1-1-.15 Food Service & Nutrition**Met****Comment**

Center menu meets USDA guidelines.

Comment

Please ensure that infant feeding forms are updated regularly and they include introduction to solids.

591-1-1-.18 Kitchen Operations**Not Met****Comment**

Kitchen appears clean and well organized.

Finding

591-1-1-.18(3) requires ventilation to be provided either by mechanical or natural means so as to provide fresh air and control of unpleasant odors in the food preparation area. It was determined based on observation the kitchen does not have a working ventilation system in place.

POI (Plan of Improvement)

The Center will ensure there is an adequate working ventilation system in the food preparation area.

Correction Deadline: 12/23/2023

Health and Hygiene**591-1-1-.10 Diapering Areas & Practices(CR)****Not Met****Finding**

591-1-1-.10(1) requires Centers first licensed after March 1, 1991, and Centers that are renovated after March 1, 1991, to provide ventilation in the diapering areas with functioning exhaust fans and a duct system or by the required amount of window space provided by operable windows when open. It was determined based on observation and staff statement, that the diapering exhaust vent in classroom E 1/2 was not working properly. Consultant observed exhaust vent and staff in this classroom stated the vent was not being used while diapering.

POI (Plan of Improvement)

The responsible person(s) at the center will ensure that the exhaust fans and duct systems are functioning or that the required amount of operable window space is provided in each diapering area.

Correction Deadline: 12/13/2023

591-1-1-.17 Hygiene(CR)**Met****Comment**

Please ensure staff members are washing the children's hands after every diaper change.

Comment

Proper hand washing observed throughout the center.

591-1-1-.20 Medications(CR)**Met****Comment**

Documentation for medication dispensing observed complete.

Comment

Please document N/A or none if no adverse reaction is observed. Also, document as needed for the date portion if emergency medication are given.

Policies and Procedures**591-1-1-.21 Operational Policies & Procedures****Met****Comment**

Program observed complete emergency drills

591-1-1-.27 Posted Notices**Met****Comment**

Observed all required posted notices.

591-1-1-.29 Required Reporting**Met****Comment**

Thank you for reporting as required.

Safety

591-1-1-.05 Animals	N/A
----------------------------	------------

Comment

Center does not keep animals on premises.

591-1-1-.11 Discipline(CR)	Met
-----------------------------------	------------

Comment

Age-appropriate discussion and/or redirection observed.

591-1-1-.13 Field Trips(CR)	N/A
------------------------------------	------------

Comment

Center does not participate in field trips at this time.

591-1-1-.36 Transportation(CR)	Met
---------------------------------------	------------

Comment

A current/completed inspection was observed for all vehicles used in transporting children this date.

Comment

Both vehicles Bus #1 license plate number 33417 and Bus #2 license plate number 33425 had an approved fire extinguisher and first aid kit on this date.

Comment

Complete documentation of transportation observed.

Sleeping & Resting Equipment

591-1-1-.30 Safe Sleeping and Resting Requirements(CR)	Met
---	------------

Comment

Discussed SIDS and infant sleeping position.

Staff Records

591-1-1-.09 Criminal Records and Comprehensive Background Checks(CR)	Met
---	------------

Comment

Criminal record checks were observed to be complete.

Comment

Director provided 17 files for employees hired since last visit.

591-1-1-.14 First Aid & CPR	Met
--	------------

Comment

Evidence observed of 50% of center staff certified in First Aid and CPR.

591-1-1-.33 Staff Training	Met
-----------------------------------	------------

Comment

Documentation observed of required staff training.

591-1-1-.31 Staff(CR)	Met
------------------------------	------------

Comment

Staff observed to be compliant with applicable laws and regulations.

Staffing and Supervision

591-1-1-.32 Staff:Child Ratios and Group Size(CR)	Met
--	------------

Comment

Center observed to maintain appropriate staff:child ratios.

Comment

Adequate supervision observed on this date.