



Bright from the Start Georgia Department of Early Care and Learning
2 Martin Luther King Jr. Drive SE, 670 East Tower
Atlanta, GA 30334
Phone: (404) 657-5562 WWW.DECAL.GA.GOV

Date: 9/10/2025 **VisitType:** MV POI Follow Up

Arrival: 9:30 AM **Departure:** 1:30 PM

CCLC-12206

Kid Central

2240 Keith Bridge Rd. Cumming, GA 30040 Forsyth County
(770) 888-4344

Regional Consultant

Francine Arnone

Phone: (770) 357-4919

Fax: (770) 357-4918

francine.arnone@dec.al.ga.gov

Mailing Address

Same

Quality Rated: ★ ★

<u>Compliance Zone Designation</u>			Compliance Zone Designation - A summary measure of a program's 12 month monitoring history, as it pertains to child care health and safety rules. The three compliance zones are good standing, support, and deficient. Good Standing - Program is demonstrating an acceptable level of performance in meeting the rules. Support - Program performance is demonstrating a need for improvement in meeting rules. Deficient - Program is not demonstrating an acceptable level of performance in meeting the rules.
09/10/2025	MV POI Follow Up	Good Standing	
05/16/2025	Incident Investigation Closure	Deficient	
04/21/2025	Incident Investigation Closure	Good Standing	

Ratios/License Capacity

Building	Room	Age Group	Staff	Children	NC/C	Max 35 SF.	35 SF. Comp.	Max 25 SF.	25 SF. Comp.	Notes
Main Bldg	1L	One Year Olds	1	8	C	15	C	NA	NA	Free Play
Main Bldg	1R	One Year Olds	2	5	C	12	C	NA	NA	Free Play
Main Bldg	2LF	GA PreK	2	19	C	19	C	27	C	Centers
Main Bldg	2R	Infants	2	7	C	12	C	NA	NA	Nap,Feeding,Floor Play
Main Bldg	3LF	GA PreK	2	19	C	19	C	27	C	Centers,Free Play
Main Bldg	3R	Three Year Olds and Four Year Olds	1	12	C	20	C	NA	NA	Circle Time
Main Bldg	4LF	Two Year Olds and Three Year Olds	2	18	C	29	C	NA	NA	Circle Time
Main Bldg	4R	Two Year Olds and Three Year Olds	2	16	C	28	C	NA	NA	Outside,Transitions
Total Capacity @35 sq. ft.:			154		Total Capacity @25 sq. ft.: 190					
Modular Unit	Modular Unit		0	0	C	20	C	NA	NA	
Total Capacity @35 sq. ft.:			20		Total Capacity @25 sq. ft.: 190					
Total # Children this Date: 104			Total Capacity @35 sq. ft.: 174		Total Capacity @25 sq. ft.: 190					

Building	Playground	Playground Occupancy	Playground Compliance
----------	------------	-------------------------	--------------------------

Comments

A copy of this report was provided on this date.

The Consultant discussed the following:

- Effective July 1, 2025, new staff are required to obtain pediatric First Aid and pediatric CPR training within 45 days of employment. It was further discussed that programs must have at least one person with current pediatric First Aid and pediatric CPR training in each classroom at all times.
- Updating the Center's policies and procedures to include the program's practices regarding the expulsion and suspension of children enrolled for care within the description of behavior management and discipline actions used by the Center.
- Ensure a description of the practices followed by the Center to prevent shaken baby syndrome and abusive head trauma in children up to five years of age that includes the following information: how to recognize, respond to, and report the signs and symptoms of shaken baby syndrome and abusive head trauma; strategies to assist staff members in understanding how to care for infants and how to cope with a crying, fussing, or distraught child; strategies to ensure staff members understand the brain development of children up to five years of age; and a list of prohibited behaviors when dealing with children.
- Additional information can be found in the CCLC Indicator Manual found on DECAL's website at: <https://www.dec.state.ga.us/CCS/Regulations.aspx> or through the Center on Shaken Baby Syndrome found at: <https://dontshake.org/>.
- All Employees, including volunteers, independent contractors, students-in-training, etc. should have a completed initial program orientation form on file.
- Effective July 1, 2025, all staff are required to obtain at least two hours in evidence based, developmentally appropriate language and literacy practices and at least two hours in on-going child development and health and safety related topics as part of their 10 hours of annual training.
- A new Child Care Weather Watch Chart is available on the KOALA website. Weather does not permit outdoor play when there is active precipitation or when weather advisories are in effect. Consult the Child Care Weather Watch Chart resource for further guidance, considering specific weather conditions.

Plan of Improvement: Developed This Date

Any rule violation which subjects a child to injury or life-threatening situation or any rule violations previously cited but not corrected, may result in the imposition of an adverse enforcement action. Serious or continued noncompliance may also jeopardize participation in one or more DECAL program(s).

Please refer to the website, <http://www.dec.state.ga.us/CCS/Regulations.aspx>, for information regarding October 1, 2018 rule changes about Criminal Records Checks that may affect your facility. In summary,

- New records checks will be required to be completed if a staff member experiences a six month break in service from the child care industry
- New clearance is required at least once every five years
- Any staff member solely responsible for supervising children will be required to have completed a comprehensive background clearance
- All staff members are required to have completed at least a national fingerprint based clearance check
- Any staff member with only the national fingerprint based clearance, must be under constant and direct supervision of a staff member with a satisfactory comprehensive records check clearance
- Facilities are required to use DECAL KOALA for Criminal Records Checks, including to verify portability of an employee

O.C.G.A. Section 42.1.12(i)(2) requires Bright from the Start: Georgia Department of Early Care and Learning to notify licensed child care programs on accessing and retrieving from the Georgia Bureau of Investigation's (GBI) website a list of the names and addresses of all registered sexual offenders. Please see GBI's website located at <http://gbi.georgia.gov> to access the Georgia Sex Offender Registry.

Refutation Process:

You have the right to refute any of the citations noted in this report with which you disagree. To refute a citation(s), do the following:

- 1) Log into DECAL KOALA www.decalkoala.com with the userid for your program
- 2) On the home page scroll down to the Inspection Reports and select 'Refute Citation' for the visit report in dispute
- 3) Select the specific rule number(s) that you are refuting, add the reason for disagreement regarding the rule citation, and upload supporting documentation
- 4) Submit the refutation in DECAL KOALA to Child Care Services (CCS) within 10 business days of the completion date.

Your refutation will be forwarded to the appropriate CCS manager, who will follow up with you about your concerns. If you have any questions about this process, contact our office at 404-657-5562.

Bright from the Start recommends that all licensed child care providers carry liability insurance coverage sufficient to protect its clients. If you do not have this liability insurance, you are required to post a notice with ½ inch letters in a conspicuous location in the program, notify the parent or guardian of each child in care in writing, obtain their signature to acknowledge receipt and maintain this written acknowledgment on file at the program at all times while the child attends the program and for 12 months after the child's last date of attendance. (O.C.G.A. Section 20-1A-4)

Important Quality Rated/CAPS Update:

As January 1, 2022, child care providers must be Quality Rated to receive Childcare and Parent Services (CAPS). Newly licensed, or new to CAPS providers may be eligible for the new CAPS/QR Provisional Status, allowing for scholarships while working toward a star rating.

Contact the Quality Rated help desk at 855-800-7747 or qualityrated@dec.al.ga.gov for more information. Free technical assistance is available!



Summary Report

Date: 9/10/2025 VisitType: MV POI Follow Up

Arrival: 9:30 AM Departure: 1:30 PM

CCLC-12206

Kid Central

2240 Keith Bridge Rd. Cumming, GA 30040 Forsyth County
(770) 888-4344

Regional Consultant

Francine Arnone

Phone: (770) 357-4919

Fax: (770) 357-4918

francine.arnone@dec.al.ga.gov

Mailing Address

Same

The following information is associated with a MV POI Follow Up:

Activities and Equipment

591-1-1-.12 Equipment & Toys(CR)

Met

Comment

A variety of equipment and toys were observed throughout the center on this date.

591-1-1-.35 Swimming Pools & Water-related Activities(CR)

Met

Comment

Center does not provide swimming activities.

Facility

591-1-1-.19 License Capacity(CR)

Met

Comment

Licensed capacity observed to be routinely met by center on this date.

591-1-1-.25 Physical Plant - Safe Environment(CR)

Not Met

Finding

591-1-1-.25(13) requires that potentially hazardous equipment, materials and supplies be stored in a locked area inaccessible to children. It was determined based on observation that the following hazardous items were accessible to children:

- Main Bldg Room 1L - A draw marked teacher supplies was not locked and contained scissors, a tape dispenser, a stapler and a bottle of white out.
- Main Bldg Room 2LF - a tape dispenser in the third plastic drawer to the left of the door, 2 cubbies that were marked with the teacher's names that contained personal items.
- Main Bldg Room 3Lf - teacher's personal items in the bottom cubby closest to the door.
- Modular Unit - a tape dispenser and adult sized scissors were on top of the teacher's desk.

POI (Plan of Improvement)

The Center will identify all hazardous items and keep them in a locked area inaccessible to children. The Center will inform all Staff about hazardous items and the safe storage of those items.

Correction Deadline: 9/10/2025

Correction Deadline: 3/25/2025

Corrected on 9/10/2025

.25(3) - The previous citation has been corrected. The Consultant observed the bottom of the wall beside the children handwashing sink to be repaired.

Finding

591-1-1-.26(4) requires that playgrounds be protected from traffic or other hazards by a (4) four foot high fence or other barrier approved by this Department. Fencing material shall not present a hazard to children and shall be maintained so as to prevent children from leaving the playground area by any means other than through an approved access route. Fence gates shall be kept closed except when persons are entering or exiting the area. It was determined based on observation that the gate on the far left side of the playground had a gap in the gate that was 5 inches wide.

POI (Plan of Improvement)

The Center will routinely check the fence to determine if it is in good repair and remains at least 4 feet high, and will repair any hazards. The Center will train Staff to identify and report any fence hazards and to keep the fence gates closed when not in use.

Correction Deadline: 9/10/2025

Correction Deadline: 5/16/2025

Corrected on 9/10/2025

.26(9) - The previous citation has been corrected. The Consultant observed black rubber mat covering the concrete molding that was around the sewage equipment below the picnic table.

Health and Hygiene**591-1-1-.10 Diapering Areas & Practices(CR)**

Met

Comment

Staff stated proper knowledge of diapering procedures.

591-1-1-.17 Hygiene(CR)

Met

Comment

Staff were observed to remind children to wash hands on this date.

591-1-1-.20 Medications(CR)

Met

Comment

The Provider currently does not dispense/administer medication.

Safety**591-1-1-.11 Discipline(CR)**

Met

Comment

Staff were observed to maintain a positive learning environment on this date.

591-1-1-.36 Transportation(CR)

Met

Comment

A current/completed inspection was observed for all vehicles used in transporting children this date.

Comment

Complete documentation of transportation observed on this date.

Sleeping & Resting Equipment**591-1-1-.30 Safe Sleeping and Resting Requirements(CR)**

Not Met

Finding

591-1-1-.30(1)(b)1 requires that cots and mats are of sound construction and of sufficient size to accommodate comfortably the size and weight of the child; and that mats are in good repair, washable, covered with a waterproof material and at least two inches (2") thick. It was determined that the following rooms had mats that had holes in them with exposed foam:

- Main Bldg - 1L- 9 mats had a hole in them with exposed foam.
- Main Bldg - 3LF - 4 mats had a hole in them with exposed foam.
- Main Bldg - 3R - 4 mats had a hole in them with exposed foam.

POI (Plan of Improvement)

The Center will ensure that cots and mats are of sound construction and of sufficient size to accommodate the size and weight of the child and mats are in good repair, washable, covered with a waterproof material and is at least two inches thick.

Correction Deadline: 9/10/2025

Staff Records

591-1-1-.09 Criminal Records and Comprehensive Background Checks(CR)

Met

Comment

Director provided 4 file(s) for employees hired since last visit.

591-1-1-.14 First Aid & CPR(CR)

Technical Assistance

Technical Assistance

591-1-1-.14(1)(a) - Please ensure that all staff acquire the required CPR/First Aid certification training within 45 days of hire.

Correction Deadline: 9/10/2025

591-1-1-.31 Staff(CR)

Met

Comment

Staff observed to be compliant with applicable laws and regulations.

Staffing and Supervision

591-1-1-.32 Staff:Child Ratios and Group Size(CR)

Met

Comment

Center observed to maintain appropriate staff:child ratios.

591-1-1-.32 Supervision(CR)

Met

Comment

Staff observed to provide direct supervision and be attentive to children's needs.