



Bright from the Start Georgia Department of Early Care and Learning
2 Martin Luther King Jr. Drive SE, 670 East Tower
Atlanta, GA 30334
Phone: (404) 657-5562 WWW.DECAL.GA.GOV

Date: 10/10/2024 **VisitType:** Initial Licensing Study

Arrival: 9:50 AM **Departure:** 1:00 PM

CCLC-64151

Primrose School of Peachtree Corners

6325 Primrose Hill Court Peachtree Corners, GA 30092 Gwinnett County
(770) 409-8732 irina@primrosepeachtreecorners.com
Temporary License

Application Services Unit Consultant

Yolanda Harris

Phone: (679) 739-7046

Fax:

yolanda.harris@decal.ga.gov

Joint with: Angela Byrd

Mailing Address

Same

Quality Rated: No

Compliance Zone Designation			Compliance Zone Designation - A summary measure of a program's 12 month monitoring history, as it pertains to child care health and safety rules. The three compliance zones are good standing, support, and deficient.
10/10/2024	Initial Licensing Study	Good Standing	
			Good Standing - Program is demonstrating an acceptable level of performance in meeting the rules.
			Support - Program performance is demonstrating a need for improvement in meeting rules.
			Deficient - Program is not demonstrating an acceptable level of performance in meeting the rules.

Ratios/License Capacity

Building	Room	Age Group	Staff	Children	NC/C	Max 35 SF.	35 SF. Comp.	Max 25 SF.	25 SF. Comp.	Notes
Main	Room A 1st Right - Older Infant	Infants	2	0	C	21	C	NA	NA	Nap,Floor Play
Main	Room B-2R- Private PreK	Four Year Olds	2	14	C	23	C	NA	NA	Free Play
Main	Room C-3R - Private Kindergarten		0	0	C	18	C	NA	NA	
Main	Room D-3L - Preschool 2	Four Year Olds	1	9	C	19	C	NA	NA	Free Play
Main	Room E-2L - Preschool 1		0	0	C	21	C	NA	NA	
Main	Room F-1L - Early Preschool		0	0	C	20	C	NA	NA	Nap,Free Play
Main	Room G-Left Hallway Infant	Infants	1	5	C	7	C	NA	NA	Free Play
Main	Room H-ToddlerLeft Hallway Toddler B		0	0	C	18	C	NA	NA	
Main	Room I-Toddler Left Hallway Toddler A	Two Year Olds	2	13	C	14	C	NA	NA	Free Play
Total Capacity @35 sq. ft.: 161					Total Capacity @25 sq. ft.: 0					
Total # Children this Date: 41					Total Capacity @25 sq. ft.: 0					

Building	Playground	Playground Occupancy	Playground Compliance
Main	Playground A	16	C

Main	Playground B	24	C
Main	Playground C	36	C
Main	Playground D	44	C

Comments

Permission to operate was not granted on this date. Temporary license was issued. Once corrections are made a follow-up visit will be completed. This facility carry Liability Insurance.

Plan of Improvement: Developed This Date 10/10/2024

Any rule violation which subjects a child to injury or life-threatening situation or any rule violations previously cited but not corrected, may result in the imposition of an adverse enforcement action. Serious or continued noncompliance may also jeopardize participation in one or more DECAL program(s).



Please refer to the website, <http://www.dec.al.ga.gov/CCS/RulesAndRegulations.aspx> , for information regarding October 1, 2018 rule changes about Criminal Records Checks that may affect your facility. In summary,

- New records checks will be required to be completed if a staff member experiences a six month break in service from the child care industry
- New clearance is required at least once every five years
- Any staff member solely responsible for supervising children will be required to have completed a comprehensive background clearance
- All staff members are required to have completed at least a national fingerprint based clearance check
- Any staff member with only the national fingerprint based clearance, must be under constant and direct supervision of a staff member with a satisfactory comprehensive records check clearance
- Facilities are required to use DECAL KOALA for Criminal Records Checks, including to verify portability of an employee

O.C.G.A. Section 42.1.12(i)(2) requires Bright from the Start: Georgia Department of Early Care and Learning to notify licensed child care programs on accessing and retrieving from the Georgia Bureau of Investigation's (GBI) website a list of the names and addresses of all registered sexual offenders. Please see GBI's website located at <http://gbi.georgia.gov> to access the Georgia Sex Offender Registry.

Refutation Process:

You have the right to refute any of the citations noted in this report with which you disagree. To refute a citation(s), do the following:

- 1) Log into DECAL KOALA www.decalkoala.com with the userid for your program
- 2) On the home page scroll down to the Inspection Reports and select 'Refute Citation' for the visit report in dispute
- 3) Select the specific rule number(s) that you are refuting, add the reason for disagreement regarding the rule citation, and upload supporting documentation
- 4) Submit the refutation in DECAL KOALA to Child Care Services (CCS) within 10 business days of the completion date.

Your refutation will be forwarded to the appropriate CCS manager, who will follow up with you about your concerns. If you have any questions about this process, contact our office at 404-657-5562.

Bright from the Start recommends that all licensed child care providers carry liability insurance coverage sufficient to protect its clients. If you do not have this liability insurance, you are required to post a notice with ½ inch letters in a conspicuous location in the program, notify the parent or guardian of each child in care in writing, obtain their signature to acknowledge receipt and maintain this written acknowledgment on file at the program at all times while the child attends the program and for 12 months after the child's last date of attendance. (O.C.G.A. Section 20-1A-4)



Important Quality Rated/CAPS Update:

As January 1, 2022, child care providers must be Quality Rated to receive Childcare and Parent Services (CAPS). Newly licensed, or new to CAPS providers may be eligible for the new CAPS/QR Provisional Status, allowing for scholarships while working toward a star rating.

Contact the Quality Rated help desk at 855-800-7747 or qualityrated@dec.al.ga.gov for more information. Free technical assistance is available!



Bright from the Start Georgia Department of Early Care and Learning
2 Martin Luther King Jr. Drive SE, 670 East Tower
Atlanta, GA 30334

Phone: (404) 657-5562 WWW.DECAL.GA.GOV

(Findings Report)

Date: 10/10/2024 **VisitType:** Initial Licensing Study

Arrival: 9:50 AM **Departure:** 1:00 PM

CCLC-64151

Primrose School of Peachtree Corners

6325 Primrose Hill Court Peachtree Corners, GA 30092 Gwinnett
County
(770) 409-8732 irina@primrosepeachtreecorners.com
Temporary License

Application Services Unit Consultant

Yolanda Harris

Phone: (679) 739-7046

Fax:

yolanda.harris@dec.al.ga.gov

Joint with: Angela Byrd

Mailing Address

Same

The following information is associated with a Initial Licensing Study:

Activities and Equipment

591-1-1-.12 Equipment & Toys(CR)

Met

Comment

A variety of equipment and toys were observed throughout the center.

Comment

Equipment and furniture observed to be properly secured, as applicable.

591-1-1-.35 Swimming Pools & Water-related Activities(CR)

Met

Comment

Center does not provide swimming activities. No pool observed on site.

Children's Records

591-1-1-.08 Children's Records

Met

Comment

Records were observed to be complete and well organized. Five files reviewed and complete.

Facility

591-1-1-.06 Bathrooms

Not Met

Comment

Please ensure a partition is added in between the stalls in classroom B and D.

Finding

591-1-1-.06(4) requires a Center first licensed after March 1, 1991, and Centers that remodel or add to existing plumbing facilities, to have the bathroom area fully enclosed and ventilated to the outside of the building with either an open screened window or functioning exhaust fan and duct system and requires Centers without fully enclosed bathrooms to ensure there is adequate ventilation to control odors and adequate sanitation measures to prevent the spread of contagious diseases. It was determined based on consultant's observation in classroom I and H there were potty pods which were not fully enclosed bathrooms as required.

POI (Plan of Improvement)

The Center will fully enclose and ventilate bathroom areas, as required, and will provide adequate ventilation and sanitation in bathrooms that are not fully enclosed.

591-1-1-.19 License Capacity(CR) **Met**

Comment

Licensed capacity observed to be routinely met by center.

591-1-1-.25 Physical Plant - Safe Environment(CR) **Met**

Comment

No hazards observed accessible to children on this date.

591-1-1-.26 Playgrounds(CR) **Met**

Comment

Playground observed to be clean and in good repair.

Health and Hygiene

591-1-1-.10 Diapering Areas & Practices(CR) **Technical Assistance**

Comment

Staff state proper knowledge of diapering procedures. Sinks with warm running water observed adjacent to proper diapering surfaces in all classrooms approved for diapering.

Technical Assistance

Please ensure the screens are placed on the window for Room F, so that the windows can be used as ventilation for the diapering room.

Correction Deadline: 10/10/2024

Technical Assistance

Consultant discussed with the owner today that portable changing table would need to be added to classroom I and H.

Correction Deadline: 10/10/2024

591-1-1-.17 Hygiene(CR) **Met**

Comment

Proper hand washing observed throughout the center.

591-1-1-.20 Medications(CR) **Met**

Comment

Discussed proper medication documentation, administration, storage and procedures on this date.

Comment

The Provider currently does not dispense/administer medication.

Safety

591-1-1-.11 Discipline(CR) **Met**

Comment

Age-appropriate discussion and/or redirection observed on this date.

591-1-1-.36 Transportation(CR) **Met**

Comment

Complete documentation of transportation observed.
Three(3) Files were observed and children are being transported.
Vehicle information, insurance, first aid kit and extinguisher observed.

Comment

Please ensure the tape is removed on the two back seats of the bus on the left side.

Correction Deadline: 10/11/2024

Sleeping & Resting Equipment

591-1-1-.30 Safe Sleeping and Resting Requirements(CR)**Met****Comment**

The correct number of mats, sheets and blankets were observed on this date. Cleaning and disinfecting of mats was discussed with the director on this date.

Comment

Twenty-Three(23) cribs were present in room A and room G, ,meeting safety compliance with Consumer Product Safety Commission (CPSC) and American Society of Testing and Material International(ASTM) safety standards as they were manufactured in 2022/2023. Consultant discussed safe sleeping requirements with the director/owner.

Consultant discussed with the provider to ensure the cribs are kept 12 inches apart.

Staff Records

591-1-1-.09 Criminal Records and Comprehensive Background Checks(CR)**Met****Comment**

Criminal record checks were observed to be complete.

591-1-1-.31 Staff(CR)**Met****Comment**

Staff observed to be compliant with applicable laws and regulations.

Staffing and Supervision

591-1-1-.32 Staff:Child Ratios and Group Size(CR)**Met****Comment**

Center observed to maintain appropriate staff:child ratios.

591-1-1-.32 Supervision(CR)**Met****Comment**

Adequate supervision observed on this date.