



Bright from the Start Georgia Department of Early Care and Learning
2 Martin Luther King Jr. Drive SE, 670 East Tower
Atlanta, GA 30334
Phone: (404) 657-5562 WWW.DECAL.GA.GOV

Date: 12/1/2023 VisitType: Initial Licensing Study Arrival: 11:10 AM Departure: 3:35 PM

CCLC-62328

Kiddos ELC

3100 Northside Dr NW Atlanta, GA 30305 Fulton County
(404) 655-4338 lara@kiddosatatlanta.com

Application Services Unit Consultant

Margaret Pringle

Phone: (404) 985-6259

Fax: (678) 913-0625

margaret.pringle@decal.ga.gov

Mailing Address
Same

Quality Rated: No

Compliance Zone Designation			Compliance Zone Designation - A summary measure of a program's 12 month monitoring history, as it pertains to child care health and safety rules. The three compliance zones are good standing, support, and deficient.
12/01/2023	Initial Licensing Study	Good Standing	
			Good Standing - Program is demonstrating an acceptable level of performance in meeting the rules. Support - Program performance is demonstrating a need for improvement in meeting rules. Deficient - Program is not demonstrating an acceptable level of performance in meeting the rules.

Ratios/License Capacity

Building	Room	Age Group	Staff	Children	NC/C	Max 35 SF.	35 SF. Comp.	Max 25 SF.	25 SF. Comp.	Notes
Main	Rm 104C		0	0	C	11	C	NA	NA	
Main	Rm, 102A		0	0	C	12	C	NA	NA	
Main	Rm, 103B PreK		0	0	C	15	C	NA	NA	
Main	Rm. 107F		0	0	C	11	C	NA	NA	
Main	Rm. 113G Infants		0	0	C	11	C	NA	NA	
Main	Rm.105D		0	0	C	11	C	NA	NA	
Main	Rm.106E		0	0	C	10	C	NA	NA	
		Total Capacity @35 sq. ft.: 75			Total Capacity @25 sq. ft.: 0			Building @35 capacity limited by Zoning		
Total # Children this Date: 0		Total Capacity @35 sq. ft.: 75			Total Capacity @25 sq. ft.: 0					

Building	Playground	Playground Occupancy	Playground Compliance
Main	Playground A Infants	10	C
Main	Playground B	33	C

Comments

Initial licensing inspection was conducted on December 1, 2023. Permission to operate was granted on this date. This program carries liability insurance. This program will open January 2, 2024.

Plan of Improvement: Developed This Date 12/01/2023

Any rule violation which subjects a child to injury or life-threatening situation or any rule violations previously cited but not corrected, may result in the imposition of an adverse enforcement action. Serious or continued noncompliance may also jeopardize participation in one or more DECAL program(s).



Please refer to the website, <http://www.dec.al.ga.gov/CCS/RulesAndRegulations.aspx>, for information regarding October 1, 2018 rule changes about Criminal Records Checks that may affect your facility. In summary,

- New records checks will be required to be completed if a staff member experiences a six month break in service from the child care industry
- New clearance is required at least once every five years
- Any staff member solely responsible for supervising children will be required to have completed a comprehensive background clearance
- All staff members are required to have completed at least a national fingerprint based clearance check
- Any staff member with only the national fingerprint based clearance, must be under constant and direct supervision of a staff member with a satisfactory comprehensive records check clearance
- Facilities are required to use DECAL KOALA for Criminal Records Checks, including to verify portability of an employee

You have received permission to operate and the form received with this report is intended to serve as a temporary license which is **valid for thirty(30) days**. Your actual license/ will be emailed to you upon receipt of the licensing fee. You may pay the licensing fee either online at <http://www.dec.al.ga.gov/> or by certified check or money order mailed to: Bright from the Start, 2 Martin Luther King Jr. Drive SE, Suite 670 East Tower, Atlanta, GA 30334

O.C.G.A. Section 42.1.12(i)(2) requires Bright from the Start: Georgia Department of Early Care and Learning to notify licensed child care programs on accessing and retrieving from the Georgia Bureau of Investigation's (GBI) website a list of the names and addresses of all registered sexual offenders. Please see GBI's website located at <http://gbi.georgia.gov> to access the Georgia Sex Offender Registry.

Refutation Process:

You have the right to refute any of the citations noted in this report with which you disagree. To refute a citation(s), do the following:

- 1) Log into DECAL KOALA www.decalkoala.com with the userid for your program
- 2) On the home page scroll down to the Inspection Reports and select 'Refute Citation' for the visit report in dispute
- 3) Select the specific rule number(s) that you are refuting, add the reason for disagreement regarding the rule citation, and upload supporting documentation
- 4) Submit the refutation in DECAL KOALA to Child Care Services (CCS) within 10 business days of the completion date.

Your refutation will be forwarded to the appropriate CCS manager, who will follow up with you about your concerns. If you have any questions about this process, contact our office at 404-657-5562.

Bright from the Start recommends that all licensed child care providers carry liability insurance coverage sufficient to protect its clients. If you do not have this liability insurance, you are required to post a notice with ½ inch letters in a conspicuous location in the program, notify the parent or guardian of each child in care in writing, obtain their signature to acknowledge receipt and maintain this written acknowledgment on file at the program at all times while the child attends the program and for 12 months after the child's last date of attendance. (O.C.G.A. Section 20-1A-4)



Important Quality Rated/CAPS Update:

As January 1, 2022, child care providers must be Quality Rated to receive Childcare and Parent Services (CAPS). Newly licensed, or new to CAPS providers may be eligible for the new CAPS/QR Provisional Status, allowing for scholarships while working toward a star rating.

Contact the Quality Rated help desk at 855-800-7747 or qualityrated@dec.al.ga.gov for more information. Free technical assistance is available!

Isabel Quillin, Program Official

Date

Margaret Pringle, Application Services Unit Consultant

Date



Bright from the Start Georgia Department of Early Care and Learning
2 Martin Luther King Jr. Drive SE, 670 East Tower
Atlanta, GA 30334
Phone: (404) 657-5562 WWW.DECAL.GA.GOV

(Findings Report)

Date: 12/1/2023 **VisitType:** Initial Licensing Study **Arrival:** 11:10 AM **Departure:** 3:35 PM

CCLC-62328

Kiddos ELC

3100 Northside Dr NW Atlanta, GA 30305 Fulton County
(404) 655-4338 lara@kiddosatlanta.com

Application Services Unit Consultant

Margaret Pringle

Phone: (404) 985-6259

Fax: (678) 913-0625

margaret.pringle@decal.ga.gov

Mailing Address
Same

The following information is associated with a Initial Licensing Study:

Activities and Equipment

591-1-1-.12 Equipment & Toys(CR)

Technical Assistance

Comment

A variety of equipment and toys were observed throughout the center.

Comment

Discussed adding scissors, paint, brushes and sponges to enhance variety in the area of art in each room.

Comment

Equipment and furniture observed to be properly secured, as applicable.

Technical Assistance

591-1-1-.12(2) - Please ensure all toys requiring batteries are operable.

Correction Deadline: 12/1/2023

591-1-1-.35 Swimming Pools & Water-related Activities(CR)

Met

Comment

Center does not provide swimming activities.

Facility

591-1-1-.06 Bathrooms

Not Met

Comment

Bathrooms observed to be clean and well maintained.

Finding

591-1-1-.06(4) requires a Center first licensed after March 1, 1991, and Centers that remodel or add to existing plumbing facilities, to have the bathroom area fully enclosed and ventilated to the outside of the building with either an open screened window or functioning exhaust fan and duct system and requires Centers without fully enclosed bathrooms to ensure there is adequate ventilation to control odors and adequate sanitation measures to prevent the spread of contagious diseases. It was determined based on consultant's observation the exhaust fan wasn't functioning properly, it failed the tissue test.

POI (Plan of Improvement)

The Center will fully enclose and ventilate bathroom areas, as required, and will provide adequate ventilation and sanitation in bathrooms that are not fully enclosed. The exhaust fan will be repaired and or replaced to provide adequate ventilation.

Correction Deadline: 12/31/2023

591-1-1-.19 License Capacity(CR)**Met****Comment**

The program has the following capacity limitations: 81 children.

591-1-1-.25 Physical Plant - Safe Environment(CR)**Met****Comment**

Please be mindful to keep items that pose a hazard inaccessible to children.

591-1-1-.26 Playgrounds(CR)**Not Met****Comment**

Playground observed to be clean and in good repair.

Finding

591-1-1-.26(4) requires that playgrounds be protected from traffic or other hazards by a (4) four foot high fence or other barrier approved by this Department. Fencing material shall not present a hazard to children and shall be maintained so as to prevent children from leaving the playground area by any means other than through an approved access route. Fence gates shall be kept closed except when persons are entering or exiting the area. It was determined based on consultant's observation screw bolts measuring over two threads on fence gate and corner poles on playground A.

POI (Plan of Improvement)

The Center will routinely check the fence to determine if it is in good repair and remains at least 4 feet high, and will repair any hazards. The Center will train Staff to identify and report any fence hazards and to keep the fence gates closed when not in use. The bolts will be cut back two threads and capped if needed.

Correction Deadline: 12/1/2023

Technical Assistance

591-1-1-.26(6) - Please ensure rust on screw caps are removed on the blue and red play structure on playground B.

Correction Deadline: 12/11/2023

Food Service

591-1-1-.15 Food Service & Nutrition**Met****Comment**

Center snack menu meets USDA guidelines.

Health and Hygiene

591-1-1-.10 Diapering Areas & Practices(CR)**Not Met****Comment**

Hand washing requirements for diapering were discussed with the director on this date.

Finding

591-1-1-.10(1) requires Centers first licensed after March 1, 1991, and Centers that are renovated after March 1, 1991, to provide ventilation in the diapering areas with functioning exhaust fans and a duct system or by the required amount of window space provided by operable windows when open. It was determined based on consultant's observation the exhaust fan wasn't functioning properly in room 104C and 105D, it was blowing the air down instead of pulling the air out of the room. The exhaust fan failed the tissue test.

POI (Plan of Improvement)

The responsible person(s) at the center will ensure that the exhaust fans and duct systems are functioning or that the required amount of operable window space is provided in each diapering area. The exhaust fan will be repaired and or replaced to provide adequate ventilation.

Correction Deadline: 12/1/2023

591-1-1-.17 Hygiene(CR)**Met****Comment**

There were no children enrolled on this date. Proper hand washing of children and staff was discussed with the director on this date.

591-1-1-.20 Medications(CR)**Met****Comment**

Discussed proper medication documentation and procedures.

Safety

591-1-1-.05 Animals**Met****Comment**

Center does not keep animals on premises.

591-1-1-.11 Discipline(CR)**Met****Comment**

There were no children enrolled on this date. The center's discipline policy was reviewed on this date. Regulations regarding proper discipline were discussed with the director on this date.

591-1-1-.13 Field Trips(CR)**Met****Comment**

Center does not participate in field trips at this time.

591-1-1-.36 Transportation(CR)**Met****Comment**

Center does not provide routine transportation.

Sleeping & Resting Equipment

591-1-1-.30 Safe Sleeping and Resting Requirements(CR)**Not Met****Comment**

Discussed SIDS and infant sleeping position. Eight (8) of eight (8) cribs were present meeting CPSC guidelines as they were manufactured in 2011 and 2023.

Finding

591-1-1-.30(1)(b)3 requires that sheets or similar coverings for cots or mats shall either be marked for individual use or laundered daily. If marked for individual use, they must be laundered weekly or more frequently if needed. It was determined based on consultant's observation room 102A, 103B, 104C, 105D, 106 E, and 107E lacked a sheet for mats.

POI (Plan of Improvement)

The Center will ensure that sheets are marked for individual use or washed daily and that marked sheets are washed at least weekly. A sheet will be provided for all children requiring a nap.

Correction Deadline: 12/1/2023

Finding

591-1-1-.30(1)(b)4 requires that a light cover be available for each child's use on a cot or mat and shall be marked for individual use or laundered daily. If marked for individual use, they must be laundered weekly or more frequently if needed. It was determined based on consultant's observation room 102A t, 103B, 104C, 105D and 106E lacked a cover..

POI (Plan of Improvement)

The Center will ensure that a light cover is available for each child and will meet the requirements for laundering.

Correction Deadline: 12/1/2023

Staff Records

591-1-1-.09 Criminal Records and Comprehensive Background Checks(CR) **Met**

Comment

Criminal record checks were observed to be complete.

591-1-1-.14 First Aid & CPR **Met**

Comment

Evidence observed of 100% of center staff certified in First Aid and CPR.

591-1-1-.31 Staff(CR) **Met**

Comment

Discussed that all lead staff must enroll in an approved education program within 6 months of hire and complete degree within 18 months.

Staffing and Supervision

591-1-1-.32 Staff:Child Ratios and Group Size(CR) **Met**

Comment

There were no children enrolled on this date. Proper ratios and classroom capacities were discussed with the director on this date.

591-1-1-.32 Supervision(CR) **Met**

Comment

There were no children enrolled on this date. Proper supervision of children, including being prompt to children's needs, was discussed with the director on this date.