



Bright from the Start Georgia Department of Early Care and Learning
2 Martin Luther King Jr. Drive SE, 670 East Tower
Atlanta, GA 30334
Phone: (404) 657-5562 WWW.DECAL.GA.GOV

Date: 5/14/2024 **VisitType:** Monitoring Visit

Arrival: 8:40 AM **Departure:** 11:30 AM

CCLC-35599

Childcare Network #217

200 N. Westover Blvd Albany, GA 31707 Dougherty County
(912) 888-8090 cni217@childcarenetwork.com

Regional Consultant

Debrik Perry

Phone: (478) 599-9821

Fax: (478) 314-5864

debrik.perry@decal.ga.gov

Mailing Address

Same

Quality Rated: ★ ★

Compliance Zone Designation			Compliance Zone Designation - A summary measure of a program's 12 month monitoring history, as it pertains to child care health and safety rules. The three compliance zones are good standing, support, and deficient. Good Standing - Program is demonstrating an acceptable level of performance in meeting the rules. Support - Program performance is demonstrating a need for improvement in meeting rules. Deficient - Program is not demonstrating an acceptable level of performance in meeting the rules.
05/14/2024	Monitoring Visit	Good Standing	
04/17/2024	Complaint Closure	Good Standing	
03/13/2024	Complaint Investigation Follow Up	Good Standing	

Ratios/License Capacity

Building	Room	Age Group	Staff	Children	NC/C	Max 35 SF.	35 SF. Comp.	Max 25 SF.	25 SF. Comp.	Notes
Main	2 Yr. Old Room (Right Back)	Two Year Olds and Three Year Olds	2	13	C	19	C	NA	NA	Circle Time
Main	3 yr. old Right Front	Three Year Olds and Four Year Olds	2	16	C	19	C	NA	NA	Transitioning
Main	Front Middle Left 1-A	One Year Olds	1	6	C	13	C	NA	NA	Circle Time
Main	Front Middle left 1-B	Two Year Olds	1	6	C	10	C	NA	NA	Diapering, Circle Time
Main	Infant Room (Front Left)	Infants	2	4	C	11	C	NA	NA	Floor Play
Main	Pre K 1	GA PreK	2	11	C	20	C	NA	NA	Centers
Main	Pre K 2		0	0	C	20	C	NA	NA	
Main	Pre K 3	GA PreK	2	10	C	20	C	NA	NA	Centers
Main	Stage and Adjacent Area		0	0	C	26	C	NA	NA	

Total Capacity @35 sq. ft.: 158

Total Capacity @25 sq. ft.: 0

Building @35 capacity limited by Fire Marshall Limitations

Total # Children this Date: 66

Total Capacity @35 sq. ft.: 158

Total Capacity @25 sq. ft.: 0

Building	Playground	Playground Occupancy	Playground Compliance
Main	Playground 1	13	C
Main	Playground 2	69	C
Main	Playground 3	32	C
Main	Playground 4	43	C

Comments

An in person inspection was conducted on May 14, 2024 with the May 14, 2024 with the director.

Plan of Improvement: Developed This Date 05/14/2024

Any rule violation which subjects a child to injury or life-threatening situation or any rule violations previously cited but not corrected, may result in the imposition of an adverse enforcement action. Serious or continued noncompliance may also jeopardize participation in one or more DECAL program(s).



Please refer to the website, <http://www.decgal.ga.gov/CCS/RulesAndRegulations.aspx>, for information regarding October 1, 2018 rule changes about Criminal Records Checks that may affect your facility. In summary,

- New records checks will be required to be completed if a staff member experiences a six month break in service from the child care industry
- New clearance is required at least once every five years
- Any staff member solely responsible for supervising children will be required to have completed a comprehensive background clearance
- All staff members are required to have completed at least a national fingerprint based clearance check
- Any staff member with only the national fingerprint based clearance, must be under constant and direct supervision of a staff member with a satisfactory comprehensive records check clearance
- Facilities are required to use DECAL KOALA for Criminal Records Checks, including to verify portability of an employee

O.C.G.A. Section 42.1.12(i)(2) requires Bright from the Start: Georgia Department of Early Care and Learning to notify licensed child care programs on accessing and retrieving from the Georgia Bureau of Investigation's (GBI) website a list of the names and addresses of all registered sexual offenders. Please see GBI's website located at <http://gbi.georgia.gov> to access the Georgia Sex Offender Registry.

Refutation Process:

You have the right to refute any of the citations noted in this report with which you disagree. To refute a citation(s), do the following:

- 1) Log into DECAL KOALA www.decalkoala.com with the userid for your program
- 2) On the home page scroll down to the Inspection Reports and select 'Refute Citation' for the visit report in dispute
- 3) Select the specific rule number(s) that you are refuting, add the reason for disagreement regarding the rule citation, and upload supporting documentation
- 4) Submit the refutation in DECAL KOALA to Child Care Services (CCS) within 10 business days of the completion date.

Your refutation will be forwarded to the appropriate CCS manager, who will follow up with you about your concerns. If you have any questions about this process, contact our office at 404-657-5562.

Bright from the Start recommends that all licensed child care providers carry liability insurance coverage sufficient to protect its clients. If you do not have this liability insurance, you are required to post a notice with ½ inch letters in a conspicuous location in the program, notify the parent or guardian of each child in care in writing, obtain their signature to acknowledge receipt and maintain this written acknowledgment on file at the program at all times while the child attends the program and for 12 months after the child's last date of attendance. (O.C.G.A. Section 20-1A-4)



Important Quality Rated/CAPS Update:

As January 1, 2022, child care providers must be Quality Rated to receive Childcare and Parent Services (CAPS). Newly licensed, or new to CAPS providers may be eligible for the new CAPS/QR Provisional Status, allowing for scholarships while working toward a star rating.

Contact the Quality Rated help desk at 855-800-7747 or qualityrated@decgal.ga.gov for more information. Free technical assistance is available!



Bright from the Start Georgia Department of Early Care and Learning
2 Martin Luther King Jr. Drive SE, 670 East Tower
Atlanta, GA 30334

Phone: (404) 657-5562 WWW.DECAL.GA.GOV

(Findings Report)

Date: 5/14/2024 **VisitType:** Monitoring Visit

Arrival: 8:40 AM **Departure:** 11:30 AM

CCLC-35599

Childcare Network #217

200 N. Westover Blvd Albany, GA 31707 Dougherty County
(912) 888-8090 cni217@childcarenetwork.com

Regional Consultant

Debrik Perry

Phone: (478) 599-9821

Fax: (478) 314-5864

debrik.perry@decal.ga.gov

Mailing Address

Same

The following information is associated with a Monitoring Visit:

Activities and Equipment

591-1-1.12 Equipment & Toys(CR)

Met

Comment

A variety of equipment and toys were observed throughout the center.

591-1-1.35 Swimming Pools & Water-related Activities(CR)

Met

Comment

Center does not provide swimming activities.

Facility

591-1-1.19 License Capacity(CR)

Met

Comment

Licensed capacity observed to be routinely met by center.

591-1-1.25 Physical Plant - Safe Environment(CR)

Not Met

Finding

591-1-1.25(3) requires the Center and surrounding premises to be kept clean, free of debris and in good repair. Hygienic measures such as, but not limited to, screened windows and proper waste disposal procedures shall be utilized to minimize the presence of rodents, flies, roaches and other vermin at the Center. It was determined based on observation that the following areas had ceiling damage due to water leakage:

- 1) The front office had water leaking from the ceiling on the far right side. A black trash can was placed on the floor to catch the water.
- 2) The first room to the right had water leaking through the ceiling light. A black trash can was placed on the floor to catch the water.
- 3) Toddler classroom A had discolored ceiling tile and water leaking from the ceiling
- 4) Toddler classroom B had discolored ceiling tile and water leaking from the ceiling
- 5) The two-year-old classroom located on the right side had four ceiling tiles that were discolored from water damage
- 6) Pre K 1 classroom had water leaking from the ceiling light and a black trash can had been placed on the floor to catch the water
- 7) Pre K 2 classroom had water damage to three ceiling tiles which caused water leakage

POI (Plan of Improvement)

The Center will have the Center and surrounding areas cleaned, make repairs where needed, and remove all debris is removed. The Center will implement a plan to keep areas clean and in good repair that includes regular monitoring.

Correction Deadline: 5/14/2024

591-1-1-.26 Playgrounds(CR) Met

Comment

Playground observed to be clean and in good repair.

Health and Hygiene

591-1-1-.10 Diapering Areas & Practices(CR) Met

Comment

Staff state proper knowledge of diapering procedures.

591-1-1-.17 Hygiene(CR) Met

Comment

Staff were observed to remind children to wash hands.

591-1-1-.20 Medications(CR) Met

Comment

The Provider currently does not dispense/administer medication.

Safety

591-1-1-.11 Discipline(CR) Met

Comment

Staff were observed to maintain a positive learning environment on this date.

591-1-1-.36 Transportation(CR) Not Met

Finding

591-1-1-.36(4)(b) requires that the interior of a transportation vehicle be clean, in safe repair and free of hazardous items, objects and/or other non-essential items which could cause injury. It was determined based on observation that the two center buses had the following areas in need of repair:

- 1) Bus 0403 had one seat on the left side that was torn and black tape had been applied. It was further determined that the drivers seat was torn and black tape had been applied.
- 2) Bus 0507 had a broken plastic caution light case that was located near the entrance of the bus.
- 2) All of the seats on Bus 0507 were torn. It was further determined that black tape had been applied to all seats.

POI (Plan of Improvement)

The center will maintain that all transportation vehicles are clean, in safe repair, and free from hazards.

Correction Deadline: 5/14/2024

Recited on 5/14/2024

Sleeping & Resting Equipment

591-1-1-.30 Safe Sleeping and Resting Requirements(CR) Met

Comment

Pleasant naptime environment observed.

Comment

The correct number of mats, sheets and blankets were observed on this date. Cleaning and disinfecting of mats was discussed with the director on this date.

Staff Records

Comment

Criminal record checks were observed to be complete.

Comment

Director provided files for five employees hired since last visit on December 1, 2023.

591-1-1-.33 Staff Training**Not Met****Finding**

591-1-1-.33(3) requires each Staff member with direct care responsibilities to complete health and safety orientation training within the first 90 days of employment. The state-approved training hours obtained will count toward required first year training hours. The training must address the following health and safety topics: prevention and control of infectious diseases (including immunizations); prevention of sudden infant death syndrome and use of safe sleeping practices; administration of medication, consistent with standards for parental consent; prevention of and response to emergencies due to food and allergic reactions; building and physical premises safety, including identification of and protection from hazards that can cause bodily injury such as electrical hazards, bodies of water, and vehicular traffic; prevention of shaken baby syndrome, abusive head trauma and child maltreatment; emergency preparedness and response planning for emergencies resulting from a natural disaster or a human-caused event (such as violence at a child care facility); handling and storage of hazardous materials and the appropriate disposal of bio contaminants; precautions in transporting children; recognition and reporting of child abuse and neglect; and child development. It was determined based on a review of files that staff #1 did not complete the Health and Safety training within the 90 days of hire.

POI (Plan of Improvement)

The Center will develop and implement a plan to schedule and track this training for all employees based on their hire dates and will ensure that the training includes all required components as required.

Correction Deadline: 6/13/2024

591-1-1-.31 Staff(CR)**Met****Comment**

Staff observed to be compliant with applicable laws and regulations.

Staffing and Supervision**591-1-1-.32 Staff:Child Ratios and Group Size(CR)****Met****Comment**

Center observed to maintain appropriate staff:child ratios.

591-1-1-.32 Supervision(CR)**Met****Comment**

Staff observed to provide direct supervision and be attentive to children's needs.