



Bright from the Start Georgia Department of Early Care and Learning
2 Martin Luther King Jr. Drive SE, 670 East Tower
Atlanta, GA 30334
Phone: (404) 657-5562 WWW.DECAL.GA.GOV

Date: 3/25/2025 **VisitType:** Licensing Study

Arrival: 9:15 AM **Departure:** 3:00 PM

CCLC-53726
KinderCare Learning Center (Buford 086016)
3966 South Bogan Road Suite A Buford, GA 30519 Gwinnett
County
(678) 714-7021 buford@kindercare.com

Regional Consultant
Francine Arnone
Phone: ()
Fax:
francine.arnone@dec.al.ga.gov

Mailing Address
Same

Quality Rated: ★

<u>Compliance Zone Designation</u>			Compliance Zone Designation - A summary measure of a program's 12 month monitoring history, as it pertains to child care health and safety rules. The three compliance zones are good standing, support, and deficient. Good Standing - Program is demonstrating an acceptable level of performance in meeting the rules. Support - Program performance is demonstrating a need for improvement in meeting rules. Deficient - Program is not demonstrating an acceptable level of performance in meeting the rules.
03/25/2025	Licensing Study	Good Standing	
03/04/2025	Incident Investigation Closure	Good Standing	
11/06/2024	POI Follow Up	Good Standing	

Ratios/License Capacity

Building	Room	Age Group	Staff	Children	NC/C	Max 35 SF.	35 SF. Comp.	Max 25 SF.	25 SF. Comp.	Notes
Main	A: 1R (6wks- 12mth)	Infants	1	5	C	14	C	NA	NA	Floor Play
Main	B: 2R (2 yrs)	Two Year Olds	2	10	C	20	C	NA	NA	Free Play,Centers
Main	C: 3R-Two-Year-Old Room		0	0	C	15	C	NA	NA	Not In Use
Main	D: 4R		0	0	C	15	C	NA	NA	Not In Use
Main	E: 5R (Preschool 1)	Three Year Olds	1	13	C	20	C	NA	NA	Free Play,Centers
Main	F: 6R Pre-K	GA PreK	2	18	C	32	C	NA	NA	Centers
Main	G: 5L (Pre-K)	GA PreK	2	18	C	26	C	NA	NA	Centers
Main	H: 4L (School Aged)		0	0	C	21	C	NA	NA	Not In Use
Main	J: 2L (After School)		0	0	C	17	C	NA	NA	Not In Use
Main	K: 1L (1's)		0	0	C	13	C	NA	NA	Not In Use

Total Capacity @35 sq. ft.: 193

Total Capacity @25 sq. ft.: 0

Total # Children this Date: 64

Total Capacity @35 sq. ft.: 193

Total Capacity @25 sq. ft.: 0

Building	Playground	Playground Occupancy	Playground Compliance
Main	PG A - LF (6 wks- 24 mths)	18	C
Main	PG B - LB/B (2 yr- 12 yr)	101	C

Enrolled Children						
Under 1 years	1 years	2 years	3 years	4 years	5 years (Prekonly)	5 years and older
3	2	18	30	41	1	1

Comments

Consultant discussed with Provider the following: Please enter all closures or adjustments to schedule into DECAL KOALA; all amendments are required to be electronically entered into Decal KOALA

Plan of Improvement: Developed This Date

Any rule violation which subjects a child to injury or life-threatening situation or any rule violations previously cited but not corrected, may result in the imposition of an adverse enforcement action. Serious or continued noncompliance may also jeopardize participation in one or more DECAL program(s).

Please refer to the website, <http://www.decal.ga.gov/CCS/RulesAndRegulations.aspx>, for information regarding October 1, 2018 rule changes about Criminal Records Checks that may affect your facility. In summary,

- New records checks will be required to be completed if a staff member experiences a six month break in service from the child care industry
- New clearance is required at least once every five years
- Any staff member solely responsible for supervising children will be required to have completed a comprehensive background clearance
- All staff members are required to have completed at least a national fingerprint based clearance check
- Any staff member with only the national fingerprint based clearance, must be under constant and direct supervision of a staff member with a satisfactory comprehensive records check clearance
- Facilities are required to use DECAL KOALA for Criminal Records Checks, including to verify portability of an employee

O.C.G.A. Section 42.1.12(i)(2) requires Bright from the Start: Georgia Department of Early Care and Learning to notify licensed child care programs on accessing and retrieving from the Georgia Bureau of Investigation's (GBI) website a list of the names and addresses of all registered sexual offenders. Please see GBI's website located at <http://gbi.georgia.gov> to access the Georgia Sex Offender Registry.

Refutation Process:

You have the right to refute any of the citations noted in this report with which you disagree. To refute a citation(s), do the following:

- 1) Log into DECAL KOALA www.decalkoala.com with the userid for your program
- 2) On the home page scroll down to the Inspection Reports and select 'Refute Citation' for the visit report in dispute
- 3) Select the specific rule number(s) that you are refuting, add the reason for disagreement regarding the rule citation, and upload supporting documentation
- 4) Submit the refutation in DECAL KOALA to Child Care Services (CCS) within 10 business days of the completion date.

Your refutation will be forwarded to the appropriate CCS manager, who will follow up with you about your concerns. If you have any questions about this process, contact our office at 404-657-5562.

Bright from the Start recommends that all licensed child care providers carry liability insurance coverage sufficient to protect its clients. If you do not have this liability insurance, you are required to post a notice with ½ inch letters in a conspicuous location in the program, notify the parent or guardian of each child in care in writing, obtain their signature to acknowledge receipt and maintain this written acknowledgment on file at the program at all times while the child attends the program and for 12 months after the child's last date of attendance. (O.C.G.A. Section 20-1A-4)

Important Quality Rated/CAPS Update:

Child care providers must be Quality Rated to receive Childcare and Parent Services (CAPS). Newly licensed, or new to CAPS providers may be eligible for the CAPS/ QR Provisional Status, allowing for scholarships while working toward an initial star rating. Provisional Status eligibility will be determined at the time of CAPS enrollment as part of the CAPS application process.

Contact the Quality Rated help desk at 855-800-7747 or qualityrated@dec.al.ga.gov for more information. Free technical assistance is available!



Bright from the Start Georgia Department of Early Care and Learning
2 Martin Luther King Jr. Drive SE, 670 East Tower
Atlanta, GA 30334

Phone: (404) 657-5562 WWW.DECAL.GA.GOV

(Findings Report)

Date: 3/25/2025 **VisitType:** Licensing Study

Arrival: 9:15 AM **Departure:** 3:00 PM

CCLC-53726
KinderCare Learning Center (Buford 086016)
3966 South Bogan Road Suite A Buford, GA 30519 Gwinnett
County
(678) 714-7021 buford@kindercare.com

Regional Consultant
Francine Arnone
Phone: ()
Fax:
francine.arnone@decal.ga.gov

Mailing Address
Same

The following information is associated with a Licensing Study:

Activities and Equipment

Records Reviewed: 13

Records with Missing/Incomplete Components: 6

Staff # 6 Not Met

Date of Hire: 01/06/2023

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 8 Not Met

Date of Hire: 02/27/2019

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 9 Not Met

Date of Hire: 07/27/2017

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 11 Not Met

Date of Hire: 01/23/2023

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 12 Not Met

Date of Hire: 08/04/2023

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 13 Not Met

Date of Hire: 05/17/2021

"Missing/Incomplete Components"

Records Reviewed: 13**Records with Missing/Incomplete Components: 6**

.33(5)-10 Hrs. Annual Training,.31(2)(b)2.-Staff Qualifications-Education Missing

591-1-1-.12 Equipment & Toys(CR)**Met****Comment**

A variety of equipment and toys were observed throughout the center.

591-1-1-.35 Swimming Pools & Water-related Activities(CR)**N/A****Comment**

Pool not in use at this time, gates observed locked. The pool is covered and not used in past 10 years.

Children's Records

Records Reviewed: 13**Records with Missing/Incomplete Components: 6**

Staff # 6

Not Met

Date of Hire: 01/06/2023

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 8

Not Met

Date of Hire: 02/27/2019

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 9

Not Met

Date of Hire: 07/27/2017

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 11

Not Met

Date of Hire: 01/23/2023

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 12

Not Met

Date of Hire: 08/04/2023

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 13

Not Met

Date of Hire: 05/17/2021

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training,.31(2)(b)2.-Staff Qualifications-Education Missing

591-1-1-.08 Children's Records**Technical Assistance****Technical Assistance**

591-1-1-.08(6) - Please ensure all parents/families are signing children in and out each day as required.

Correction Deadline: 3/25/2025

Records Reviewed: 13

Records with Missing/Incomplete Components: 6

Staff # 6 Not Met

Date of Hire: 01/06/2023

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 8 Not Met

Date of Hire: 02/27/2019

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 9 Not Met

Date of Hire: 07/27/2017

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 11 Not Met

Date of Hire: 01/23/2023

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 12 Not Met

Date of Hire: 08/04/2023

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 13 Not Met

Date of Hire: 05/17/2021

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training,.31(2)(b)2.-Staff Qualifications-Education Missing

591-1-1-.19 License Capacity(CR)

Met

Comment

Licensed capacity observed to be routinely met by center.

591-1-1-.25 Physical Plant - Safe Environment(CR)

Not Met

Finding

591-1-1-.25(11) requires that floor coverings be tight, smooth, free of odors and washable or cleanable. It was determined based on observation that the carpeted flooring in Rooms E:5R (Preschool 1), Room F: 6R Pre-K GaPreK, and G: 5L(Pre-K) GA PreK were torn in the center of the rooms and span the entire width of the room creating a tripping hazard. It was further determined that the tiled flooring in Room D: 4R classroom had a broken tile and partially missing material at the location that the carpet meets the flooring in the center of the room.

POI (Plan of Improvement)

Floors will be maintained to be safe and sanitary.

Correction Deadline: 4/24/2025

Finding

591-1-1-.25(13) requires that potentially hazardous equipment, materials and supplies be stored in a locked area inaccessible to children. It was determined based on observation that a broom was accessible to children in an unlocked closet to the right of the room door in room B: 2R (2yrs) Two Year Old classroom. It was further determined that the toilet plunger and a broom and mop were accessible to children in the bathroom of room E: 5R (Preschool1) Three Year Olds and room G: 5L (Pre-K) GA PreK classroom. Additionally, adult sized scissors were accessible to children in an unlocked drawer next to the easel also in room G: 5L(PreK) GA PreK classroom.

POI (Plan of Improvement)

The Center will identify all hazardous items and keep them in a locked area inaccessible to children. The Center will inform all Staff about hazardous items and the safe storage of those items.

Correction Deadline: 3/25/2025

591-1-1-.25 Physical Plant-Structural/Mechanical**Not Met****Finding**

591-1-1-.25(4) requires the Center to maintain the temperature in the range of 65 to 85 degrees Fahrenheit and to ventilate the Center be ventilated either by mechanical or natural means for the purpose of providing fresh air and controlling unpleasant odors. Facilities which do not have a functioning central heating and air-conditioning system shall make fifty percent (50%) of all required windows operable for ventilation. Any openings used for ventilation shall be screened. It was determined based on observation that a window in room C: 3R-Two-Year-Old classroom was open 6 inches without a screen on the window as required.

POI (Plan of Improvement)

The Center will add screen(s), if needed. The designated person(s) will check frequently to ensure the Center's temperature is maintained at 65 to 85 degrees Fahrenheit, will monitor to ensure that either natural or mechanical ventilation provides fresh air and controls unpleasant odors, and that any openings used for ventilation are screened.

Correction Deadline: 3/25/2025

591-1-1-.26 Playgrounds(CR)**Not Met****Technical Assistance**

591-1-1-.26(4) - Please monitor and maintain the fencing and gate between Main PG A-LF (6 wks-24 mths) and the Main PG B - LB/B (2yr-12yr) playground to prevent gaps caused from ground deterioration are replaced or repaired as required.

Correction Deadline: 3/25/2025

Finding

591-1-1-.26(5) requires that the playground have a surface suitable for varied activities. Hard surfaces (gravel, concrete, paving) shall not exceed one-fourth of the total area. It was determined based on observation that more than one half of Main PG A-LF (6wks-24mths) playground was covered by concrete and hard dirt which is not suitable for varied activities as required.

POI (Plan of Improvement)

The Center will increase the unpaved area or decrease the size of the hard surface to be in compliance.

Correction Deadline: 4/24/2025

Finding

591-1-1-.26(8) requires climbing and swinging equipment to have a resilient surface beneath the equipment and the fall zone from such equipment must be adequately maintained by the Center to assure continuing resilience. It was determined based on observation that there was less than one inch of wood mulch in the Main PG B-LB/B (2yrs-12 yr) playground, including under climbing structure and swings instead of the 6 inches as required.

POI (Plan of Improvement)

The Center will add additional resilient surfacing to the fall zones where needed and check daily, adding resilient surfacing as needed to maintain adequate resilience.

Correction Deadline: 4/4/2025

Finding

591-1-1-.26(9) requires the playground to be kept clean, free from litter and free of hazards, such as but not limited to rocks, exposed tree roots and exposed sharp edges of concrete. It was determined based on observation that there was an active ant mound on Main A:1R (6wks - 12mth) infants playground in straight in front of the door from room the Main K: 1L (1's) classroom that posed a hazard. Additionally there was a sensory table located in the Main B: 2R(2yrs) Two Year Olds playground that had 3 inches of sitting water in it on Playground B to the left of the fence separating Playground Main A and Main B that posed a drowning hazard.

POI (Plan of Improvement)

The water was disposed of by the Director on the day of the visit. The Center will remove hazards from the playground and will routinely monitor the playground by removing all free-standing water, litter and hazards.

Correction Deadline: 3/25/2025

Food Service

Records Reviewed: 13

Records with Missing/Incomplete Components: 6

Staff # 6	Not Met
-----------	---------

Date of Hire: 01/06/2023

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 8	Not Met
-----------	---------

Date of Hire: 02/27/2019

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 9	Not Met
-----------	---------

Date of Hire: 07/27/2017

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 11	Not Met
------------	---------

Date of Hire: 01/23/2023

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 12	Not Met
------------	---------

Date of Hire: 08/04/2023

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 13	Not Met
------------	---------

Date of Hire: 05/17/2021

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training,.31(2)(b)2.-Staff Qualifications-Education Missing

591-1-1-.18 Kitchen Operations

Technical Assistance

Technical Assistance

591-1-1-.18(6) - Please ensure the water in the kitchen sink that is used for dish washing has hot water.

Correction Deadline: 3/25/2025

Health and Hygiene

Records Reviewed: 13

Records with Missing/Incomplete Components: 6

Staff # 6 Not Met

Date of Hire: 01/06/2023

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 8 Not Met

Date of Hire: 02/27/2019

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 9 Not Met

Date of Hire: 07/27/2017

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 11 Not Met

Date of Hire: 01/23/2023

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 12 Not Met

Date of Hire: 08/04/2023

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 13 Not Met

Date of Hire: 05/17/2021

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training,.31(2)(b)2.-Staff Qualifications-Education Missing

591-1-1-.10 Diapering Areas & Practices(CR) Met

Comment

Staff state proper knowledge of diapering procedures.

591-1-1-.17 Hygiene(CR) Met

Comment

Proper hand washing observed throughout the center.

591-1-1-.20 Medications(CR) N/A

Comment

The Provider currently does not dispense/administer medication.

Policies and Procedures

Records Reviewed: 13

Records with Missing/Incomplete Components: 6

Staff # 6 Not Met

Date of Hire: 01/06/2023

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 8

Not Met

Date of Hire: 02/27/2019

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 9

Not Met

Date of Hire: 07/27/2017

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 11

Not Met

Date of Hire: 01/23/2023

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 12

Not Met

Date of Hire: 08/04/2023

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 13

Not Met

Date of Hire: 05/17/2021

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training,.31(2)(b)2.-Staff Qualifications-Education Missing

591-1-1-.21 Operational Policies & Procedures**Not Met****Finding**

591-1-1-.21(3) requires that the Center conduct drills for fire, tornado and other emergency situations. The fire drills will be conducted monthly and tornado and other emergency situation drills will be conducted every six months. The Center shall maintain documentation of the dates and times of these drills for two years. It was determined based on a review of records that the Center did not conduct tornado and other emergency situation drills every six months during the calendar year 2024, as required.

POI (Plan of Improvement)

The Center will hold the drills as required and keep the documentation of the drills on file for two years.

Correction Deadline: 3/30/2025**Safety**

Staff # 6

Not Met

Date of Hire: 01/06/2023

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 8

Not Met

Date of Hire: 02/27/2019

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 9

Not Met

Date of Hire: 07/27/2017

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 11

Not Met

Date of Hire: 01/23/2023

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 12

Not Met

Date of Hire: 08/04/2023

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 13

Not Met

Date of Hire: 05/17/2021

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training,.31(2)(b)2.-Staff Qualifications-Education Missing

591-1-1-.11 Discipline(CR)**Met****Comment**

Staff were observed to maintain a positive learning environment on this date.

591-1-1-.36 Transportation(CR)**N/A****Comment**

Center does not provide routine transportation.

Sleeping & Resting Equipment

Staff # 6

Not Met

Date of Hire: 01/06/2023

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 8

Not Met

Date of Hire: 02/27/2019

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 9

Not Met

Date of Hire: 07/27/2017

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 11 Not Met

Date of Hire: 01/23/2023

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 12 Not Met

Date of Hire: 08/04/2023

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 13 Not Met

Date of Hire: 05/17/2021

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training,.31(2)(b)2.-Staff Qualifications-Education Missing

591-1-1-.30 Safe Sleeping and Resting Requirements(CR)

Technical Assistance

Technical Assistance

591-1-1-.30(1)(b)2 - Please ensure that all mats or cots are marked for individual use in all rooms.

Correction Deadline: 3/25/2025

Staff Records

Staff # 6 Not Met

Date of Hire: 01/06/2023

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 8 Not Met

Date of Hire: 02/27/2019

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 9 Not Met

Date of Hire: 07/27/2017

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 11 Not Met

Date of Hire: 01/23/2023

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 12 Not Met

Date of Hire: 08/04/2023

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 13

Not Met

Date of Hire: 05/17/2021

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training,.31(2)(b)2.-Staff Qualifications-Education Missing

591-1-1-.09 Criminal Records and Comprehensive Background Checks(CR)**Met****Comment**

Criminal record checks were observed to be complete.

591-1-1-.24 Personnel Records**Technical Assistance****Technical Assistance**

591-1-1-.24(1) - Please ensure that all prior work experience is kept on file for all employees.

Correction Deadline: 3/30/2025

591-1-1-.33 Staff Training**Not Met****Finding**

91-1-1-.33(5) requires that every calendar year after the first year of employment, all supervisory and caregiver Personnel, except independent contractors, Students-in-Training and volunteers shall attend ten (10) clock hours of diverse training which is task-focused in on-going health, safety and early childhood or child development related topics and which is offered by an accredited college, university or vocational program or other Department-approved source. The annual ten (10) clock hours of training shall be chosen from the following fields: child development, including discipline, guidance, nutrition, injury control and safety; health, including sanitation, disease control, cleanliness, detection and disposition of illness; child abuse and neglect, including identification and reporting, and meeting the needs of abused and/or neglected children; and business related topics, including parental communication, recordkeeping, etc.; provided however that such business related training shall be limited to no more than two (2) of the required ten (10) clock hours of training. Records of completion of such training shall be maintained, as required by these rules. It was determined based on a review of records that staff #6, staff #7, staff #10, and staff #11 and #12 had not completed the annual ten (10) hours of diverse training for the 2024 calendar year as required.

POI (Plan of Improvement)

The Center will plan and schedule the required 10 hours of annual training each year and follow up to ensure the training is completed.

Correction Deadline: 4/24/2025

591-1-1-.31 Staff(CR)**Not Met****Finding**

591-1-1-.31(2)(b)2. requires teachers and lead care givers to meet minimum academic requirements and qualifying experience at the time of employment. It was determined based on review of records that lead staff #6 lead staff#7 do not meet the minimum academic requirements as their Child Development Associate (CDA) credential had expired.

POI (Plan of Improvement)

A teacher/lead care giver will be hired that meets the minimum academic requirements and qualifying work experience.

Correction Deadline: 3/25/2025

Staffing and Supervision

Staff # 6

Not Met

Date of Hire: 01/06/2023

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 8

Not Met

Date of Hire: 02/27/2019

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 9

Not Met

Date of Hire: 07/27/2017

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 11

Not Met

Date of Hire: 01/23/2023

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 12

Not Met

Date of Hire: 08/04/2023

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training

Staff # 13

Not Met

Date of Hire: 05/17/2021

"Missing/Incomplete Components"

.33(5)-10 Hrs. Annual Training,.31(2)(b)2.-Staff Qualifications-Education Missing

591-1-1-.32 Staff:Child Ratios and Group Size(CR)

Met

Comment

Center observed to maintain appropriate staff:child ratios.

591-1-1-.32 Supervision(CR)

Met

Comment

Adequate supervision observed on this date.