



Bright from the Start Georgia Department of Early Care and Learning
2 Martin Luther King Jr. Drive SE, 670 East Tower
Atlanta, GA 30334
Phone: (404) 657-5562 WWW.DECAL.GA.GOV

Date: 2/8/2024 **VisitType:** Complaint Investigation & Licensing Study **Arrival:** 8:15 AM **Departure:** 11:10 AM

CCLC-46309

Small Wonders Playcare Center Evans

229 N. Belair Rd. Evans, GA 30809 Columbia County
(706) 860-7676 swplaycare@gmail.com

Lead Consultant

Kaycee Purvis

Phone: (770) 357-4915

Fax: (404) 478-8085

kaycee.purvis@dec.al.ga.gov

Mailing Address
Same

Quality Rated: ★

Compliance Zone Designation			Compliance Zone Designation - A summary measure of a program's 12 month monitoring history, as it pertains to child care health and safety rules. The three compliance zones are good standing, support, and deficient. Good Standing - Program is demonstrating an acceptable level of performance in meeting the rules. Support - Program performance is demonstrating a need for improvement in meeting rules. Deficient - Program is not demonstrating an acceptable level of performance in meeting the rules.
02/08/2024	Complaint Investigation & Licensing Study	Good Standing	
08/24/2023	Complaint Closure	Good Standing	
08/24/2023	Complaint Investigation & Monitoring Visit	Good Standing	

Ratios/License Capacity

Building	Room	Age Group	Staff	Children	NC/C	Max 35 SF.	35 SF. Comp.	Max 25 SF.	25 SF. Comp.	Notes
Main	Left Front	GA PreK	2	13	C	19	C	26	C	Circle Time, Centers
Main	Left Rear	Infants and One Year Olds	2	9	C	20	C	NA	NA	Nap, Floor Play, Free Play
Main	Middle Left	One Year Olds	1	8	C	21	C	NA	NA	Centers
Main	Middle Right	Two Year Olds	2	14	C	31	C	NA	NA	Centers
Main	Right Front A (Nursery 2)	Infants	1	4	C	14	C	NA	NA	Nap
Main	Right Front B (Pre-K)	GA PreK	2	12	C	25	C	35	C	Circle Time
Main	Right Rear	Three Year Olds and Four Year Olds	2	11	C	34	C	NA	NA	Centers
Total Capacity @35 sq. ft.: 164					Total Capacity @25 sq. ft.: 166					
Total # Children this Date: 71			Total Capacity @35 sq. ft.: 164			Total Capacity @25 sq. ft.: 166		Building @25 capacity limited by Fire Marshall Limitations		

Building	Playground	Playground Occupancy	Playground Compliance
Main	PG- Left	28	C
Main	PG- Middle Playground	59	C
Main	PG- Right Playground	144	C

Comments

The purpose of this visit was to conduct a Licensing Study.

Plan of Improvement: Developed This Date 02/08/2024

Any rule violation which subjects a child to injury or life-threatening situation or any rule violations previously cited but not corrected, may result in the imposition of an adverse enforcement action. Serious or continued noncompliance may also jeopardize participation in one or more DECAL program(s).



Please refer to the website, <http://www.dec.al.ga.gov/CCS/RulesAndRegulations.aspx>, for information regarding October 1, 2018 rule changes about Criminal Records Checks that may affect your facility. In summary,

- New records checks will be required to be completed if a staff member experiences a six month break in service from the child care industry
- New clearance is required at least once every five years
- Any staff member solely responsible for supervising children will be required to have completed a comprehensive background clearance
- All staff members are required to have completed at least a national fingerprint based clearance check
- Any staff member with only the national fingerprint based clearance, must be under constant and direct supervision of a staff member with a satisfactory comprehensive records check clearance
- Facilities are required to use DECAL KOALA for Criminal Records Checks, including to verify portability of an employee

O.C.G.A. Section 42.1.12(i)(2) requires Bright from the Start: Georgia Department of Early Care and Learning to notify licensed child care programs on accessing and retrieving from the Georgia Bureau of Investigation's (GBI) website a list of the names and addresses of all registered sexual offenders. Please see GBI's website located at <http://gbi.georgia.gov> to access the Georgia Sex Offender Registry.

Refutation Process:

You have the right to refute any of the citations noted in this report with which you disagree. To refute a citation(s), do the following:

- 1) Log into DECAL KOALA www.decalkoala.com with the userid for your program
- 2) On the home page scroll down to the Inspection Reports and select 'Refute Citation' for the visit report in dispute
- 3) Select the specific rule number(s) that you are refuting, add the reason for disagreement regarding the rule citation, and upload supporting documentation
- 4) Submit the refutation in DECAL KOALA to Child Care Services (CCS) within 10 business days of the completion date.

Your refutation will be forwarded to the appropriate CCS manager, who will follow up with you about your concerns. If you have any questions about this process, contact our office at 404-657-5562.

Bright from the Start recommends that all licensed child care providers carry liability insurance coverage sufficient to protect its clients. If you do not have this liability insurance, you are required to post a notice with ½ inch letters in a conspicuous location in the program, notify the parent or guardian of each child in care in writing, obtain their signature to acknowledge receipt and maintain this written acknowledgment on file at the program at all times while the child attends the program and for 12 months after the child's last date of attendance. (O.C.G.A. Section 20-1A-4)



Important Quality Rated/CAPS Update:

As January 1, 2022, child care providers must be Quality Rated to receive Childcare and Parent Services (CAPS). Newly licensed, or new to CAPS providers may be eligible for the new CAPS/QR Provisional Status, allowing for scholarships while working toward a star rating.

Contact the Quality Rated help desk at 855-800-7747 or qualityrated@dec.al.ga.gov for more information. Free technical assistance is available!

Tina Westbrook, Program Official

Date

Kaycee Purvis, Lead Consultant

Date



Bright from the Start Georgia Department of Early Care and Learning
2 Martin Luther King Jr. Drive SE, 670 East Tower
Atlanta, GA 30334
Phone: (404) 657-5562 WWW.DECAL.GA.GOV

(Findings Report)

Date: 2/8/2024 **VisitType:** Complaint Investigation & Licensing Study **Arrival:** 8:15 AM **Departure:** 11:10 AM

CCLC-46309

Small Wonders Playcare Center Evans

229 N. Belair Rd. Evans, GA 30809 Columbia County
(706) 860-7676 swplaycare@gmail.com

Lead Consultant

Kaycee Purvis

Phone: (770) 357-4915

Fax: (404) 478-8085

kaycee.purvis@dec.al.ga.gov

Mailing Address
Same

The following information is associated with a Licensing Study Visit:

Activities and Equipment

591-1-1-.12 Equipment & Toys(CR)

Technical Assistance

Technical Assistance

591-1-1-.12 - Please remind staff not to turn shelves so that toys are no longer accessible to children.

Technical Assistance

591-1-1-.12(2) - Please ensure to replace broken furniture as needed.

Correction Deadline: 2/8/2024

591-1-1-.35 Swimming Pools & Water-related Activities(CR)

N/A

Comment

Center does not provide swimming activities.

Facility

591-1-1-.19 License Capacity(CR)

Met

Comment

Licensed capacity observed to be routinely met by center.

Finding

591-1-1-.25(3) requires the Center and surrounding premises to be kept clean, free of debris and in good repair. Hygienic measures such as, but not limited to, screened windows and proper waste disposal procedures shall be utilized to minimize the presence of rodents, flies, roaches and other vermin at the Center. It was determined based upon observation that the following repairs were needed on this date:

Left Front Classroom:

-The ceiling tile in the right bathroom had water damage stains.

Middle Left Classroom:

-The window sills had chipping paint.

Middle Right Classroom:

-The ceiling tile outside the bathroom had water damage stains.

-The window sills had chipping paint.

POI (Plan of Improvement)

The Center will have the Center and surrounding areas cleaned, make repairs where needed, and remove all debris is removed. The Center will implement a plan to keep areas clean and in good repair that includes regular monitoring.

Correction Deadline: 3/29/2024

591-1-1-.26 Playgrounds(CR)**Finding**

591-1-1-.26(4) requires that playgrounds be protected from traffic or other hazards by a (4) four foot high fence or other barrier approved by this Department. Fencing material shall not present a hazard to children and shall be maintained so as to prevent children from leaving the playground area by any means other than through an approved access route. Fence gates shall be kept closed except when persons are entering or exiting the area. It was determined based upon observation that the chain link fencing on the right side and middle of the left side of the Right Playground was rusted on this date. It was further determined that the chain link fencing on the back of the Left Playground was rusted on this date.

POI (Plan of Improvement)

The Center will routinely check the fence to determine if it is in good repair and remains at least 4 feet high, and will repair any hazards. The Center will train Staff to identify and report any fence hazards and to keep the fence gates closed when not in use.

Correction Deadline: 4/19/2024

Recited on 2/8/2024

Finding

591-1-1-.26(6) requires that playground equipment provide an opportunity for the children to engage in a variety of experiences and shall be age-appropriate. For example, toddlers shall not be permitted to swing in swings designed for School-age Children. The outdoor equipment shall be free of lead-based paint, sharp corners and shall be regularly maintained in such a way as to be free of rust and splinters that could pose significant safety hazard to the children. All equipment shall be arranged so as not to obstruct supervision of children. It was determined based upon observation that the following equipment hazards were observed accessible to children on this date:

Right Playground:

-The plastic coating was peeling with exposed sharp edges and rusted chains on 15 out of 16 swing chains.

POI (Plan of Improvement)

The Center will provide a variety of age-appropriate equipment that is arranged so as not to obstruct supervision of children. Staff will check the equipment daily to ensure that the equipment is free of hazards, rust and splinters.

Correction Deadline: 4/19/2024

Recited on 2/8/2024

Health and Hygiene

591-1-1-.10 Diapering Areas & Practices(CR) **Met**

Comment

Staff state proper knowledge of diapering procedures.

591-1-1-.17 Hygiene(CR) **Met**

Comment

Staff were observed to remind children to wash hands.

591-1-1-.20 Medications(CR) **Met**

Comment

Discussed proper medication documentation and procedures.

Policies and Procedures

591-1-1-.21 Operational Policies & Procedures **Met**

Comment

Program observed complete emergency drills

Safety

591-1-1-.11 Discipline(CR) **Met**

Comment

Age-appropriate discussion and/or redirection observed.

591-1-1-.36 Transportation(CR) **Met**

Comment

A current/completed inspection was observed for all vehicles used in transporting children this date.

Comment

Complete documentation of transportation observed.

Staff Records

591-1-1-.09 Criminal Records and Comprehensive Background Checks(CR) **Met**

Comment

Criminal record checks were observed to be complete.

591-1-1-.31 Staff(CR) **Met**

Comment

Staff observed to be compliant with applicable laws and regulations.

Staffing and Supervision

591-1-1-.32 Staff:Child Ratios and Group Size(CR) **Met**

Comment

Center observed to maintain appropriate staff:child ratios.

591-1-1-.32 Supervision(CR) **Met**

Comment

Adequate supervision observed on this date.

The following information is associated with a Complaint Investigation Visit:

Sleeping & Resting Equipment

591-1-1-.30 Safe Sleeping and Resting Requirements(CR) **Met**

Correction Deadline: 8/24/2023

Corrected on 2/8/2024

.30(2) - Correction of previous citation in that the Consultant observed infants to sleep in safe sleep environments in accordance with the American Academy of Pediatrics (AAP), Consumer Product Safety Commission (CPSC) and American Society for Testing and Materials (ASTM).