



**Bright from the Start Georgia Department of Early Care and Learning
2 Martin Luther King Jr. Drive SE, 670 East Tower
Atlanta, GA 30334**

Phone: (404) 657-5562 WWW.DECAL.GA.GOV

(Findings Report)

Date: 8/1/2023 **VisitType:** Monitoring Visit **Arrival:** 9:30 AM **Departure:** 11:30 AM

FR-48161

Grinberg, Bella

9990 Carrington Lane Alpharetta, GA 30022 Fulton County
(404) 917-5512 bellaslittlegreenhouse@gmail.com

Mailing Address
Same

Regional Consultant

LaToya Longshore

Phone: (470) 542-7388

Fax: (404) 478-8102

latoya.longshore@decal.ga.gov

Joint with: Marquita Brown-
Opeloyeru

The following information is associated with a Monitoring Visit:

Activities and Equipment

290-2-3-.12 Equipment and Supplies(CR) Met

Comment

Toys and equipment observed to be clean and safe from hazardous conditions.

290-2-3-.19 Infant-Sleeping Safety Requirements(CR) Met

Comment

Pleasant naptime environment observed.

290-2-3-.07 Swimming Pools & Water-related Activities(CR) Met

Comment

There is no pool on the property

Facility

290-2-3-.11 Physical Plant - Safe Environment(CR) Not Met

Finding

290-2-3-.11(2)(h) requires at least one UL Approved smoke detector to be on each floor of the Home and such detectors to be maintained in working order. At least one 2-A:10-B:C fire extinguisher shall be kept in the child care area to be located no more than thirty feet from the kitchen. The extinguisher shall be maintained in working order and shall be inaccessible to the children. It was determined based on observation, the smoke detector on the second and third floor were not in working order.

POI (Plan of Improvement)

The home provider will ensure that a working smoke detector is on each floor and a working fire extinguisher is available in the child care area as required, and is maintained inaccessible to children.

Correction Deadline: 8/11/2023

290-2-3-.13 Physical Plant-Structural/Mechanical(CR) **Met**

Comment

The Home appears clean and free from hazards.

290-2-3-.13 Playgrounds(CR) **Met**

Comment

There is no pool on the property

Health and Hygiene

290-2-3-.11 Children's Health and Hygiene(CR) **Met**

Comment

Staff were observed to remind children to wash hands.

290-2-3-.11 Diapering Areas & Practices(CR) **Met**

Comment

Proper diapering procedures observed.

290-2-3-.11 Medications(CR) **Met**

Comment

Per the provider no medication is currently dispensed

Licensure

290-2-3-.04 Application Requirements(CR) **Met**

Comment

Application requirements reviewed with the Provider on this date.

Safety and Discipline

290-2-3-.11 Discipline(CR) **Met**

Comment

Age-appropriate discussion and/or redirection observed.

290-2-3-.11 Transportation(CR) **Met**

Comment

The provider does not provide routine transportation.

Staff Records

290-2-3-.21 Criminal Records and Comprehensive Background Checks(CR) **Met**

Comment

Consultant requested to view all Criminal Record checks for employees hired after last visit. Provider stated that there have been no new hires since last visit

290-2-3-.07 Staff Qualifications(CR) **Met**

Comment

Staff observed to be compliant with applicable laws and regulations.

Staff:Child Ratios and Supervision

290-2-3-.07 Staff:Child Ratios(CR) **Met**

Comment
Appropriate ratios were observed on this date.

290-2-3-.07 Supervision(CR) **Met**

Comment
The Provider was observed directly supervising and being attentive to the needs of the children.