2 Martin Luther K	ia Department of Early Care and Learning ing Jr. Drive SE, 670 East Tower lanta, GA 30334 7-5562 WWW.DECAL.GA.GOV
1.776°	Cover Sheet
Date: 10/29/2021 VisitType: Initial Licensing Study	Arrival: 9:30 AM Departure: 1:40 PM
CCLC-54770	Regional Consultant
Little Learners CDC, LLC	Toni Williams
132 Locke Road Cornelia, GA 30531 Habersham County (706) 778-9205 brittany@littlelearnerscdc.com	Phone: (770) 302-7628 Fax: (770) 302-8357 toni.williams@decal.ga.gov
Mailing Address Same	Joint with: Margaret Pringle
Quality Rated: No	

Com	Compliance Zone Designation			Compliance Zone Designation - A summary measure of a program's 12 month monitoring history, as it pertains to child care health and safety rules. The three compliance zones are good			
10/29/2021	Initial Licensing Study		standing, suppor	, i i i i i i i i i i i i i i i i i i i			
				 Program is demonstrating an acceptable level of performance in meeting the rules. 			
			Support	 Program performance is demonstrating a need for improvement in meeting rules. 			
			Deficient	 Program is not demonstrating an acceptable level of performance in meeting the rules. 			

Ratios/License Capacity

Building	Room	Age Group	Staff	Children	NC/C	Max 35 SF.	35 SF. Comp.		25 SF. Comp.	Notes
Building 2	Three and Four Year Olds		0	0	С	23	С	NA	NA	
		Total Capacity @35 sq. ft.: 23	3		Total C ft.: 0	apacity @	25 sq.			
Main	1L-Two Year Old		0	0	С	14	С	NA	NA	
Main	1R-6 Weeks-12 Months		0	0	С	6	С	NA	NA	
Main	2R-One Year Old		0	0	С	14	С	NA	NA	
		Total Capacity @35 sq. ft.: 34	ļ		Total C ft.: 0	apacity @	25 sq.	×		
Total # Cl	hildren this Date: 0	Total Capacity @35 sq. ft.: 57	7		Total C ft.: 0	apacity @	25 sq.			

Building	Playground	Playground Occupancy	Playground Compliance
Building 2	Playground B	39	С
Main	Playground A	36	С

Comments

An Administrative Review was conducted on October 18, 2021. Staff files, children's files, training, and background checks were all reviewed. An in person Initial Licensing Study was conducted on October 29, 2021. The exit conference was conducted virtually on November 5, 2021 at 10:00 am with the Provider. Permission to Operate will be issued upon completion of the Exit Conference and signature pages are returned to the consultant. Facility does not carry Liability Insurance. Total Capacity of 65 per septic tank requirements.

Plan of Improvement: Developed This Date 10/29/2021

Any rule violation which subjects a child to injury or life-threatening situation or any rule violations previously cited but not corrected, may result in the imposition of an adverse enforcement action. Serious or continued noncompliance may also jeopardize participation in one or more DECAL program(s).



Please refer to the website, <u>http://www.decal.ga.gov/CCS/RulesAndRegulations.aspx</u>, for information regarding October 1, 2018 rule changes about Criminal Records Checks that may affect your facility. In summary,

- New records checks will be required to be completed if a staff member experiences a six month break in service from the child care industry
 - New clearance is required at least once every five years
- Any staff member solely responsible for supervising children will be required to have completed a comprehensive background clearance
- · All staff members are required to have completed at least a national fingerprint based clearance check
- Any staff member with only the national fingerprint based clearance, must be under constant and direct supervision of a staff member with a satisfactory comprehensive records check clearance
- Facilities are required to use DECAL KOALA for Criminal Records Checks, including to verify portability of an employee





Important New Deadlines:

Due to the ongoing COVID restrictions, the deadline to become Quality Rated for programs who want to continue to receive Childcare and Parent Services (CAPS), has been extended to at least December 31, 2021.

Get started today! Sign up by completing a short online application: <u>https://qualityrated.decal.ga.gov/</u> Request free technical assistance to help you earn your star rating by contacting the Quality Rated help desk at 855-800-7747 or <u>qualityrated@decal.ga.gov</u>

You have received permission to operate and the form received with this report is intended to serve as a temporary license which is <u>valid for</u> <u>thirty(30) days</u>. Your actual license/ will be emailed to you upon receipt of the licensing fee. You may pay the licensing fee either online at http://www.decal.ga.gov/ or by certified check or money order mailed to: Bright from the Start, 2 Martin Luther King Jr. Drive SE, Suite 670 East Tower, Atlanta, GA 30334

O.C.G.A. Section 42.1.12(i)(2) requires Bright from the Start: Georgia Department of Early Care and Learning to notify licensed child care programs on accessing and retrieving from the Georgia Bureau of Investigation's (GBI) website a list of the names and addresses of all registered sexual offenders. Please see GBI's website located at http://gbi.georgia.gov to access the Georgia Sex Offender Registry.

Refutation Process:

You have the right to refute any of the citations noted in this report with which you disagree. To refute a citation(s), e-mail the following information to CCSRefutations@decal.ga.gov.

1) Facility name, license number and visit date

2) Your name, title/relationship to the facility, e-mail address & up to two phone number(s) where you can be reached

3) Specific rule number(s) that you are refuting, along with your concerns or questions regarding the rule citation

Refutations must be submitted to Child Care Services (CCS) within 10 business days of the completion date.

A sample form for submitting a refutation can be found at: http://decal.ga.gov/ChildCareServices/RefutationInformation.aspx

Your refutation will be forwarded to the appropriate CCS manager, who will follow up with you about your concerns. If you have any questions about this process, contact our office at 404-657-5562.

Bright from the Start recommends that all licensed child care providers carry liability insurance coverage sufficient to protect its clients. If you do not have this liability insurance, you are required to post a notice with ½ inch letters in a conspicuous location in the program, notify the parent or guardian of each child in care in writing, obtain their signature to acknowledge receipt and maintain this written acknowledgment on file at the program at all times while the child attends the program and for 12 months after the child's last date of attendance. (O.C.G.A. Section 20-1A-4)

Rochelle Simmemon, Program Official	Date
Margaret Pringle, Consultant	Date

Toni Williams, Consultant

Date

Findings Report Date: 10/29/2021 VisitType: Initial Licensing Study Arrival: 9:30 AM Departure: 1:40 PM CCLC-54770 Regional Consultant Little Learners CDC, LLC Tomi Williams 132 Locke Road Cornelia, GA 30531 Habersham County (706) 778-9205 brittany@littlelearnerscdc.com Phone: (770) 302-7628 Fax: (770) 302-7628 Fax: (770) 302-8357 Mailing Address Same Joint with: Margaret Pringle The following information is associated with a Initial Licensing Study: Activities and Equipment Symmetrie Colspan= Symmetrie </th <th>OF C. O. P. C. LA</th> <th>Bright from the Start Geo 2 Martin Luther Phone: (404)</th> <th>King Jr. Dr Atlanta, GA</th> <th>ive SE, 670 30334</th> <th>) Éast Tower</th> <th>rning</th>	OF C. O. P. C. LA	Bright from the Start Geo 2 Martin Luther Phone: (404)	King Jr. Dr Atlanta, GA	ive SE, 670 30334) Éast Tower	rning
CCLC-54770 Regional Consultant Little Learners CDC, LLC Toni Williams 132 Locke Road Cornelia, GA 30531 Habersham County (706) 778-9205 brittany@littlelearnerscdc.com Phone: (770) 302-7628 Fax: (770) 302-8357 toni.Williams@decal.ga.gov Joint with: Margaret Pringle Mailing Address Same Joint with: Margaret Pringle The following information is associated with a Initial Licensing Study: Activities and Equipment 591-1-1-12 Equipment & Toys(CR) Met Comment Equipment and furniture observed to be properly secured. 591-1-1-35 Swimming Pools & Water-related Activities(CR) S91-1-1-35 Swimming Pools & Water-related Activities(CR) Met Comment Center closes not provide swimming activities. No pool observed on site. Facility S91-1-1-19 License Capacity(CR) Met Comment Permission to Operate will be issued upon completion of the Exit Conference and return of signature pages to the Consultant, the overall capacity is 65 per septic tank requirements S91-1-1-25 Physical Plant - Safe Environment(CR) No hazards observed accessible to children on this date. S91-1-1-26 Playgrounds(CR) Met Comment No hazards observed to be clean and in good repair. Playground does not contain climbing equipment/swings. The program will be willing portable equipment. Such as hula-hoops, balls, riding cars, bikes, and will have planned activities for the children to participate in. </th <th>1776 Stars</th> <th></th> <th>Findings</th> <th>Report</th> <th></th> <th></th>	1776 Stars		Findings	Report		
Little Learners CDC, LLC Toni Williams 132 Locke Road Cornelia, GA 30531 Habersham County Phone: (770) 302-8557 (706) 778-9205 brittany@littlelearnerscdc.com Fax: (770) 302-8557 Same Joint with: Margaret Pringle The following information is associated with a Initial Licensing Study: Continuitians@decal.ga.gov Joint with: Margaret Pringle Same The following information is associated with a Initial Licensing Study: Continuitians@decal.ga.gov Joint with: Margaret Pringle Same Same The following information is associated with a Initial Licensing Study: Continuition of the Same County Same	Date: 10/29/2021 VisitType:	Initial Licensing Study	Arrival:	9:30 AM	Departure:	1:40 PM
132 Locke Road Cornelia, GA 30531 Habersham County (706) 778-9205 brittany@littlelearnerscdc.com Phone: (770) 302-7628 Fax: (770) 302-8357 toni.williams@decal.ga.gov Mailing Address Same Joint with: Margaret Pringle The following information is associated with a Initial Licensing Study: Activities and Equipment 591-1112 Equipment & Toys(CR) Met Comment Equipment and furniture observed to be properly secured. 591-1135 Swimming Pools & Water-related Activities(CR) Met Comment Center does not provide swimming activities. No pool observed on site. Facility Facility 591-1119 License Capacity(CR) Met Comment Conference and return of signature pages to the Consultant, the overall capacity is 65 per septic tank requirements 591-1125 Physical Plant - Safe Environment(CR) Met Comment No hazards observed accessible to children on this date. 591-1126 Playground screed accessible to children on this date. Sp1-1126 Playgrounds(CR) Comment Playground observed to be clean and in good repair. Playground does not contain climbing equipment/swings. The program will be utilizing portable equipment, such as hula-hoops, balls, riding cars, bikes, and will have planned activities for the children to participate in.	CCLC-54770			Re	gional Consultar	nt
(706) 778-9205 brittany@littlelearmerscdc.com Fax: (770) 302-8357 Mailing Address Joint with: Margaret Pringle Same Joint with: Margaret Pringle The following information is associated with a Initial Licensing Study: Activities and Equipment 591-1112 Equipment & Toys(CR) Met Comment Equipment and furniture observed to be properly secured. 591-1135 Swimming Pools & Water-related Activities(CR) Met Comment Center does not provide swimming activities. No pool observed on site. Facility Facility 591-1119 License Capacity(CR) Met Comment Center does not provide summing activities. No pool observed on site. Facility Sale 1-119 License Capacity(CR) S91-1125 Physical Plant - Safe Environment(CR) Met Comment No hazards observed accessible to children on this date. S91-1126 Playgrounds(CR) Met Comment No hazards observed to be clean and in good repair. Playground does not contain climbing equipment/swings. The program will be utilizing portable equipment, such as hula-hoops, balls, riding cars, bikes, and will have planned activities for the children to participate in.	Little Learners CDC, LLC			То	ni Williams	
Same The following information is associated with a Initial Licensing Study: Activities and Equipment 591-1-112 Equipment & Toys(CR) Met Comment Equipment and furniture observed to be properly secured. 591-1-135 Swimming Pools & Water-related Activities(CR) Met Comment Center does not provide swimming activities. No pool observed on site. Facility 591-1-1-19 License Capacity(CR) Met Comment Permission to Operate will be issued upon completion of the Exit Conference and return of signature pages to the Consultant, the overall capacity is 65 per septic tank requirements 591-1-25 Physical Plant - Safe Environment(CR) Met Comment No hazards observed accessible to children on this date. 591-1-1-26 Playgrounds(CR) Met Playground observed to be clean and in good repair. Playground does not contain climbing equipment/swings. The program will be utilizing portable equipment, such as hula-hoops, balls, riding cars, bikes, and will have planned activities for the children to participate in.				Fa	x: (770) 302-8357	
Activities and Equipment 591-1-1-12 Equipment & Toys(CR) Met Comment Equipment and furniture observed to be properly secured. 591-11-35 Swimming Pools & Water-related Activities(CR) Met Comment Center does not provide swimming activities. No pool observed on site. Facility Facility 591-1-1-19 License Capacity(CR) Met Comment Permission to Operate will be issued upon completion of the Exit Conference and return of signature pages to the Consultant, the overall capacity is 65 per septic tank requirements 591-1-1-25 Physical Plant - Safe Environment(CR) Met Comment No hazards observed accessible to children on this date. 591-1-1-26 Playgrounds(CR) Met Playground observed to be clean and in good repair. Playground does not contain climbing equipment/swings. The program will be utilizing portable equipment, such as hula-hoops, balls, riding cars, bikes, and will have planned activities for the children to participate in.				Jo	int with: Margaret	Pringle
Comment Equipment and furniture observed to be properly secured. 591-1-135 Swimming Pools & Water-related Activities(CR) Met Comment Center does not provide swimming activities. No pool observed on site. Facility 591-1-119 License Capacity(CR) Met Comment Permission to Operate will be issued upon completion of the Exit Conference and return of signature pages to the Consultant, the overall capacity is 65 per septic tank requirements 591-11-25 Physical Plant - Safe Environment(CR) Met Comment No hazards observed accessible to children on this date. 591-1-1-26 Playgrounds(CR) Met Comment Net Playground observed to be clean and in good repair. Playground does not contain climbing equipment/swings. The program will be utilizing portable equipment, such as hula-hoops, balls, riding cars, bikes, and will have planned activities for the children to participate in.	The following information is as	ssociated with a Initial Lic	ensing Stu		ties and Equ	ipment
Comment Equipment and furniture observed to be properly secured. 591-1-135 Swimming Pools & Water-related Activities(CR) Met Comment Center does not provide swimming activities. No pool observed on site. Facility 591-1-119 License Capacity(CR) Met Comment Permission to Operate will be issued upon completion of the Exit Conference and return of signature pages to the Consultant, the overall capacity is 65 per septic tank requirements 591-1-1-25 Physical Plant - Safe Environment(CR) Met Comment No hazards observed accessible to children on this date. 591-1-1-26 Playgrounds(CR) Met Comment Playground observed to be clean and in good repair. Playground does not contain climbing equipment/swings. The program will be utilizing portable equipment, such as hula-hoops, balls, riding cars, bikes, and will have planned activities for the children to participate in.						
Equipment and furniture observed to be properly secured. 591-1-135 Swimming Pools & Water-related Activities(CR) Met Comment Center does not provide swimming activities. No pool observed on site. Facility Facility 591-1-119 License Capacity(CR) Met Comment Permission to Operate will be issued upon completion of the Exit Conference and return of signature pages to the Consultant, the overall capacity is 65 per septic tank requirements Septiment and further the overall capacity is 65 per septic tank requirements 591-1-125 Physical Plant - Safe Environment(CR) Met Comment No hazards observed accessible to children on this date. 591-1-126 Playgrounds(CR) Met Comment Playground observed to be clean and in good repair. Playground does not contain climbing equipment/swings. The program will be utilizing portable equipment, such as hula-hoops, balls, riding cars, bikes, and will have planned activities for the children to participate in.	591-1-112 Equipment & Toys	(CR)				Met
Comment Center does not provide swimming activities. No pool observed on site. Facility 591-1-1-19 License Capacity(CR) Met Comment Permission to Operate will be issued upon completion of the Exit Conference and return of signature pages to the Consultant, the overall capacity is 65 per septic tank requirements 591-1-1-25 Physical Plant - Safe Environment(CR) Met Comment No hazards observed accessible to children on this date. 591-1-1-26 Playgrounds(CR) Met Comment Playground observed to be clean and in good repair. Playground does not contain climbing equipment/swings. The program will be utilizing portable equipment, such as hula-hoops, balls, riding cars, bikes, and will have planned activities for the children to participate in.		ed to be properly secured.				
Center does not provide swimming activities. No pool observed on site. Facility 591-1-119 License Capacity(CR) Met Comment Permission to Operate will be issued upon completion of the Exit Conference and return of signature pages to the Consultant, the overall capacity is 65 per septic tank requirements 591-1-125 Physical Plant - Safe Environment(CR) Somment No hazards observed accessible to children on this date. 591-1-126 Playgrounds(CR) Met Comment Net Playground observed to be clean and in good repair. Playground does not contain climbing equipment/swings. The program will be utilizing portable equipment, such as hula-hoops, balls, riding cars, bikes, and will have planned activities for the children to participate in.	591-1-135 Swimming Pools &	Water-related Activities(CR)			Met
591-1-1.9 License Capacity(CR) Met Comment Permission to Operate will be issued upon completion of the Exit Conference and return of signature pages to the Consultant, the overall capacity is 65 per septic tank requirements 591-1-1.25 Physical Plant - Safe Environment(CR) Somment No hazards observed accessible to children on this date. 591-1-1.26 Playgrounds(CR) Met Comment Playground observed to be clean and in good repair. Playground does not contain climbing equipment/swings. The program will be utilizing portable equipment, such as hula-hoops, balls, riding cars, bikes, and will have planned activities for the children to participate in.		ng activities. No pool obser	ved on site.			
Comment Permission to Operate will be issued upon completion of the Exit Conference and return of signature pages to the Consultant, the overall capacity is 65 per septic tank requirements 591-1-1.25 Physical Plant - Safe Environment(CR) Met Comment No hazards observed accessible to children on this date. 591-1-1.26 Playgrounds(CR) Met Comment Playground observed to be clean and in good repair. Playground does not contain climbing equipment/swings. The program will be utilizing portable equipment, such as hula-hoops, balls, riding cars, bikes, and will have planned activities for the children to participate in.						Facility
Comment Permission to Operate will be issued upon completion of the Exit Conference and return of signature pages to the Consultant, the overall capacity is 65 per septic tank requirements 591-1-1.25 Physical Plant - Safe Environment(CR) Met Comment No hazards observed accessible to children on this date. 591-1-1.26 Playgrounds(CR) Met Comment Playground observed to be clean and in good repair. Playground does not contain climbing equipment/swings. The program will be utilizing portable equipment, such as hula-hoops, balls, riding cars, bikes, and will have planned activities for the children to participate in.						
Permission to Operate will be issued upon completion of the Exit Conference and return of signature pages to the Consultant, the overall capacity is 65 per septic tank requirements 591-1-125 Physical Plant - Safe Environment(CR) Met Comment No hazards observed accessible to children on this date. 591-1-126 Playgrounds(CR) Met Comment Playground observed to be clean and in good repair. Playground does not contain climbing equipment/swings. The program will be utilizing portable equipment, such as hula-hoops, balls, riding cars, bikes, and will have planned activities for the children to participate in.	591-1-119 License Capacity(C	CR)				Met
Comment No hazards observed accessible to children on this date. 591-1-126 Playgrounds(CR) Met Comment Playground observed to be clean and in good repair. Playground does not contain climbing equipment/swings. The program will be utilizing portable equipment, such as hula-hoops, balls, riding cars, bikes, and will have planned activities for the children to participate in.	Permission to Operate will be iss			rence and r	eturn of signature	pages to
No hazards observed accessible to children on this date. 591-1-126 Playgrounds(CR) Met Comment Playground observed to be clean and in good repair. Playground does not contain climbing equipment/swings. The program will be utilizing portable equipment, such as hula-hoops, balls, riding cars, bikes, and will have planned activities for the children to participate in.	591-1-125 Physical Plant - Sa	fe Environment(CR)				Met
Comment Playground observed to be clean and in good repair. Playground does not contain climbing equipment/swings. The program will be utilizing portable equipment, such as hula-hoops, balls, riding cars, bikes, and will have planned activities for the children to participate in.		to children on this date.				
Playground observed to be clean and in good repair. Playground does not contain climbing equipment/swings. The program will be utilizing portable equipment, such as hula-hoops, balls, riding cars, bikes, and will have planned activities for the children to participate in.	591-1-126 Playgrounds(CR)					Met
Lealth and Lyriana	Playground observed to be clear The program will be utilizing port	able equipment, such as hi				
Health and Hygiene					Health and H	lygiene

591-1-1-.20 Medications(CR)

Comment

Discussed medication documentation, administration and storage.

591-1-1-.11 Discipline(CR)

Comment

Consultant discussed appropriate discipline and guidance techniques with the owner and director.

591-1-1-.36 Transportation(CR)

Comment

Consultant discussed transportation requirements if/when the facility decides to incorporate transportation. The center will contact their regional consultant and complete the required two (2) hours transportation training prior to transporting children.

591-1-1-.30 Safe Sleeping and Resting Requirements(CR)

Comment

Six (6) of six (6) cribs observed cribs were present meeting safety compliance with Consumer Product Safety Commission (CPSC) and American Society of Testing and Materials International (ASTM) safety standards as they were manufactured in (2) 2011 (1) 2013 and (3) 2011. The Consultant discussed safe sleeping requirements with the owner and director during the inspection visit.

Records Reviewed: 9	Records with Missing/Incomplete Components: 0
Staff # 1 Date of Hire: 08/23/2021	Met
Staff # 2 Date of Hire: 08/23/2021	Met
Staff # 3 Date of Hire: 08/23/2021	Met
Staff # 4 Date of Hire: 08/23/2021	Met
Staff # 5	Met
Georgia Department of Early Care and Learning	v1.03 Page 2 of 3

591-1-1.10 Diapering Areas & Practices(CR)

Comment

Staff state proper knowledge of diapering procedures. Sinks with warm running water observed adjacent to proper diapering surfaces in all classrooms approved for diapering.

591-1-1-.17 Hygiene(CR)

Comment

There were no children enrolled on this date. Proper hand washing of children and staff was discussed with the director on this date during the inspection visit.

Staff Record

Sleeping & Resting Equipment

Met

Met

Safety

Met

Met

Met

Date of Hire: 08/23/2021

Staff # 6	Met
Date of Hire: 08/23/2021	
Staff # 7	Mot
Staff # 7	Met
Date of Hire: 08/23/2021	
Staff # 8	Met
Date of Hire: 08/23/2021	
Staff # 9	Met
Date of Hire: 08/23/2021	

Staff Credentials Reviewed: 4

591-1-1-.09 Criminal Records and Comprehensive Background Checks(CR)

Comment

Eight (8) of eight (8) staff records were observed to have comprehensive satisfactory Criminal Background Check determination letters on file.

591-1-1-.31 Staff(CR)

Comment

Staff observed to be compliant with applicable laws and regulations

591-1-1-.32 Staff: Child Ratios and Group Size(CR)

Comment

There were no children enrolled on this date. Proper ratios and classroom capacities were discussed with the director on this date.

591-1-1-.32 Supervision(CR)

Comment

A supervision plan was created on this date for an additional staff member to be present when diapering children in all diapering classrooms. All changing tables are placed so that the staff will have their backs turned and supervision of the other children would be difficult.

Comment

There were no children enrolled on this date. Proper supervision of children, including being prompt to children's needs, was discussed with the director on this date.

Met

Met

Met

Staffing and Supervision

Met

Records with Missing/Incomplete Components: 0