



Andy Beshear
GOVERNOR

CABINET FOR HEALTH AND FAMILY SERVICES
OFFICE OF INSPECTOR GENERAL

Eric Friedlander
SECRETARY

Melissa A. Moore, Director
Division of Regulated Child Care
Eastern Branch
455 Park Place, Suite 120A
Lexington, KY 40511

Adam Mather
INSPECTOR GENERAL

Phone: (859) 246-2301 Fax: (859) 246-2307
<https://chfs.ky.gov/agencies/os/oig>

Inspection Report

Provider Name: Northview Elementary School	Provider Information	CLR No: L377842
Provider Address: 1040 Maysville Road, Mt. Sterling, KY, 40353	Provider Type: LICENSED TYPE I	Capacity: 393
Owner(s): Montgomery County Public Schools		Director(s): Whitaker, Lesia Sizemore

Inspection Type: Renewal Application	Inspection Information	Inspection No: 278780
Date Initiated: 04/09/2019 2:50 PM	Date Concluded: 04/09/2019 4:20 PM	
	No. of Children Present: 39	

Inspection Report	
Background Checks	In Compliance
Supervision	In Compliance
Staffing Requirements	In Compliance
General Administration	In Compliance
Director Requirements	Not In Compliance
350 - Health, Safety, Comfort	Not In Compliance
922 KAR 2:090. Section 10. Director Requirements and Responsibilities.	
(1) A director shall:	
(l) Assure the health, safety, and comfort of each child;	
Findings:	
General: Based on observation, it was found that there were two (2) uncovered electrical outlets in the preschool classroom. One (1) of the outlets was located under the desk where the computer was located. The other outlet was located next to the tall structure in the classroom.	
Employee Records	In Compliance
Programming	In Compliance
Premises	In Compliance
Hygienic Practices	In Compliance
First Aid/Medication	In Compliance
Outdoor Play Area	In Compliance
Equipment	In Compliance
Transportation	In Compliance
Food Service/Food Program	In Compliance
Food Service	In Compliance
Children's Records	In Compliance
Written Documentation	In Compliance
Posted Documentation	In Compliance
Animals	In Compliance

Signature of Provider/Representative

Title

Date