Andy Beshear

GOVERNOR



KID013A v2.0

CABINET FOR HEALTH AND FAMILY SERVICES OFFICE OF INSPECTOR GENERAL

Melissa A. Moore, Director

Division of Regulated Child Care Southern Branch 116 Commerce Ave London, KY 40744 Phone: (606) 330-2030 Fax: (606) 330-2056 https://chfs.ky.gov/agencies/os/oig

> Inspection Report Provider Information Provider Type: LICENSED TYPE I

Eric Friedlander SECRETARY

Adam Mather INSPECTOR GENERAL

CLR No: L378179

Director(s): Shelton, Shirley Ann

Inspection No: 289416

Capacity: 49

Provider Name: Little Learners, Inc. Provider Address: 850 Hwy 15, Campton, KY, 41301 Owner(s): Little Learners Inc.

Inspection Information

Inspection Type: Renewal Application Date Initiated: 08/15/2019 11:50 AM

Date Concluded: 08/15/2019 3:00 PM

No. of Children Present: 15

	Inspection Report	
	Background Checks	In Compliance
	Supervision	In Compliance
	Staffing Requirements	In Compliance
	General Administration	In Compliance
	Director Requirements	In Compliance
	Employee Records	Not In Compliance
05 - Adequate Substitute(s)		Not In Compliance
922 KAR 2:090. Section 11. Staff Requirements (6) Child-care centers shall have available in c (a) One (1) qualified substitute staff person for (b) Two (2) qualified substitute staff persons (7) Each qualified substitute staff person shall (a) Meet the staff requirements of this admini (b) Provide the required documentation to ver	ase of need: r a Type II child-care center; or for a Type I child-care center. :	

Findings:

General: Based on review of documentation and interview, the surveyor found that one (1) staff person (DOE: 08/01/19) identified as a substitute did not meet the staff requirements of this administrative regulation for a Type 1 center based on no verification of education in file.

During interview, staff stated that she realized that the information was missing.



Inspection Report

Not In Compliance

922 KAR 2:090. Section 11. Staff Requirements.

(16) In accordance with KRS 199.896(15) and (16), a staff person with supervisory authority over a child shall complete the following:

(a) Six (6) hours of cabinet-approved orientation within the first three (3) months of employment;

(b) Nine (9) hours of cabinet-approved early care and education training within the first year of employment, including one and one-half (1 ½) hours of cabinet-approved pediatric abusive head trauma training; and

(c) Fifteen (15) hours of cabinet-approved early care and education training during each subsequent year of employment, including one and onehalf (1 ½) hours of cabinet-approved pediatric abusive head trauma training completed once every five (5) years.

Findings:

410 - Training

Based on review of documentation of the files presented for surveyor review and ECE-TRIS, the surveyor found the following:

1. A staff member (DOH: 06/06/18) had obtained only eleven (11) hours of cabinet-approved early care and education annual training.

2. A staff member (DOH: 06/15/19) had obtained only ten (10) hours of cabinet-approved early care and education annual training.

3. A staff member (DOH: 01/22/18) had obtained only one (1) hour of cabinet-approved early care and education annual training.

4. A staff member (DOH: 06/06/18) had not completed the one and one half (1 ½) hours of pediatric abusive head trauma training within the twelve (12) months of employment. During interview, staff could not provide proof of training documentation at the time of the survey.

5. A staff member (DOH: 06/06/18) had not completed the six (6) hours of cabinet - approved orientation by 09/06/18; therefore, the training was not obtained during the staff's first three (3) months of employment. During interview, staff could not provide proof of the orientation being completed.

	Programming	In Compliance
	Premises	Not In Compliance
) - Building Requirements		Not In Compliance
 22 KAR 2:120. Section 4. Premises Requirements. (5) The building shall be constructed to ensure the: (a) Building is: 1. Dry; 2. Ventilated; and 3. Well lit, including clean light fixtures that are: a. In good repair in all areas; and b. Shielded or have shatter-proof bulbs installed; and (b) Following are protected: Windows; Doors; Stoves; Heaters; Furnaces; Pipes; and Stairs. 		
Findings:		
General: Based on observation during a tour of the childcare center, the sur	veyor found the following:	
 The vent in the girl's restroom was covered with rust. There were ceiling tiles in the boy's restroom were broken and need to b 	e replaced.	
0 - Floors, Walls, Ceilings		Not In Compliance
922 KAR 2:120. Section 4. Premises Requirements. (9) Floors, walls, and ceilings shall be smooth, in good repair, a	and constructed to be easily cleaned.	
Findings:		
General: Based on observation during a tour of the childcare center, the sur	veyor found the following:	
 The baseboard located in the gym by the window was torn from the wall The floor in the gymnasium by the indoor play area was warped and in n 		
During interview, staff stated that they have worked on the warped area; ho	wever, they are going to try something new. Sh	e stated that the baseboard will be repaired.
	Hygienic Practices	In Complianc
	First Aid/Medication	In Compliance
	Outdoor Play Area	In Compliance



Inspection Report

	Equipment	Not In Compliance
5 - Toys/Furniture		Not In Compliance
922 KAR 2:120. Section 11. Toys and Furnishings. (1) All toys and furniture contacted by a child shall (a) Kept clean and in good repair; and (b) Free of peeling, flaking, or chalking paint.	be:	
Findings:		
General: Based on observation during a tour of the gymnasiu	im and indoor gross motor area, the surveyor found that several holes	were found on a plastic boat structure.
During interview, staff stated that she was aware of the holes	and she plans on taking the structure out of the play area.	
	Transportation	In Compliance
	Food Service/Food Program	In Compliance
	Food Service	In Compliance
	Children's Records	In Compliance

Written Documentation

Posted Documentation

Animals

Signature of Provider/Representative



In Compliance

In Compliance

In Compliance