



Andy Beshear
GOVERNOR

CABINET FOR HEALTH AND FAMILY SERVICES
OFFICE OF INSPECTOR GENERAL

Eric Friedlander
SECRETARY

Melissa A. Moore, Director
Division of Regulated Child Care
Eastern Branch
455 Park Place, Suite 120A
Lexington, KY 40511

Adam Mather
INSPECTOR GENERAL

Phone: (859) 246-2301 Fax: (859) 246-2307
<https://chfs.ky.gov/agencies/os/oig>

Inspection Report

Provider Name: Smart Beez Learning Center	Provider Information	CLR No: L383125
Provider Address: 435 Southland Drive, Lexington, KY, 40503	Provider Type: LICENSED TYPE I	Capacity: 48
Owner(s): Smart Beez, Llc		Director(s): Jarrar, Roaa Majed

Inspection Type: Investigation	Inspection Information	Inspection No: 318754
Date Initiated: 09/24/2021 8:30 AM	Date Concluded: 09/24/2021 9:30 AM	
	No. of Children Present: 18	

Inspection Report	
Supervision	In Compliance
Staffing Requirements	In Compliance
Premises	Not In Compliance
585 - Premises Requirements	Not In Compliance
922 KAR 2:120. Section 4. Premises Requirements. (1) The premises shall be: (a) Suitable for the purpose intended; (b) Kept clean and in good repair;	
Findings:	
General: Based on observation, this regulatory requirement was not met. The staff bathroom contained a stained ceiling tile above the hot water tank.	
Equipment	Not In Compliance
865 - Indoor/Outdoor Equipment	Not In Compliance
922 KAR 2:120. Section 13. Toys and Furnishings. (2) Indoor and outdoor equipment shall: (a) Be clean, safe, and in good repair; (b) Meet the physical, developmental needs, and interests of children of different age groups; (c) Be free from sharp points or corners, splinters, protruding nails or bolts, loose or rusty parts, hazardous small parts, lead-based paint, poisonous material, and flaking or chalking paint; and (d) Be designed to guard against entrapment or situations that may cause strangulation.	
Findings:	
Based on observation, this regulatory requirement was not met. A handwashing sink located in the kitchen was separating from the wall. The screws in the wall were coming out and the sink was not secured properly. The sink moved back and forth.	

Inspection Report

Kitchen Requirements

Not In Compliance

1055 - Kitchen Equipment Clean and Sanitary

Not In Compliance

922 KAR 2:120. Section 8. Kitchen Requirements.

(7) The following shall be clean and sanitary:

- (a) Eating and drinking utensils;**
- (b) Kitchenware;**
- (c) Food contact surfaces of equipment;**
- (d) Food storage utensils;**
- (e) Food storage containers;**
- (f) Cooking surfaces of equipment; and**
- (g) Nonfood contact surfaces of equipment.**

Findings:

General: Based on observation, this regulatory requirement was not met. The following was found:

1. Two pans in the kitchen that are used to prepare food contained numerous scratches on the surface. The surface of the pans appeared to be Teflon.
2. A white toaster located in the kitchen was dirty on the surface. It appeared to have dried food and grease on the top. The staff in charge stated that they do not use the toaster.

Food Service

In Compliance

Signature of Provider/Representative

Title

Date