



Andy Beshear
GOVERNOR

CABINET FOR HEALTH AND FAMILY SERVICES
OFFICE OF INSPECTOR GENERAL

Eric Friedlander
SECRETARY

Melissa A. Moore, Director
Division of Regulated Child Care
Northern Branch
908 W. Broadway, 10-W
Louisville, KY 40203

Adam Mather
INSPECTOR GENERAL

Phone: (502) 595-5781 Fax: (502) 595-5773
<https://chfs.ky.gov/agencies/os/oig>

Inspection Report

Provider Name: Bright Beginners Montessori	Provider Information	CLR No: L383206
Provider Address: 1150 North Bardstown Road, Mt. Washington, KY 40047	Provider Type: LICENSED TYPE I	Capacity: 99
Owner(s): Bright Beginners Montessori, Inc.		Director(s): Madanatake , Kamalika Vajiramali

Inspection Type: Change of Location	Inspection Information	Inspection No: 247791
Date Initiated: 12/04/2018 8:30 AM	Date Concluded: 12/04/2018 11:00 AM	
	No. of Children Present:	

Inspection Report	
General Administration	In Compliance
Director Requirements	Not In Compliance
350 - Health, Safety, Comfort	Not In Compliance
922 KAR 2:090. Section 10. Director Requirements and Responsibilities.	
(1) A director shall:	
(l) Assure the health, safety, and comfort of each child;	
Findings:	
General: Based on observation, the child care center director failed to assure compliance with regulatory requirements. Observation of Classroom 5 revealed a large capped metal pipe protruding from the wall that was accessible to children in care that posed a safety risk.	
Premises	Not In Compliance
580 - Floors, Walls, Ceilings	Not In Compliance
922 KAR 2:120. Section 4. Premises Requirements.	
(9) Floors, walls, and ceilings shall be smooth, in good repair, and constructed to be easily cleaned.	
Findings:	
General: Based on observation, the child care center failed to maintain the premises in accordance with regulatory requirements. Observation of Bathroom 2 revealed several areas where paint was chipping and peeling from the walls and ceiling.	
Outdoor Play Area	In Compliance
Food Service	In Compliance
Written Documentation	Not In Compliance
1150 - Evacuation Plan	Not In Compliance
922 KAR 2:090. Section 5. Evacuation Plan.	
(1) A licensed child-care center shall have a written evacuation plan in the event of a fire, natural disaster, or other threatening situation that may pose a health or safety hazard for a child in care in accordance with KRS 199.895 and 42 U.S.C. 9858c(c)(2)(U).	
Findings:	
General: Based on review of documentation and interview, the child care center failed to maintain written documentation in accordance with regulations. Review of documentation revealed an evacuation plan written for the center's new location was not presented for review at the time of survey. Interview with owner/director revealed she needs to update the evacuation plan.	

Signature of Provider/Representative

Title

Date