Printed Date: 11/30/2022 KID013A v2.0



Andy Beshear GOVERNOR

CABINET FOR HEALTH AND FAMILY SERVICES OFFICE OF INSPECTOR GENERAL

Melissa A. Moore, Director **Division of Regulated Child Care**

Northern Branch 908 W. Broadway, 10-W Louisville, KY 40203 Phone: (502) 595-5781 Fax: (502) 595-5773

https://chfs.ky.gov/agencies/os/oig

Eric Friedlander SECRETARY

Adam Mather INSPECTOR GENERAL

Inspection Report

Provider Information

Provider Type: LICENSED TYPE I

CLR No: 1383285 Capacity: 63

Director(s): Baumer, Holly Marie

Owner(s): Laughter And Lullabies Child Care, LLC

Provider Name: Laughter and Lullabies Childcare

Provider Address: 5313 Hames Trace, Louisville, KY, 40291

Inspection Type: Renewal Application

Date Initiated: 09/11/2019 9:33 AM

Inspection Information

Date Concluded: 09/11/2019 11:33 AM

No. of Children Present: 31

Inspection No: 291167

Inspection Report

Background Checks In Compliance **Supervision** In Compliance **Staffing Requirements** In Compliance

General Administration Director Requirements

In Compliance **Employee Records Not In Compliance**

410 - Training **Not In Compliance**

922 KAR 2:090. Section 11. Staff Requirements.

- (16) In accordance with KRS 199.896(15) and (16), a staff person with supervisory authority over a child shall complete the following:
- (a) Six (6) hours of cabinet-approved orientation within the first three (3) months of employment;
- (b) Nine (9) hours of cabinet-approved early care and education training within the first year of employment, including one and one-half (1 ½) hours of cabinet-approved pediatric abusive head trauma training; and
- (c) Fifteen (15) hours of cabinet-approved early care and education training during each subsequent year of employment, including one and onehalf (1 ½) hours of cabinet-approved pediatric abusive head trauma training completed once every five (5) years.

Findings:

General: Based on interview and review of documentation, the child care center failed to maintain employee records in accordance with regulations. Review of staff files and a ECE-TRIS report revealed the fifteen (15) hours of cabinet approved training failed to be completed for two (2) staff members with the hire dates of 8/1/2014 and 4/18/2016.

Further review of staff files revealed the staff member with the hire date of 8/18/2014 failed to contain one and one-half (1 ½) hours of cabinet-approved pediatric abusive head trauma training completed once every five (5) years.

Interview with the director revealed this information was unavailable at the time of survey.

Programming

Premises

Hygienic Practices

First Aid/Medication

In Compliance

In Compliance

In Compliance

In Compliance

In Compliance



Inspection Report

Outdoor Play Area

755 - Protective Surface Not In Compliance

922 KAR 2:120. Section 4. Premises Requirements.

- (21) A protective surface shall:
- (a) Be provided for outdoor play equipment used to:
- 1. Climb;
- 2. Swing; and
- 3. Slide; and
- (b) Have a fall zone equal to the height of the equipment.

Findings:

General: Based on observation, the child care center failed to comply with regulations regarding outdoor play area. Observation of the playground revealed there was not enough protective surfacing under the slide where there was exposed ground.

Equipment

Not In Compliance

815 - Toys/Furniture

Not In Compliance

Not In Compliance

922 KAR 2:120. Section 11. Toys and Furnishings.

- (1) All toys and furniture contacted by a child shall be:
- (a) Kept clean and in good repair; and
- (b) Free of peeling, flaking, or chalking paint.

Findings:

General: Based on observation, the child care center failed to maintain equipment in accordance with regulations. Observation in the Nursery room 1 and Nursery room 2 revealed the crib railing in each room with chipping paint.

Transportation	Not Applicable
Food Service/Food Program	In Compliance
Food Service	In Compliance
Children's Records	In Compliance
Written Documentation	In Compliance
Posted Documentation	In Compliance
Animals	Not Applicable



Title

An Equal Opportunity Employer M/F/D