



**CABINET FOR HEALTH AND FAMILY SERVICES
OFFICE OF INSPECTOR GENERAL**

Andy Beshear
Governor

Melissa A. Moore, Director
Division of Regulated Child Care
Western Branch
2400 Russellville Road, P.O. Box 2200
Hopkinsville, KY 42240
Phone: (270) 889-6052 Fax: (270) 889-6089
<https://chfs.ky.gov/agencies/os/oig>

Eric C. Friedlander
Secretary

Adam Mather
Inspector General

Inspection Report

Provider Name: ABC Daycare	Provider Information	CLR No: L355687
Provider Address: 415 West Spring Street, Irvington, KY, 40146	Provider Type: LICENSED TYPE I	Capacity: 36
Owner(s): ABC Daycare Inc.		Director(s): Compton, Angela Kay

Inspection Type: Renewal Application	Inspection Information	Inspection No: 278081
Date Initiated: 02/21/2019 10:55 AM	Date Concluded: 02/21/2019 1:35 PM	
	No. of Children Present: 10	

Inspection Report	
Background Checks	In Compliance
Supervision	In Compliance
Staffing Requirements	In Compliance
General Administration	In Compliance
Director Requirements	Not In Compliance

340 - Staff Meeting **Not In Compliance**

922 KAR 2:090. Section 10. Director Requirements and Responsibilities.
(1) A director shall:
(i) Conduct, manage, and document in writing recurring staff meetings;

Findings:

General: Based on review of documentation, there was only one documented staff meeting, dated 9/20/18.

345 - Staff Evaluation **Not In Compliance**

922 KAR 2:090. Section 10. Director Requirements and Responsibilities.
(1) A director shall:
(j) Assess each staff person's interaction with children in care and classroom performance through an annual written performance evaluation;

Findings:

General: Based on review of documentation, a caregiver hired on 7/24/17, had an evaluation on file dated 1/29/18.

Inspection Report

Employee Records

Not In Compliance

410 - Training

Not In Compliance

922 KAR 2:090. Section 11. Staff Requirements.

(16) In accordance with KRS 199.896(15) and (16), a staff person with supervisory authority over a child shall complete the following:

- (a) Six (6) hours of cabinet-approved orientation within the first three (3) months of employment;**
- (b) Nine (9) hours of cabinet-approved early care and education training within the first year of employment, including one and one-half (1 ½) hours of cabinet-approved pediatric abusive head trauma training; and**
- (c) Fifteen (15) hours of cabinet-approved early care and education training during each subsequent year of employment, including one and one-half (1 ½) hours of cabinet-approved pediatric abusive head trauma training completed once every five (5) years.**

Findings:

General: Based on review of documentation, three (3) caregivers hired on 10/23/18, 10/1/18, and 7/24/17, had not completed six (6) hours of orientation training. Two (2) caregivers hired on 3/13/17 and 7/24/17, had not completed Pediatric Abusive Head Trauma Training. Two (2) caregivers hired on 3/13/17 and 7/24/17, lacked three (3) hours of training; a director hired on 3/17/97, lacked nine (9) hours of training, and a caregiver hired on 4/17/12, lacked fifteen (15) hours of training.

Programming

In Compliance

Premises

Not In Compliance

560 - Building Requirements

Not In Compliance

922 KAR 2:120. Section 4. Premises Requirements.

(5) The building shall be constructed to ensure the:

(a) Building is:

- 1. Dry;**
- 2. Ventilated; and**
- 3. Well lit, including clean light fixtures that are:**
 - a. In good repair in all areas; and**
 - b. Shielded or have shatter-proof bulbs installed; and**

(b) Following are protected:

- 1. Windows;**
- 2. Doors;**
- 3. Stoves;**
- 4. Heaters;**
- 5. Furnaces;**
- 6. Pipes; and**
- 7. Stairs.**

Findings:

General: Based on observation, two (2) light fixtures were not shielded or had shatter-proof bulbs in the preschool room.

645 - Sink

Not In Compliance

922 KAR 2:120. Section 10. Toilet, Diapering, and Toiletry Requirements.

(3) A sink shall be:

- (a) Located in or immediately adjacent to toilet rooms;**
- (b) Equipped with hot and cold running water that allows for hand washing;**
- (c) Equipped with hot water at a minimum temperature of ninety (90) degrees Fahrenheit and a maximum of 120 degrees Fahrenheit;**
- (d) Equipped with liquid soap;**
- (e) Equipped with hand-drying blower or single use disposable hand drying material;**
- (f) Equipped with an easily cleanable waste receptacle; and**
- (g) Immediately adjacent to a changing area used for infants and toddlers.**

Findings:

General: Based on observation, the hot water registered sixty (60) degrees Fahrenheit at a sink located in a restroom of the preschool room.

Hygienic Practices

Not In Compliance

685 - Diaper Changing Area/Surface

Not In Compliance

922 KAR 2:120. Section 10. Toilet, Diapering, and Toiletry Requirements.

(10) When a child is diapered, the child shall:

(b) Be placed on a surface that is:

- 1. Clean;**
- 2. Padded;**
- 3. Free of holes, rips, tears, or other damage;**
- 4. Nonabsorbent;**
- 5. Easily cleaned; and**
- 6. Free of any items not used for diaper changing.**

Findings:

General: Based on observation, a diaper changing pad was torn on both ends of the pad located in the infants' room.

Inspection Report

First Aid/Medication

Not In Compliance

730 - Medication

Not In Compliance

922 KAR 2:120. Section 7. First Aid and Medicine.

- (6) Medication, including refrigerated medication, shall be:**
- (a) Stored in a separate and locked place, out of the reach of a child unless the medication is:**
 - 1. A first aid supply and is maintained in accordance with subsection (1) of this section;**
 - 2. Diaper cream, sunscreen, or toothpaste. Diaper cream, sunscreen, or toothpaste shall be inaccessible to a child;**
 - 3. An epinephrine auto-injector. A licensed child-care center shall comply with KRS 199.8951 and 311.646, including:**
 - a. An epinephrine auto-injector shall be inaccessible to a child;**
 - b. A child-care center shall have at least one (1) person onsite who has received training on the administration of an epinephrine auto-injector if the child-care center maintains an epinephrine auto-injector;**
 - c. A child-care center shall seek emergency medical care for a child if an auto-injector is administered to the child; and**
 - d. A child-care center shall report to the child's parent and the cabinet in accordance with 922 KAR 2:090, Section 12(1)(b) if an epinephrine auto-injector is administered to a child; or**
 - 4. An emergency or rescue medication for a child in care, such as medication to respond to diabetic or asthmatic condition, as prescribed by the child's physician. Emergency or rescue medication shall be inaccessible to a child in care;**
 - (b) Kept in the original bottle; and**
 - (c) Properly labeled.**
- (7) Medication shall not be given to a child if the medication's expiration date has passed.**

Findings:

General: Based on observation, a small glass jar of cornstarch was not in the original container and was located in a medication box in the infants' room.

Outdoor Play Area

Not In Compliance

745 - Playground Clean

Not In Compliance

922 KAR 2:120. Section 4. Premises Requirements.

- (20) An outdoor play area shall be:**
- (c) Free from:**
 - 1. Litter;**
 - 2. Glass;**
 - 3. Rubbish; and**
 - 4. Flammable materials;**

Findings:

General: Based on observation, a pile of branches were located near a fence row in the older children's outdoor play area.

755 - Protective Surface

Not In Compliance

922 KAR 2:120. Section 4. Premises Requirements.

- (21) A protective surface shall:**
- (a) Be provided for outdoor play equipment used to:**
 - 1. Climb;**
 - 2. Swing; and**
 - 3. Slide; and**
 - (b) Have a fall zone equal to the height of the equipment.**

Findings:

General: Based on observation, dirt and sparse mulch was under a large Little Tikes double slide located in the older children's outdoor play area. Also, there was dirt and a very thin layer of mulch under a Panda Climber, a yellow slide, a purple dinosaur, and a green dinosaur located in the younger children's outdoor play area.

Equipment

Not In Compliance

820 - Indoor/Outdoor Equipment

Not In Compliance

922 KAR 2:120. Section 11. Toys and Furnishings.

- (2) Indoor and outdoor equipment shall:**
- (a) Be clean, safe, and in good repair;**
 - (b) Meet the physical, developmental needs, and interests of children of different age groups;**
 - (c) Be free from sharp points or corners, splinters, protruding nails or bolts, loose or rusty parts, hazardous small parts, lead-based paint, poisonous material, and flaking or chalking paint; and**
 - (d) Be designed to guard against entrapment or situations that may cause strangulation.**

Findings:

General: Based on observation, small lint and dirt particles were on a blue animal print area rug and a blue circle-shaped area rug in the preschool room. A yellow tube slide had openings between sections of the tube, rusted bolts, missing bolts, and the top of the tube slide was detached from the wooden playground apparatus in the older children's outdoor play area. Also, the end of four (4) nails were exposed at the top of the tube slide where it was detached from the wooden playground apparatus, and black grime was on the outside of the tube slide. A wooden slat was detached from the wooden frame, at the entrance of a yellow tube, located on the wooden playground apparatus in the older children's outdoor play area.

Transportation

Not Applicable

Food Service/Food Program

In Compliance

Food Service

In Compliance

Inspection Report

Children's Records

Not In Compliance

1135 - Immunization

Not In Compliance

922 KAR 2:090. Section 9. Records.

(1) A child-care center shall maintain:

(a) A current immunization certificate for each child in care within thirty (30) days of the child's enrollment, unless an attending physician or the child's parent objects to the immunization of the child pursuant to KRS 214.036;

Findings:

General: Based on review of documentation, a child enrolled on 2/13/17, had an immunization certificate valid until 2/20/19.

Written Documentation

Not In Compliance

1150 - Evacuation Plan

Not In Compliance

922 KAR 2:090. Section 5. Evacuation Plan.

(1) A licensed child-care center shall have a written evacuation plan in the event of a fire, natural disaster, or other threatening situation that may pose a health or safety hazard for a child in care in accordance with KRS 199.895 and 42 U.S.C. 9858c(c)(2)(U).

Findings:

General: Based on review of documentation, the center's evacuation plan was last reviewed on 5/13/13.

1170 - Professional Development

Not In Compliance

922 KAR 2:090. Section 9. Records.

(1) A child-care center shall maintain:

(f) A written annual plan for child-care staff professional development;

Findings:

General: Based on review of documentation, a caregiver hired on 7/24/17, had a professional development plan on file dated 2/1/18.

Posted Documentation

Not In Compliance

1215 - Daily Activities

Not In Compliance

922 KAR 2:090. Section 10. Director Requirements and Responsibilities.

(1) A director shall:

(h) Post a schedule of daily activities, to include dates and times of activities to be conducted with the children in each classroom;

Findings:

General: Based on observation, there was no date on the posted schedule of daily activities. Also, the posted schedule of daily activities was dated May through August 2018 located in the school-age room.

Animals

Not Applicable

Signature of
Provider/Representative

Title

Date